REGULAR CITY COUNCIL MEETING



April 19, 2022 at 5:30 PM Council Meeting Room, 101 North State Street, Abbeville, Louisiana 70510

AGENDA

NOTICE POSTED: April 18, 2022 at 4:00 P.M.

REGULAR ORDER OF BUSINESS

Call to Order by Mayor Roll Call by Kathy Faulk Prayer Pledge

PERSONNEL

PUBLIC COMMENTS

(To allow comments on any of the following items prior to action.)

NEW BUSINESS

- 1. To announce a Community Planning Event for the purpose of visioning the reuse of City Hall to be held on May 5, 2022 Councilwoman Roslyn White.
- 2. To adopt a resolution to create a Communications Advisory Committee to assist the Mayor for the purpose of finding Abbeville's bright spots and narrating the story of our community Councilwoman Roslyn White.
- 3. To approve payment of estimate for partial payment #4(final) in the amount of \$18,264.18 payable to Patriot Construction & Industrial, LLC for the LaFItte Drive-In Park Walking Trail Project.
- To ratify the purchase of transformers for stock from Techline Utility Supply in the amount of \$27,383.00.
- 5. To approve the purchase of a multi-tool from Delta Fire in the amount of \$12,217.00 for the Fire Department. A portion of this will be paid by the Abbeville Rotary Club Chief Jude Mire.

OLD BUSINESS

1. None.

TOPICS FOR DISCUSSION

1. Council Members

ADJOURN

In accordance with the Americans with Disabilities Act, if you need special assistance, please contact Mayor Mark Piazza's office at 337-893-8550, describing the assistance that is necessary.

ESTIMATE FOR PARTIAL PAYMENT NO. 4 (Final)

| PROJECT: | | FHWA Recreational Trails Program for Louisiana Grant No. H.014336 Lafitte Drive-In Park | | | | | | | | | |
|-------------------------|-----------------------------|---|-------------------|----------------|------------|-----------------|--------------|---------------|----------|----------|-----------|
| OWNER: | : | City o | f Abbeville | | | | | | | | |
| CONTRA | CTOR: | Patric | ot Construction 8 | ۱ndustrial, Ll | LC, 1026 T | Гоby Mouton R | d., Duson, L | A 70529 | | | |
| NOTICE TO PROCEED DATE: | | Jan | uary 17, 2 | 2022 | PAYMENT | PAYMENT PERIOD: | | to | 01/25/22 | | |
| CONTRA | CT TIME: | | 120 | CALENDAR D | DAYS | DAYS USEI | D: |): 43 | | ED: | 35.83% |
| CONTRA | CT PRICE: | \$ | 145,333.62 | _ | | ERIOD: | \$ 1 | \$ 145,333.62 | | ГЕ: | 100.00% |
| Item | Item | | | CONTRAC | CT | | QUANTITY | Y | | | |
| No. | Description | | tion | Quantity | Unit | Price | Current | Previous | Total | | Amount |
| | BASE BID | | | | | | | | | | |
| 1. | 1. Mobilization | | 1.00 | L.S. | 4,795.20 | 0.00 | 1.00 | 1.00 | | 4,795.20 | |
| | | ast Iron Frame and Grate Sidewalk | | | | | 0.00 | 1 - 00 | 1 - 00 | | |
| ••••• | | | | 15.00 | ••••• | 672.91 | 0.00 | | •••••• | | 10,093.65 |
| | Concrete Wa | | | 2,160.00 | ····· | 33.71 | | 2,160.00 | •••••• | | 72,813.60 |
| | 4. Concrete Walk (6" Thick) | | 20.00 | | 62.57 | 0.00 | | •••••• | | 1,251.40 | |
| | #610 Limes | | | 103.33 | Ton | 224.56 | 0.00 | | | | 23,203.78 |
| | 6-Foot Walk | | | 1.00 | Each | 1,955.00 | 0.00 | 1.00 | 1.00 | | 1,955.00 |
| 7. | Remove Exi | sting Dro | op Inlet | 1.00 | Each | 920.51 | 0.00 | 1.00 | 1.00 | | 920.51 |
| 8. | Furnish and | Install D | Drop Inlet | 2.00 | Each | 2,548.09 | 0.00 | 2.00 | 2.00 | | 5,096.18 |
| | 15" PVC Sch | | | 60.00 | Ln. Ft. | 103.66 | 0.00 | 60.00 | 60.00 | | 6,219.60 |
| 10. | 12" PVC Sch | edule 40 |) Pipe | 40.00 | Ln. Ft. | 103.66 | 0.00 | 40.00 | 40.00 | | 4,146.40 |
| | 12' Wide Sw | | | 270.00 | Ln. Ft. | 33.56 | 0.00 | 270.00 | 270.00 | | 9,061.20 |
| | #610 Limes | tone Tru | ckload | | | | | | | | |
| E1. | Measureme | nt | | 82.53 | Ton | 70.00 | 0.00 | 82.53 | 82.53 | | 5,777.10 |
| | | | | | | | | | | | |
| | | | | | | | | | | | |

| CONTRACT CHANGE ORDER NO. 1: \$ - LESS 5% OF UNCOMPLETED WORK ON ITEMS 2 AND 3 \$ - | 62 |
|---|----|
| | |
| CONTRACT CHANGE ORDER NO. 2: \$ (3,091.69) OTHER (MATERIAL ON HAND) \$ - | |
| TOTAL VALUE OF COMPLETED WORK\$145,333.0 | 62 |
| LESS 10% RETAINED \$ | |
| NET AMOUNT DUE TO DATE \$ 145,333. | 62 |
| LESS PREVIOUS PAYMENTS \$ 127,069.4 | 44 |
| ADJUSTED CONTRACT PRICE: \$ 145,333.62 AMOUNT DUE THIS ESTIMATE \$ 18,264.33 | 18 |

CERTIFIED CORRECT:

RECOMMENDED FOR PAYMENT:

PATRIOT CONSTRUCTION & INDUSTRIAL, LLC CONTRACTOR


SELLERS & ASSOCIATES, INC. LAFAYETTE - ABBEVILLE, LOUISIANA

| BY: | BY: | |
|-------|-----------------------------------|--|
| DATE: | DATE: | |
| | <i>CITY OF ABBEVILLE</i> OWNER | |

BY:

DATE:





PACKING SLIP

ORDER # 4057482-00 CUSTOMER PO# PAGE ORDER DATE 103435 04/04/22 1

8111 CUST.#:

BILL TO: CITY OF ABBEVILLE 101 N. STATE STREET PO BOX 1170 ABBEVILLE, LA 70511-1170 Please remit all payments to: Techline Utility Supply, Ltd. P.O. Box 674005 Dallas, TX 75267-4005 Phone: (512) 833-5401

*** R E P R I N T ***



SHIP TO: CITY OF ABBEVILLE

717 VETERANS MEMORIAL DRIVE ABBEVILLE, LA 70510

SHIP POINT INSTRUCTIONS Techline Alexandria SHIP VIA REQUEST DATE PICKED TERMS TECHLINE 04/04/22 04/07/22 NET 30 DAYS

| NO. G | QUANTITY QUAN ORDERED B. | ITITY O. | | PROD AND DESC | UCT RIPTION | | QTY. SHIPPED | QTY. U/M | UNIT PRICE | AMOUNT (NET) |
|----------|------------------------------|-------------|---|------------------------|----------------|---------------|-----------------|-------------|-------------------------|----------------------|
| 1 | 7.00 | 1 | AOK350 5KVA Conv 7.6-12 B WT | 20/240 | | AX/YA/RD / | 7.00 | EA | 1629.00 | 11403.00 |
| | #: M21L12665 | - | M21L12666 | M21L12668 | M2 | 1L12671 | M22B17725 | | | |
| 2 | #: M22B17726 8.00 | 2 | M22B17727 AOK352 5KVA Conv 7.6-12 B WT | 20/240 | | AX/YA/RD / | 8.00 | EA | 1997.50 | 15980.00 |
| | #: M22B17735 #: M22B27685 | Ľ | M22B17736 M22B27688 | M22B17737 M22B27691 | | 2B17738 | M22B17739 | | | |
| | | | | | | | | | Total INVOICE TOTAL: | 27383.00 27383.00 |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| PICKED E | BY PACKE | D BY | CHECKED BY | CUBE | WEIGHT | FREIGHT CHARG | ЭЕ | 1 | 7. 1 1 1 | |
| | | | | 0.00000 | 0.00000 | | U | We | Ida Inter | ol |
| .ast Pa | I | | | | | | | RECEIVED | | DATE RECEIVED 3 |



Delta Fire & Safety LA 235 Eastpark Drive Eunice LA 70535 United States



Bill To

ABBEVILLE FIRE DEPARTMENT 210 W. Vermilion St. Abbeville LA 70510 United States

| Shi | o To |
|------|------|
| 2111 | p 10 |

.

ABBEVILLE FIRE DEPARTMENT 210 W. Vermilion St. Abbeville LA 70510 United States

| Expires | Exp. Close | Terms | Contract | Sales Rep | Partner Shi | pping Method |
|-----------|------------------|------------------------|--|--------------------------------------|-------------|--------------|
| 5/13/2022 | 4/13/2022 | Net 30 | | | | |
| Quantity | Item | Descriptio | on | | Rate | Amount |
| 1 | AMKUS: ICT716 | Amkus IC ONLY)) | T 716 ION COMBI | TOOL (TOOL | \$11,340.00 | \$11,340.00 |
| 1 | AMKUS: BAT12-KIT | Battery K Batteries | Kit Includes Two 12 and Single Charge | 2/4 AMP-HR 60V er - BATT12-KIT | \$877.00 | \$877.00 |
| | | Shipping Add; Cha | & Handling charg arges to be added | es, Pre-Pay and to final invoice. | | |

| Subtotal | \$12,217.00 |
|---------------|-------------|
| Shipping Cost | |
| Tax Total (%) | \$0.00 |
| Total | \$12,217.00 |

1 of 1



4201 Montdale Drive Valparaiso, IN 46383-4098 219-548-5000 800-592-6587 Fax: 219-476-1669

April 13, 2022

Attn: Abbeville Fire Department

Please be advised that AMKUS Rescue Systems operates through a dealer network to provide our customers with the best and most efficient service. Each dealer is assigned a specific territory. That dealer is responsible for the customers in the given territory for all AMKUS sales and service.

The dealer is responsible for maintaining an inventory of spare parts to provide quick service to the customers in their territory. The dealer is responsible for installation, service, repair, maintenance and upgrading of the products in their territory using only genuine AMKUS parts.

Please be advised that Louisiana Emergency Equipment (DBA Delta Fire & Safety) (888-944-4911), is presently our representative for the sales and service of AMKUS Rescue Systems for Abbeville Fire Department. Please set them up as your authorized sales and service location.

If I may be of further assistance, please do not hesitate to call, 1-800-592-6587.

Best regards,

Gennifer Lemmon

Jennifer Lemmon Receptionist Amkus Rescue Systems

AMKUS Rescue Systems • www.amkus.com



AMKUS ION iCT716 Battery Combi Tool

Technical Specifications

The vendor shall be responsible for all labor, materials, training, coordination, shipping, transportation and inessentials necessary to deliver battery powered hydraulic cutters, combi's, and spreaders, on an as needed basis, to be used in rescue extrication in accordance with the specifications listed below for each tool.

Battery Powered Hydraulic Combi Tool Specifications

The tool consists of a hydraulically operated piston that symmetrically drives mechanical linkages to open or close two cutter blades/spreader arms. Hydraulic power for the tool is generated internal to the tool via a 4- stage hydraulic pump that is operated by a brushless 2200-watt, 60-volt electric DC motor. The DC motor is powered by a 60-volt (maximum initial voltage) DEWALT® lithium ion battery. Batteries shall be interchangeable between rescue tool and over 200 DEWALT FLEXVOLT™ and 20V Max cordless tools.

- The tool shall be equipped with two LED lights integrated into the forward handle to facilitate work under low light conditions. The lights shall have 3 intensity levels (low, medium, high). The lights shall be fully isolated from the rescue tool battery and be powered using 2 commonly available AA batteries.
- The LED lights shall be controlled by a single switch located on the rotating handle.
- The lights shall be designed to automatically turn off after 15 minutes of inactivity.
- The forward handle shall rotate 360 degrees to allow the operator to easily reposition the tool during use and to allow the handle to be moved out of the away during use.
- The cylinder, body and housing of the tool shall be made of aluminum alloy for its lightweight, strength, and durability.
- The housing that encloses the motor and pump shall not be constructed of plastic or other nonmetallic materials due to the inferior durability and heat dissipation properties of these materials.
- The tool electric motor shall be a minimum of 2hp to maximize durability during extended use/rescues.
- The combi shall automatically turn off after no less than 20 minutes of inactivity.
- The battery shall be located on the top of the tool between the forward and rear handles for easy installation/removal and to protect the battery during operation. Batteries mounted at rear of tool are unacceptable.
- The combi will include blades that are constructed of solid machined tool steel.
- Blade linkages shall be covered by rubber guard for safety.

1



- The tool shall include the following safety features:
 - The combination tool will have removable spreading tips for enhanced cutting performance.
 - Center bolt heads are flush with tool allowing to fit into tight spaces during operation.
 - A pilot check value to prevent accidental movement of the spreader arms in the event of power loss.
 - A "dead man" actuator, whereby the unit stops functioning when the operator releases hand or thumb pressure from the actuator.
 - A pressure relief valve preventing over pressurization.
 - A pressure port that allows a technician to check the output pressure of the pump during routine maintenance.
- The maximum nominal operating pressure of the tool shall be 10,500 psi (725 bar).
- The tool shall have Highest Spreading Force (HSF) of 7,830 lbs. (34.8 kN).
- The tool shall have Lowest Spreading Force (LSF) of 6,460 lbs. (28.7 kN).
- The tool shall have a maximum spreading force of 320,000 lbs. (1423 kN).
- The tool shall have a maximum spreading distance of 15.6 inches (396 mm).
- Cutting classification should be no less than A7/B8/C7/D9/E8/F5 as defined in NFPA 1936:2020.
- The preferred independent third party for certifying the tools as compliant to NFPA 1936 is Underwriters Laboratory "UL".
- The tool dimensions with the battery shall not be any longer than 36 inches (914 mm), wider than 9 inches (229 mm) or higher than 12 inches (305 mm).
- Weight on the tool shall not exceed 59 lbs. (26.8 kg) excluding battery.

Battery and Charger Specifications

- The battery shall be a Lithium lon type battery.
- Due to availability and versatility over a wide range of tools such as, but not limited to, saws, drills, air compressors, etc. Only non-proprietary battery platforms shall be accepted.
- The battery shall be readily available at retail stores within 50 miles (80 km) of Fire Department.
- The nominal electrical voltage supplied by the lithium ion battery shall not be less than 60.0 volt (maximum initial voltage).
- Though a 12 Ah battery is desired, each of the tools shall be capable of utilizing a DEWALT FLEXVOLT 60 volt 6, 9- or 12-amp hour battery.
- Using an adapter to enable connection of a DEWALT FLEXVOLT battery to another battery manufacturer's mounting platform is unacceptable.
- The battery shall have a display to illustrate the level of charge.
- Combined, the battery and charger shall recharge the battery without causing harm from excess charging.
- The battery shall have a warranty of no less than 3 years from date of purchase.



MES - Texas 600 Century Plaza Dr. Suite C-160 Houston, TX 77073

> Bill To Abbeville Fire Dept (LA) 210 W Vermilion St Abbeville LA 70510 United States

Quote

| Quote # | QT1573775 |
|-----------------|---------------|
| Date | 04/14/2022 |
| Expires | 05/13/2022 |
| Sales Rep | LeBlanc, Joh |
| Shipping Method | FedEx Grou |
| Customer | Abbeville Fir |
| Customer # | C227347 |

04/14/2022 05/13/2022 LeBlanc, John FedEx Ground Abbeville Fire Dept (LA) C227347

Ship To Abbeville Fire Dept (LA) 210 W Vermilion St Abbeville LA 70510 United States

| 273823000-1 | SC 358 E3 Combi - TOOL ONLY option 1 | 1 | \$11,383.56 | 11,383.56 | |
|---|--|---|---------------------------|-------------------------|--|
| 31-67-23 | Door Opener Tip Set for SC 358 | 1 | \$1,619.43 | \$1,619.43 | |
| 273849000-1 | SC 758 E3 Combi - TOOL ONLY option 2 | 1 | \$12,100.00 | \$12,100.00 | |
| 90-53-15 | EWXT 9 Ah battery | 2 | \$681.43 | \$1,362.86 | |
| 90-53-37 | EWXT/E3 Charger 110-240V | 1 | \$462.86 | \$462.86 | |
| Thanks for allowing MES to p questions. | provide this quote. Please contact Johnny LeBlanc with any | S | Subtotal Shipping Cost | \$26,928.71 \$200.00 | |
| ell: 337-441-0365 | | • | Tax Total | \$0.00 | |
| mail: jleblanc@mesfire.com *SHIPPING ESTIMATE IS FOR ONE TOOL, BATTERIES, AND CHARGER.**** | | | Total \$27 | | |

This Quotation is subject to any applicable sales tax and shipping & handling charges that may apply. Tax and shipping charges are considered estimated and will be recalculated at the time of shipment to ensure they take into account the most current information.

All returns must be processed within 30 days of receipt and require a return authorization number and are subject to a restocking fee.

Custom orders are not returnable. Effective tax rate will be applicable at the time of invoice.



8

Quote



6168 W Park Ave Houma, LA 70364 P O Box 20305 Houma, LA 70360 (985) 580-1555



| Date | Quote # |
|-----------|---------|
| 4/13/2022 | 1909 |

Company Name Abbeville Fire Dept. 210 W. Vermillion St. Abbeville, LA 70510

| Does | Not | meet | specs | for | Multi-Tool |
|------|-----|-------|-------|-----|-------------|
| POES | NOT | milai | Spars | 10. | 110Hi - 100 |

| Item | Description | Qty | Price Each | Chief Jru Total |
|-------------------------|--|-------|------------|--------------------|
| EBFCC-28-18V | M18 Volt Brute Force Combination Tool - Includes | 1 | 10,775.00 | 10,775.001 |
| Freight | 2-M18 Volt Batteries & 1-Charger Freight Included | 1 | 0.00 | 0.007 |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| if you have any ques | tions please call. | Subto | otal | \$10,775.00 |
| Prices Good For 30 Days | | Sales | Tax (0.0%) | \$0.00 |
| | | Tota | | \$10,775.00 |