



**AGENDA
CITY OF CEDAR FALLS, IOWA
PLANNING AND ZONING COMMISSION MEETING
WEDNESDAY, JANUARY 13, 2021
5:30 PM AT CITY HALL VIA VIDEOCONFERENCE**

To protect against the spread of the COVID-19, the meeting will be held via Videoconference. The public may access/participate in the meeting in the following ways:

- a) By dialing the phone number +1 312 626 6799 or +1 929 205 6099 or +1 301 715 8592 or +1 346 248 7799 or +1 669 900 6833 or +1 253 215 8782 and when prompted, enter the meeting ID (access code) 886 2008 9534.
- b) iPhone one-tap: +13126266799,,88620089534# or +19292056099,,88620089534#
- c) Join via smartphone or computer using this link: <https://us02web.zoom.us/j/88620089534>.
- d) View the live stream on Channel 15 YouTube using this link: <https://www.youtube.com/channel/UCCzeig5nIS-dIEYisqah1uQ> (view only).
- e) Watch on Cedar Falls Cable Channel 15 (view only).

To request to speak when allowed on the agenda, participants must click "Raise Hand" if connected by smartphone or computer, or press *9 if connected by telephone. All participants will be muted by the presiding officer when not actually speaking.

Call to Order and Roll Call

Approval of Minutes

1. Planning and Zoning Commission Regular Meeting Minutes of December 22, 2020.

Public Comments

Old Business

2. **Final Plat for Arbors Fourth Addition (Case #FP20-005)**
Location: North of Viking Road and West of Arbors Drive
Applicant: Midwest Development Co. - Owner; CGA Engineering, Engineer
Previous discussion: Yes, 12/22/2020
Recommendation: *Recommend Approval*
P&Z Action: *Review and make a recommendation to Council*
3. **Final Plat for Pinnacle Prairie Commercial South Phase III, Second Addition (Case #FP20-003)**
Location: North-east of Caraway Lane, along Prairie Parkway
Applicant: Greenhill Estates, Inc. - Owner; Nelson Construction & Development, Developer
Previous discussion: Yes, 12/22/2020
Recommendation: *Recommend Approval*
P&Z Action: *Review and make a recommendation to Council*
4. **Site Plan for Pinnacle Prairie Senior Living Facility (Case #SP20-011)**
Location: North-east of Caraway Lane, along Prairie Parkway
Applicant: Greenhill Estates, Inc. - Owner; Nelson Construction & Development, Developer
Previous discussion: Yes, 12/22/2020
Recommendation: *Recommend Approval*
P&Z Action: *Review and make a recommendation to Council*

Other:

Updated review schedule for the proposed Downtown Zoning Code

Adjournment

Reminders:

- * January 27 and February 10 - Planning & Zoning Commission Meetings
- * January 19 and February 1 - City Council Meetings

**Cedar Falls Planning and Zoning Commission
Regular Meeting
December 22, 2020
Via Videoconference
Cedar Falls, Iowa**

MINUTES

The Cedar Falls Planning and Zoning Commission met in regular session on Tuesday, December 22, 2020 at 5:30 p.m. via videoconference due to precautions necessary to prevent the spread of the COVID-19 virus. The following Commission members were present: Holst, Larson, Leeper, Lynch, Prideaux, Saul, Schrad and Sears. Hartley was absent. Karen Howard, Community Services Manager, Shane Graham, Economic Development Coordinator, Thomas Weintraut, Planner III, Michelle Pezley, Planner III, Jaydevsinh Atodaria, Planner I and Chris Sevy, Planner I, were also present.

- 1.) Chair Holst noted the Minutes from the November 24, 2020 regular meeting are presented. Ms. Lynch made a motion to approve the Minutes as presented. Mr. Leeper seconded the motion. The motion was approved unanimously with 8 ayes (Holst, Larson, Leeper, Lynch, Prideaux, Saul, Schrad and Sears), and 0 nays.
- 2.) The first item of business was consideration of the Carolan Minor Plat. Chair Holst introduced the item and Ms. Pezley provided background information. She explained that the plat is located at 927 and 929 West 1st Street and was originally platted in 1857. The applicant proposes to divide the lot into two lots which will turn the duplex into two bi-attached dwellings and the project meets all requirements for the district. Staff recommends approval with any comments or direction by the Commission and conformance with all staff recommendations and technical requirements.

Mr. Hartley made a motion to approve the item. Ms. Lynch seconded the motion. The motion was approved unanimously with 8 ayes (Holst, Larson, Leeper, Lynch, Prideaux, Saul, Schrad and Sears), and 0 nays.

- 3.) The next item for consideration by the Commission was the final plat for Arbors Fourth Addition. Chair Holst introduced the item and Ms. Pezley provided background information. She explained that the property is located north of Viking Road and west of Arbors Drive and the preliminary plat was created in 2014. In May of 2020 it was revised to add 39 bi-attached dwellings. The final plat is in conformance with the preliminary plat, but a pedestrian access easement needs to shift to the east to provide access to the city park. The amendment will be made at the next meeting. The item is for discussion only at this time.

Kevin Fittro, Skogman Homes\Midwest Development, noted that all improvements and utilities have been put in place and they are working to move the easement to a practical location.

Ms. Saul asked why the easement move wasn't brought up before now. Ms. Howard explained that there was originally a street in that location, but when the school was established the street connection was eliminated and the easement needed to be moved to accommodate the changes.

The item will be continued to the next meeting.

- 4.) The Commission then considered the final plat for Pinnacle Prairie Commercial South Phase III, Second Addition. Chair Holst introduced the item and Mr. Atodaria provided background

information. He explained that the property is located next to Prairie Parkway and south of Bluegrass Circle and provided a rendering of the being discussed. He explained that it is proposed to build a senior living center and create a floodplain, wetland and drainage easement for the area. He also noted that there is a public trail going through the tract that will be added, as well as a sidewalk connection. He discussed the technical comments that were brought forward, including the establishment of an onsite private storm sewer network from the site to the existing Greenhill Road Detention facility. A private storm sewer network will also be established onsite to collect and convey sanitary sewer from the proposed building to the public sanitary network located along the southeastern boundary of the property. The stormwater maintenance and repair agreement will need to be completed and technical errors regarding platting of lot lines on the proposed final plats must be corrected, with the revisions to be made prior to second review by the Planning and Zoning Commission. Compliance must also be met with the previous developmental procedural agreement with regard to landscaping amenities in the roundabout at Prairie Parkway and Prairie View Road. Staff recommends the item be brought forward for discussion only at this time.

Nick Bettis, Axiom Consultants, spoke to the technical concerns with the agreement and survey questions. He stated that those items should be resolved soon for commission review.

Ms. Saul asked about the landscaping amenities that need to be completed to continue complying with previous Developmental Procedural agreement. Mr. Atodaria explained that those amenities are the responsibility Oster. Staff has been working with the Oster to resolve compliance with the previous agreement.

Mr. Schrad asked if the proposed wetland area connects to the other wetland area on Greenhill Road. Mr. Atodaria confirmed that it does.

The item was continued to the next meeting.

- 5.) The next item of business was a site plan for Pinnacle Prairie Senior Living Facility. Chair Holst introduced the item and Mr. Atodaria provided background information. He explained that the site plan is for the property discussed in the previous item and stated the area is 5.54 acres. He discussed the senior living center and wetland, floodplain and drainage easement proposed for the tracts. He also provided information with regard to height and setbacks for the proposed building, which are all allowed in the MU zoning district. He also discussed vehicular and pedestrian access, noting that these connections are in line with the master plan. Mr. Atodaria provided a rendering of the landscaping plan and discussed the landscaping points, and the mixture of trees, shrubs and prairie grass proposed. He then talked about the storm sewer collection and outlets and parking requirements. He also discussed the three sections of the building (assisted living, commons area and memory care), the façade elements, site lighting, dumpster enclosure and monument signage. He noted that the site plan is just being presented for discussion at this time.

Mr. Holst commented that there were letters received right before the meeting from neighbors who had concerns with the project. Ms. Lynch asked if there has been any traffic study done in the area with regard to the median. Ms. Howard stated that it was studied when the design was originally done and was noted in the master plan that this lot would only have right in/right out traffic.

Mr. Leeper asked if the project meets the requirements for visibility and distance from intersections as those concerns were stated in the letters. Ms. Howard stated that it was studied at the time the master plan was approved and that more information can be brought back from the city engineer at the next meeting.

The discussion was closed and will be continued at the next meeting.


- 6.) The next item for consideration by the Commission was the nomination and election of officers. The nominating committee (Lynch and Schrad) made the recommendation to nominate Brad Leeper for Chair and Kyle Larson for Vice Chair.

The election was approved unanimously with 8 ayes (Holst, Larson, Leeper, Lynch, Prideaux, Saul, Schrad and Sears), and 0 nays.

- 7.) As there were no further comments, Ms. Lynch made a motion to adjourn. Ms. Saul seconded the motion. The motion was approved unanimously with 8 ayes (Holst, Larson, Leeper, Lynch, Prideaux, Saul, Schrad and Sears), and 0 nays.

The meeting adjourned at 6:30 p.m.

Respectfully submitted,



Karen Howard
Community Services Manager



Joanne Goodrich
Administrative Assistant



DEPARTMENT OF COMMUNITY DEVELOPMENT

City of Cedar Falls
 220 Clay Street
 Cedar Falls, Iowa 50613
 Phone: 319-273-8606
 Fax: 319-273-8610
 www.cedarfalls.com

MEMORANDUM

Planning & Community Services Division

TO: Planning & Zoning Commission
FROM: Michelle Pezley, Planner III
 Matthew Tolan, EI, Civil Engineer II
DATE: January 6, 2021
SUBJECT: Arbors Fourth Addition Final Plat

REQUEST: Request to approve the Arbors Fourth Addition Final Plat. Case #FP20-005

PETITIONER: Midwest Development Co., Owner; CGA Engineering, Engineer

LOCATION: The property is located north of Viking Road and west of Arbors Drive


PROPOSAL

The petitioner owns a total of 42 acres on two parcels located north of Viking Road and west of Arbors Drive. The applicant proposes to subdivide 15.96 acres of the 42 acres into 53 lots and one tract for stormwater management.

BACKGROUND

In April of 2014, the City Council approved the rezoning of is area from A-1 Agricultural to RP Planned Residential District as well as approving a Preliminary Plat for this subdivision (82.5 total acres). The original RP District Plan and Preliminary Plat showed a future build-out for up to 204 one and two –family dwellings in six “phases”. The first three phases are developed to the original preliminary plat. In May of 2020, the City Council approved a revised preliminary plat and RP District Master Plan to include 39 bi-attached dwellings and realign the streets (as seen to the right).

The petitioner proposed the Fourth Addition to consists of 53 lots which are proposed for single family and bi-attached dwellings. The RP zoning district allows flexibility within the setbacks. The petitioner proposes the street setback to be 25




feet, side yards to be 5 feet except for the lots that will have a zero setback to for the bi-attached dwellings, and a 30 foot rear setback.

The petitioner proposed to extend the extend Arbor Ridge Road and Maple Grove Road to Fernwood Drive which will later connected to the Fifth Addition. The petitioner also proposed that the stormwater would flow to a detention pond located on Tract A.

ANALYSIS

The petitioner, Midwest Development Co., proposes the final plat of the Fourth Addition, comprised of 15.96 acres of land at the northwest corner of the subdivision, which is north of Viking Road and west of Arbors Drive. The property is zoned RP Planned Residential. The RP zoning district permits a variety of residential uses from single family to multi-family dwellings based on a master plan approved at the time of rezoning, which in this case was revised and approved in May of 2020. The Fourth Addition consists of 53 residential lots, some intended for single-unit bi-attached dwellings and some for single-unit detached dwellings and Tract A, intended for storm water management.



As proposed, the petitioner extended Arbor Ridge Road and Maple Grove Road to Fernwood Drive. The petitioner built the stormwater detention system to follow the preliminary plan to collect stormwater to Tract A. The City's maintenance and repair agreement with the owner/developer will address maintenance responsibilities for the stormwater management facilities in the subdivision to ensure proper functioning over time.

Setbacks are on the face of the plat are consistent with the proposed setbacks from the approved Master Plat and Preliminary subdivision.

The City Code states that the final plat must be in substantial conformance with the preliminary plat. The proposed final plat is conforming to the preliminary plat and associated conditions. The petitioner has met that criterion and the associated conditions.

TECHNICAL COMMENTS

City technical staff, including Cedar Falls Utilities (CFU) personnel, noted that the water, gas and communication services are available to the site. The developer has extending the utility services to the proposed development. The easements identified on the plat satisfy Public Works and CFU requirements.

Cluster mailboxes will be sized and placed in the ROW according to USPS standards. All cluster mailboxes will be located on lower volume streets and situated so as to prevent undue traffic

congestion according to the direction from the City Engineer's office.

The submitted Deed of Dedication for this final plat is consistent with the previously approved Deeds of Dedication from the previous additions and addresses all necessary requirements.

All the utilities and internal road connections within the proposed subdivision will be dedicated to the public. The placed internal infrastructure is able to serve the platted lots with access to public streets and right-of-way. All the placed utilities are available for development for the platted lots. The petitioner's engineer has submitted a storm water management plan to the City and it has been reviewed by the City Engineer. The City Engineer has determined that the plan meets the City's subdivision requirements. The Engineering Department is in the process of finalizing all related paperwork with the petitioner for securing the Final Acceptance of Public Improvements.

As required from the preliminary plat process, the plat shows a pedestrian connection through a 20 foot wide easement that extends along the lot line between lots 14 and 15 to accommodate a sidewalk connection from Arbor Ridge Road to the future public park on the north side of the subdivision. During review of the final plat, staff noted that the pedestrian connection as proposed between lots 14 and 15 was located too far to the west to provide access to the park. The petitioner agreed to move the pedestrian access to the east and a revised plat has been submitted that shows that the pedestrian connection between lots 16 and 17.

City Code requires that sidewalks be installed along all streets within the subdivision. The petitioner has confirmed that sidewalks, built to City standards, will be constructed along the frontage of all lots at the time of lot development, as per City requirements.

The property is located outside of the designated 100-year floodplain.

A courtesy mailing was sent to the neighboring property owners on December 14, 2020.

STAFF RECOMMENDATION

City staff have reviewed the final plat for Arbors 4th Addition and recommend approval with the following stipulations:

- 1) Any comments or direction specified by the Planning & Zoning Commission.
- 2) Conformance with all city staff recommendations and technical requirements.

Staff recommends that if the Commission has no questions or concerns that require further review, the Commission make a recommendation to the Council.

PLANNING AND ZONING

Discussion 12/22/2020	Chair Holst introduced the item and Ms. Pezley introduced the item. She explained that the property is located north of Viking Road and west of Arbors Drive and the preliminary plat was created in 2014. In May of 2020 it was revised to add 39 bi-attached dwellings. The final plat is in conformance with the preliminary plat, but a pedestrian access easement needs to shift to the east to provide access to the city park. The amendment will be made at the next meeting. The item is for discussion only at this time.
--------------------------	---

Kevin Fittro, Skogman Homes\Midwest Development, noted that all improvements and utilities have been put in place and they are working to move

the easement to a practical location.


Ms. Saul asked why the easement move wasn't brought up before now. Ms. Howard explained that there was originally a street in that location, but when the school was put in the street connection was eliminated and the easement needed to be moved to accommodate the changes.

The item will be continued to the next meeting.


Discussion
1/13/2021

Attachments:

Revised Arbors Fourth Addition final plat
Revised Deed of Dedication



Location Map



Arbors Fourth Addition Final Plat

THE ARBORS FOURTH ADDITION FINAL PLAT

CEDAR FALLS, IA
JANUARY 2021


LEGAL DESCRIPTION

THAT PART OF THE NORTHEAST QUARTER OF THE SOUTHEAST QUARTER AND THAT PART OF PARCEL "B" LOCATED IN THE SOUTHEAST QUARTER ALL IN SECTION 27, TOWNSHIP 89 NORTH, RANGE 14 WEST OF THE 6TH P.M., CITY OF CEDAR FALLS, BLACK HAWK COUNTY, IOWA. MORE PARTICULARLY DESCRIBED AS FOLLOWS:

BEGINNING AT THE NORTHWEST CORNER OF THE NORTHEAST QUARTER OF THE SOUTHEAST QUARTER OF SECTION 27, TOWNSHIP 89 NORTH RANGE 14 WEST OF THE 5TH P.M.; THENCE NORTH 88°10'08" EAST, 686.90' ALONG THE NORTH LINE OF THE SOUTHEAST QUARTER OF SAID SECTION 27, TO THE NORTHWEST CORNER OF LOT 12 OF THE ARBORS THIRD ADDITION TO THE CITY OF CEDAR FALLS; THENCE SOUTH 0°52'11" EAST, 495.00' ALONG THE WEST LINE OF SAID THIRD ADDITION TO THE SOUTHWEST CORNER OF LOT 14 OF SAID THIRD ADDITION; THENCE SOUTH 4°41'01" EAST, 60.14' ALONG THE WEST LINE OF SAID THIRD ADDITION; THENCE SOUTH 0°52'11" EAST, 140.00' ALONG THE WEST LINE OF SAID THIRD ADDITION TO THE SOUTHWEST CORNER OF LOT 15 OF SAID THIRD ADDITION; THENCE SOUTH 89°10'08" WEST, 213.70' ALONG THE NORTH LINE OF LOTS 17 AND 18 OF SAID THIRD ADDITION AND ALONG THE WESTERLY EXTENSION OF THE NORTH LINE OF SAID LOTS 17 AND 18; THENCE NORTH 87°50'52" WEST, 288.22'; THENCE SOUTH 89°10'08" WEST, 190.43' TO THE WEST LINE OF THE NORTHEAST QUARTER OF THE SOUTHEAST QUARTER OF SAID SECTION 27; THENCE CONTINUING SOUTH 89°10'08" WEST, 132.06'; THENCE NORTH 0°52'11" WEST, 22.50'; THENCE SOUTH 89°08'48" WEST, 200.00' TO THE WEST LINE OF PARCEL "B" LOCATED IN THE SOUTHEAST QUARTER OF SAID SECTION 27; THENCE NORTH 0°52'11" WEST, 657.58' ALONG THE WEST LINE OF SAID PARCEL "B" TO THE NORTH LINE OF THE SOUTHEAST QUARTER OF SAID SECTION 27; THENCE NORTH 89°10'08" EAST, 333.16' ALONG THE NORTH LINE OF THE SOUTHEAST QUARTER AND NORTH LINE OF SAID PARCEL "B" TO THE POINT OF BEGINNING. PARCEL CONTAINS 15.96 ACRES. SUBJECT TO EASEMENTS AND RESTRICTIONS OF RECORD, IF ANY.

LEGEND

EXISTING	PROPOSED	
		EVERGREEN TREE
		DECIDUOUS TREE
		SHRUBS (BUSHES)
		TREE LINE
		SIGN (TYPE AS NOTED)
		FENCE
		SILT FENCE
		CONTOUR LINE
		WATERLINE
		WATER VALVE
		FIRE HYDRANT
		SANITARY SEWER LINE
		STORM SEWER LINE
		MANHOLE
		CLEANOUT
		INTAKE
		BEEHIVE INTAKE
		GAS LINE
		GAS VALVE
		OVERHEAD ELECTRICAL LINE
		BURIED ELECTRICAL LINE
		POWER POLE
		STREET LIGHT
		ELECTRICAL BOX/TRANSFORMER
		TELEPHONE LINE
		TELEPHONE PEDESTAL



VICINITY MAP
NOT TO SCALE

OWNERS OF RECORD

MIDWEST DEVELOPMENT CO.
417 FIRST AVENUE SE
CEDAR RAPIDS, IA 52401

FLOOD ZONE

(ZONE X)
PANEL # 19013C0276F
EFFECTIVE DATE: JULY 18, 2011

SETBACK DATA

FRONT YARD = 25 FT
REAR YARD = 30 FT
SIDE YARD = 5 FT.

*LOTS 1-10 ARE APPROVED TO BE ONE UNIT BI-ATTACHED DWELLINGS.

SURVEYOR AND ENGINEER

MARC C. HOODJER, P.L.S.
ADAM C. DATERS, P.E.
CLAPSADDLE-GARBER ASSOCIATES
5106 NORDIC DRIVE
CEDAR FALLS, IOWA 50613
(319)266-0258

ZONING INFORMATION:

RP (UNLESS NOTED OTHERWISE)

SURVEY REQUESTED BY:

MIDWEST DEVELOPMENT CO.
417 FIRST AVENUE SE
CEDAR RAPIDS, IA, 52401

RESTRICTIONS

(SEE DEED OF DEDICATION)

CLOSURE:

- ALL SUBDIVISION BOUNDARIES ARE WITHIN THE 1:10,000 ERROR OF CLOSURE REQUIREMENT
- ALL LOTS ARE WITHIN THE 1:5000 ERROR OF CLOSURE REQUIREMENT.

NOTE:

ALL BEARINGS ARE THE RESULT OF G.P.S. OBSERVATIONS USING NAD83 IOWA STATE PLAT NORTH ZONE


SURVEY LEGEND

- ▲ GOVERNMENT CORNER MONUMENT FOUND
- △ GOVERNMENT CORNER MONUMENT SET 1/2" x 30" REBAR w/YELLOW PLASTIC ID CAP #22634
- FOUND 1/2" REBAR w/YELLOW PLASTIC CAP #21428 OR AS NOTED ON PLAN
- SET 1/2" x 30" REBAR w/YELLOW PLASTIC ID CAP #22634
- () RECORDED AS

TRACTS


- A - STORM WATER MANAGEMENT
- B - STREET RIGHT OF WAY

PHASE	LOTS	TRACT
4	53	"A" & "B"
TOTAL	53	



ACREAGE BREAKDOWN

NW 1/4 - SE 1/4 SEC 27-89-14 5.09 ACRES
NE 1/4 - SE 1/4 SEC 27-89-14 10.87 ACRES
TOTAL 15.96 ACRES



I hereby certify that this land surveying document was prepared and the related survey work was performed by me or under my direct personal supervision and that I am a duly Licensed Professional Land Surveyor under the laws of the State of Iowa.

Marc C. Hoodjer, PLS _____ date
Iowa License Number 22634
My License Renewal Date is December 31, 2022

Pages or sheets covered by this seal: _____

Curve Table					
CURVE DATA	ARC LENGTH	RADIUS	DELTA ANGLE	CHORD BEARING	CHORD
C1	23.57'	15.00'	90°02'19"	S44°08'59"W	21.22'
C2	66.15'	970.00'	3°54'27"	N88°52'38"W	66.14'
C3	70.24'	1030.00'	3°54'27"	S88°52'38"E	70.23'
C4	66.15'	970.00'	3°54'27"	S88°52'38"E	66.14'
C5	70.24'	1030.00'	3°54'27"	N88°52'38"W	70.23'
C6	23.55'	15.00'	89°57'41"	S45°51'01"E	21.21'
C7	188.58'	120.00'	90°02'19"	S44°08'59"W	169.76'
C8	66.15'	970.00'	3°54'27"	N88°52'38"W	66.14'
C9	70.24'	1030.00'	3°54'27"	S88°52'38"E	70.23'
C10	66.15'	970.00'	3°54'27"	S88°52'38"E	66.14'
C11	70.24'	1028.25'	3°54'51"	N88°52'46"W	70.23'
C12	282.62'	180.00'	89°57'41"	S44°08'59"W	254.47'
C13	64.67'	970.00'	3°49'12"	N88°55'16"W	64.66'
C14	1.48'	970.00'	0°05'15"	N86°58'02"W	1.48'
C15	65.44'	1030.00'	3°38'26"	N88°44'38"W	65.43'
C16	4.80'	1030.00'	0°16'01"	S89°18'08"W	4.80'
C17	30.44'	970.00'	1°47'54"	N89°55'55"W	30.44'

Curve Table					
CURVE DATA	ARC LENGTH	RADIUS	DELTA ANGLE	CHORD BEARING	CHORD
C18	35.71'	970.00'	2°06'33"	N87°58'41"W	35.70'
C19	52.86'	1030.00'	2°56'26"	N88°23'38"W	52.85'
C20	17.38'	1030.00'	0°58'01"	S89°39'09"W	17.38'
C21	12.19'	970.00'	0°43'12"	N89°31'45"E	12.19'
C22	53.96'	970.00'	3°11'15"	S88°31'02"E	53.95'
C23	39.61'	1030.00'	2°12'12"	S88°01'31"E	39.60'
C24	30.63'	1030.00'	1°42'15"	S89°58'44"E	30.63'
C25	30.67'	970.00'	1°48'43"	N89°55'30"W	30.67'
C26	35.48'	970.00'	2°05'44"	N87°58'17"W	35.49'
C27	43.09'	1028.25'	2°24'04"	N88°07'22"W	43.08'
C28	27.15'	1028.25'	1°30'47"	S89°55'12"W	27.15'
C29	62.73'	180.00'	19°58'11"	S79°08'44"W	62.42'
C30	64.44'	180.00'	20°30'42"	S58°54'17"W	64.10'
C31	61.95'	180.00'	19°43'04"	S38°47'24"W	61.64'
C32	61.70'	180.00'	19°38'19"	S19°06'43"W	61.40'
C33	31.80'	180.00'	10°07'24"	S4°13'51"W	31.76'

NO.	REVISION	BY	DATE	NO.	REVISION	BY	DATE
1	REVISE PEDESTRIAN EASEMENT	SJC	12-23-2020				

CGA Clapsaddle-Garber Associates, Inc.
5106 Nordic Drive
Cedar Falls, Iowa 50613
Ph 319-266-0258
www.cgaconsultants.com


DESIGNED: NCB DATE: 11-26-2019
DRAWN: SJC DATE: 12-04-2020
CHECKED: MCH DATE: _____
APPROVED: _____ DATE: _____

THE ARBORS FOURTH ADDITION CEDAR FALLS, IOWA


FINAL PLAT

PROJECT NO. 5622
SHEET NO. 1 of 2

THE ARBORS FOURTH ADDITION FINAL PLAT



J:\5622\mg\Survey\Final\Plat5622 Final Plat.dwg - 2 of 2 - 12-31-20 - 8:28am - sjc325



NO.	REVISION	BY	DATE	NO.	REVISION	BY	DATE
1	REVISE PEDESTRIAN EASEMENT	SJC	12-23-2020				

CGA Clapsaddle-Garber Associates, Inc.
5106 Nordic Drive
Cedar Falls, Iowa 50613
Ph 319-266-0256
www.cgaconsultants.com

DESIGNED: NCB DATE: 11-26-2019
DRAWN: SJC DATE: 12-04-2020
CHECKED: MCH DATE:
APPROVED: DATE:

THE ARBORS FOURTH ADDITION CEDAR FALLS, IOWA

FINAL PLAT

PROJECT NO. 5622
SHEET NO. 2 of 2

Prepared by: Richard R. Morris, 620 Lafayette Street, Ste. 300, PO Box 178, Waterloo, IA 50704 (319) 234-1766

DEED OF DEDICATION
OF
THE ARBORS FOURTH ADDITION
IN THE CITY OF CEDAR FALLS, BLACK HAWK COUNTY, IOWA

KNOW ALL MEN BY THESE PRESENTS:

That Midwest Development Co., an Iowa corporation, with its principal office in Cedar Rapids, Iowa, being desirous of setting out and platting into lots and streets the land described in the attached Certificate of Survey by _____, a professional land surveyor, dated the _____ day of _____, 20____, do by these presents designate and set apart the aforesaid premises as a subdivision of the City of Cedar Falls, Iowa, the same to be known as:

THE ARBORS FOURTH ADDITION
IN THE CITY OF CEDAR FALLS, BLACK HAWK COUNTY, IOWA,

all of which is with the free consent and the desire of the undersigned and the undersigned do hereby designate and set apart for public use the streets and avenues as shown upon the attached plat.

EASEMENTS

The undersigned do hereby grant and convey to the City of Cedar Falls, its successors and assigns, and to any private corporation, firm or person furnishing utilities for the transmission and/or distribution of water, sanitary sewer, storm sewer, drain tile, surface drainage, gas, electricity, communication service or cable television, perpetual easements for the erection, laying, building, and maintenance of said services over, across, on and/or under the property as shown on the attached plat. No building structures, landscaping structures, private gardens or any other possible obstruction can be placed in the easements.

Any and all drainage easements will be required to follow the "Stormwater Management Plan" and no building structures, fence structures, landscaping structures, private gardens or any other possible obstruction can be built in or over said drainage easements. Owner and/or contractors working on the real estate will be responsible to maintain said easements to be free and clear of any physical obstruction(s) thus allowing the conveyance of overland storm water runoff as intended per "Stormwater Management Plan" on record with the City of Cedar Falls Engineer's Office.

The undersigned do hereby grant and convey to the City of Cedar Falls, its successors and assigns, access to the Access and Pedestrian Easement set forth between Lots 16 and 17 of said subdivision.

RESTRICTIONS

Be it also known that the undersigned do hereby covenant and agree for themselves and their successors and assigns that each and all of the residential lots in said subdivision be and the same are hereby made subject to the following restrictions upon their use and occupancy as fully and effectively to all intents and purposes as if the same were contained and set forth in each deed of conveyance or mortgage that the undersigned or their successors in interest may hereinafter make for any of said lots and that such restrictions shall run with the land and with each individual lot thereof for the length of time and in all particulars hereinafter stated, to-wit:

1. Any dwelling that shall be erected on any lot, other than a corner lot, shall have a minimum setback from the front of the lot line of 25 feet as indicated on the plat. For any dwelling that shall be erected on a corner lot, the short lot frontage length shall be considered the lot frontage and have a setback of 25 feet, while the long lot frontage length shall be considered the side frontage and have a setback of 20 feet. No building shall be erected nearer to an interior sideline than 5 feet nor shall the combined interior sideyard distances for each lot be less than 10 feet.

2. Lots 1 through 10 will have one side yard at a zero lot line.

3. No buildings or structure not attached to the original structure shall be constructed upon any lot or combination of lots in this subdivision, with the exception of a gazebo which has been approved in accordance with Paragraph 21 hereof. Sheds may be permitted but only if size, design, and materials are approved in writing by the developer. After completion of all houses in the plat, approval for a shed not previously approved by the developer shall be approved by the Association.

4. No trailer, basement, tent, shack, garage or barn erected in said Addition shall at any time be used as a residence, temporarily or permanently, nor shall any residence of a temporary character be permitted on any lot in said Addition.

5. Midwest Development Co. shall construct only one-and two-family dwellings on the lots in this subdivision. One-unit bi-attached dwellings (two-family dwellings) may be constructed on Lots 1 through 10 in this subdivision. One-family dwellings shall be constructed on Lots 11 through 53.

6. No single family dwelling shall be constructed, permitted or occupied on any lot herein having square footage floor space, designed, intended and constructed for living quarters, which space shall not include cellars, attics, garages, breezeways, porches, stoops, and other such non-living areas, of less than the following requirements:

- A. 1,200 square feet for single story houses.
- B. 1,200 square feet for split level houses.
- C. 1,300 square feet for two-story houses.

- D. Each single family residence shall have a minimum of a two-car attached garage with a minimum of 400 square feet.

7. No one-unit bi-attached dwellings (two-family condominiums) shall be constructed, permitted or occupied on any lot herein having square footage floor space, designed, intended and constructed for living quarters, which space shall not include cellars, attics, garages, breeze ways, porches, stoops, and other such non-living areas, of less than 1,200 square feet per side; two-car attached garages with minimum of 400 square feet. The center line and the dividing wall of the one-unit bi-attached dwelling built on a lot as set forth herein shall be built on the center line of the lot in question. Each owner of a bi-attached dwelling in one-unit bi-attached dwellings (two-family condominiums) property shall be bound and governed by the following requirements:

- A. Each owner shall be solely responsible for the maintenance, repair of the center or common wall (hereinafter "dividing wall") constructed between the two units, including fireproof sheetrock, and adjacent structure on the property owned by that owner, including the roof, foundation and sidewalls, on that owner's side of the dead air space in the dividing wall in accordance with the accepted construction methods and in compliance with all applicable building codes and ordinances, including but not limited to the fire code requirements of the City of Cedar Falls. Each owner shall be responsible for one-half of any required maintenance or repair of the common foundation wall, common area of the dividing wall and common area of the roof, and all such maintenance and repair shall be done in a workmanlike fashion. Neither owner shall make any modification to or allow deterioration of, the walls, foundations, roof or building on that owner's side of the dividing wall, which would create a fire hazard or diminish the fireproofing or structural integrity of the one-unit bi-attached dwelling as a whole.
- B. If either owner fails or refuses to perform its duties as set forth in this Paragraph 7 of the Deed of Dedication, the other party, may, upon thirty (30) days' written notice, undertake to perform that maintenance or repair at that owner's own expense and shall have a right of reimbursement from the other owner for the reasonable cost of that maintenance or repair which may be enforced by the owner in incurring the expense as allowed under Iowa law, through legal action, in which event the defaulting owner shall be liable for all related reasonable attorney's fees and court costs.
- C. Any dispute concerning the interpretation or enforcement of this Paragraph 7 in the Deed of Dedication concerning the enforcement of the provisions of one-unit bi-attached dwellings shall be submitted for mediation upon the written request of either owner. If the owners cannot otherwise agree on a mediator, each owner shall nominate one mediator and the name of the mediator to conduct the mediation shall be drawn by lot. The cost of mediation shall be assessed one-half to each owner.
- D. In the event of damages to the one-unit bi-attached dwelling, each party shall be required to repair, rebuild his or her half of the one-unit bi-attached dwelling within a reasonable period of time, unless within thirty (30) days of the occurrence of the damages, both owners agree in writing not to repair or rebuild.

The provisions of this paragraph of the Deed of Dedication shall run with the land upon which the one-unit bi-attached dwelling is located and shall be binding on all subsequent owners of the individual one-unit bi-attached dwelling on said lots.

8. The owner of each lot, vacant or improved, shall keep his lot or lots free of weeds and debris. Further, the owner and/or occupant of each lot shall jointly and severally be responsible to keep in good order or to maintain the area between the curblineline and the property line abutting his property including keeping said area free of holes, pitfalls, stumps of trees, fences, brick, stone, cement or other monument-type mail boxes, stakes, post or rods to which a metal, plastic or similar receptacle designed to hold newspapers are affixed, private irrigation or sprinkler systems, retaining walls, landscaping brick, block, stone, timber or other similar material, or any other similar obstructions. Owner shall comply with all requirements of the US Post Office for mail receptacles. All mailboxes shall be clustered or grouped for the units, and shall be placed between the curb line and the property line abutting the lots. The area around said mailboxes shall be kept free and clear by the owner of the lots on which said mailboxes are located. Location of the clustered mailboxes shall be reviewed and approved by the City of Cedar Falls, Iowa.

9. No obnoxious or offensive trade or activity shall be carried on upon any lot nor shall anything be done thereon which may be or become an annoyance or nuisance to the neighborhood.

10. All approaches and driveways in said Addition shall be paved with concrete.

11. No dwelling on any lot in said Addition shall be occupied until the exterior is completed and finished and the interior substantially completed and finished.

12. No old or used buildings shall be moved upon any of the lots in said Addition for any purpose.

13. All electrical distribution lines and service entrances, all telephone lines and services therefor, all cable TV/fiber optic cable and service therefor, and all other utilities of whatever kind or nature shall be installed underground on all lots in said Addition.

14. No dog compound, enclosure, shelter, storage outbuilding, playhouse, or wood pile for firewood shall be constructed, used or maintained within ten feet of any lot line nor shall they exceed eight feet in height on any of said lots. All outbuilding exteriors shall be approved by the developer in writing prior to start of construction.

15. A perpetual easement is reserved along the lot lines of said lots as shown by the recorded plat for storm water drainage and utility installation and maintenance. There shall be no fences, buildings, large plantings or other obstructions upon or under the property covered by these easements, so that access is available for any equipment and/or persons necessary for the construction, reconstruction or maintenance of said utilities and/or drainage ways.

16. No radio station or short-wave operators of any kind shall operate from any lot which shall cause interference with audio or visual reception upon any other lot. Antennas are permitted if attached to the structure and do not extend more than eight feet above the peak of the home. All other antennas, satellite TV dishes in excess of 24 inches in diameter, poles for radios, and windmills are prohibited.

17. No motor home or recreational vehicle, trailer of any kind, whether camping, boat, house, utility or otherwise, shall be parked or kept for more than a 48 hour period on any street, driveway or on the lot in said Addition. Any such vehicle must be stored inside the garage.

18. No bus, semi-tractor, trailer or truck of any kind, except what is commonly described as a "pickup truck", shall be kept or parked on any lot or street in said Addition; provided, however, that this prohibition shall not apply to such vehicles driven in said Addition in pursuit of and in conducting their usual business.

19. No shrubs or trees shall be planted so as to infringe upon adjoining property lines based on maximum expected growth and shall be maintained so as not to infringe.

20. Each person or entity who is a record owner of a fee or undivided fee interest in any lot shall be a member of the Association to be known as The Arbors Neighborhood Association. This shall not be construed to include persons or entities who hold an interest merely as security for the performance of an obligation. There shall be one vote per lot and each lot owner shall be a member of the Neighborhood Association. Membership shall be appurtenant to and may not be separated from ownership of any lot; ownership of such lot shall be the sole qualification of membership.

The purpose of The Arbors Neighborhood Association shall be to maintain the common areas and green spaces of the entire development, including but not limited to the multiple Tract A's marked as storm water management areas and signage to be developed, maintain the Access and Pedestrian Easement between Lots 16 and 17, and such other activities as set forth in the Articles of Incorporation and Bylaws of the Association. Such ownership and maintenance shall include, but not be limited to, mowing, watering, including upkeep of any underground sprinkler system, and maintenance of common areas. Initially, the developer, Midwest Development Co. shall perform the actual construction duties to establish the common areas, green spaces, entrance, and surrounding access area as to their lots. The homeowner's responsibility for these areas shall begin when the developer, Midwest Development Co. notifies the Neighborhood Association that they are turning over the responsibility of those areas to the Neighborhood Association.

Developers hereby grant to the City of Cedar Falls, Iowa, a twenty (20) foot access easement to the multiple Tract A's for the purpose of inspection and enforcement of any city code or ordinance provisions governing the maintenance of the storm water management areas designated as Tract A. No fences, detached buildings, equipment, parking, vegetation (scrubs, trees and bushes) or any other form of obstruction shall be allowed in said access easement.

Developers and Cedar Falls Community School District have entered in an agreement governing the management and maintenance of Tract A Storm Water Management Area 1.42 acres as set forth in the Plat of this subdivision. That agreement shall govern the responsibilities of the Developer and when transferred, The Arbors Neighborhood Association, as well as the Cedar Falls Community School District, with respect to the management and maintenance of Tract A Storm Water Management Area 1.42 Acres.

The annual dues for the Association shall initially be set at \$100.00 per lot per year beginning January 1, 2021. The Association shall have the ability and authority to adjust annual dues as it deems appropriate to carry out the maintenance duties described above. The developer, Midwest Development Co. shall have no responsibility for annual association dues.

21. No building or structure shall be erected or placed on any lot in this subdivision until the building plans, and plot plan, showing all buildings, fences, patios, and pools, and showing the location thereof, and side yard distances, rear yard distances, front yard distances, driveways, and walkways, and type of construction have been approved in writing as to conformity and harmony of external design and quality workmanship and materials with existing structures in the subdivision by Midwest Development Co.

22. All of the provisions hereof shall be enforceable by appropriate legal proceedings by any present or future owner of the legal or equitable title to any lot in said subdivision. Invalidation of any one or more of the within restrictions by judgment or decree of court shall not be regarded as affecting the validity of any of the other provisions hereof, nor shall any judicial determination with respect to any of the restrictive provisions hereof be regarded as affecting the validity or sufficiency of this instrument as a deed of dedication of said plat, all of which such other provisions shall remain in full force and effect.

23. The undersigned and all persons and corporations hereafter requiring any right, title or interest in any of the lots in said subdivision shall be taken and held to have agreed and covenanted with the owners of all other lots in this subdivision and with the respective successors and assigns of all of the rest of such other lots to conform to and observe all of the foregoing covenants, restrictions and stipulations as to the construction of building thereon for a period of twenty-one (21) years from the date of filing of said plat and this deed of dedication for record. Within the period of twenty-one (21) years and in accordance with Iowa Code Chapter 614.24 and 614.25 (2019 Code of Iowa) or their successor provisions, these covenants, restrictions and stipulations shall be automatically extended for an additional period of twenty-one (21) years upon compliance with Chapter 614.24 and Chapter 614.25 of the 2019 Code of Iowa. In the event an extension of the covenants, restrictions and stipulations is not filed within the period of twenty-one (21) years or successive 21-year period, then the covenants, restrictions and stipulations contained herein shall terminate at the end of the existing period of twenty-one (21) years.

24. If the parties hereto or any of them or their heirs or assigns shall violate or attempt to violate any of the covenants or restrictions herein, it shall be lawful for any other person or persons owning property in said Addition to prosecute any proceedings at law or in equity against the person or persons violating or attempting to violate any such covenants or restrictions and for the purpose of preventing such acts or to recover damages for such violation, or both, and for costs and reasonable attorney's fees as determined by the Court and not the statute.

25. No animals, livestock, or poultry of any kind shall be raised, bred or kept on any lot, except that two dogs or cats maximum, or other household pets are allowed and then only if they are not kept, bred or maintained for any commercial purposes. Such animals shall be kept under control so as not to constitute a public nuisance and must be kept in compliance with applicable zoning laws and regulations of the City of Cedar Falls, Black Hawk County, Iowa.

26. Upon the sale of a lot, owner shall take responsibility for any erosion control issues, certifications and/or requirements of the Iowa Department of Natural Resources.

27. All buildings erected on any lot in said Addition shall be constructed in accordance with the Building, Plumbing and Electrical Codes of the City of Cedar Falls, Iowa.

PUBLIC IMPROVEMENTS REQUIRED BY PLAT

The undersigned do hereby dedicate and set apart to the public and for the public's use all streets shown and laid out on the attached plat, subject to the easements set forth herein, and do further agree as follows:

- A. Midwest Development Co. shall with respect to the streets shown on the attached plat, Arbor Ridge Road, Fernwood Drive, and Maple Grove Drive, will be brought to City grade and will be thirty-one (31) feet, back of curb to back of curb; all said streets with approved hard surface pavement in accordance with City of Cedar Falls, Standard Specifications.
- B. That sanitary sewer, together with the necessary manholes and sewer service lines to all lots in the plat, will be provided.
- C. That underground utilities, as required by the Subdivision Ordinance of the City of Cedar Falls, Iowa, shall be installed.
- D. That the city water will be provided to all lots as required by the Cedar Falls Municipal utilities.
- E. That municipal fire hydrants will be provided as required by the Cedar Falls Public Safety Department.
- F. That storm sewer will be provided as specified by the City Engineer.
- G. That handicap ramps will be provided as required by law.
- H. That as to the other lots, a four (4) foot wide concrete sidewalk four (4) inches thick and a concrete surface or hard surface entrance will be installed during or immediately after the construction of the residence on any particular lot, or within five (5) years after the date the plat is filed in the office of the Recorder of Black Hawk County, whichever is sooner and that the sidewalk be across the full length of the lot and on corner lots also, across the parking and full length of the lot. In the event that the City is required to construct the sidewalk as permitted by subparagraph J, a lien or liens may only be imposed against the lot or lots which require city construction and no others in the subdivision.
- I. That the work improvements called for herein shall be in accordance with the specifications of the City of Cedar Falls, Iowa, and performed under the supervision of the City Engineer. In the event that the developer, Midwest Development Co., its grantees and assigns fail to complete the work and improvements called for herein within one (1) year from the date of the acceptance of said final plat by each developer by the City of Cedar Falls, Iowa, the City may then make the improvements and assess the costs of the same to the lots owned and platted by the developer. The undersigned, for themselves, their successors, grantees and assigns, waive all statutory requirements of notice of time and place of hearing and agree that the City may install said improvements and assess the total costs thereof against the respective lots.

- J. That the City may perform said work, levy the cost thereof as assessments, and the undersigned agree that said assessments so levied shall be a lien on the respective lots with the same force and effect as though all legal provisions pertaining to the levy of such special assessments have been observed, and further authorize the City Clerk to certify such assessments to the County Auditor as assessments to be paid in installments as provided by law.
- K. The subdivision plat, to conform with approved construction plans which meet the specifications of the City of Cedar Falls, Iowa. Such required public improvements shall meet the following requirements:
- (a) Shall be constructed and installed in a good and workmanlike manner;
 - (b) Shall be free of defects in workmanship or materials;
 - (c) Shall be free of any conditions that could result in structural or other failure of said improvements;
 - (d) Shall be constructed and installed in accordance with the design standards and technical standards established for such public improvements by the City and by Cedar Falls Utilities;
 - (e) Shall be constructed and installed in strict compliance with the minimum acceptable specifications for the construction of public improvements set forth in the Cedar Falls Code of Ordinances, including without limitation, Chapter 24, Subdivisions, and as such specifications shall be recommended for approval by the City Engineer from time to time, and approved by the city council.

28. The developer, Midwest Development Co., states:

- A. That this plat and development shall comply with the R-P Planned Residential Zoning District Classification Regulations.

29. Notwithstanding anything contained in the Deed of Dedication to the contrary, any assessment made under the Deed of Dedication shall not be a lien against any property described herein unless and until the City of Cedar Falls records with the Black Hawk County Recorder a "Notice of Assessment Lien" which notice shall describe the property against which the lien attaches in the amount of said lien.

30. All subsequent owners of lots in the subdivision shall be obligated to meet any requirements imposed by the Commissioners of the Black Hawk County Conservation District or any other governmental agency, by the authority of Chapter 161A, Code of Iowa, pertaining to soil erosion control plans for certain land distributing activities. This covenant shall be perpetual and not be governed by the provisions of Paragraph 23 of this Deed of Dedication.



DEPARTMENT OF COMMUNITY DEVELOPMENT

City of Cedar Falls
 220 Clay Street
 Cedar Falls, Iowa 50613
 Phone: 319-273-8606
 Fax: 319-273-8610
www.cedarfalls.com

MEMORANDUM

Planning & Community Services Division

TO: Planning and Zoning Commission
FROM: Jaydevsinh Atodaria (JD), Planner I
 Matthew Tolan, Civil Engineer II
DATE: January 7, 2021
SUBJECT: Pinnacle Prairie Commercial South, Phase III, Second Addition Final Plat

REQUEST: Request to approve the Final Plat for the Pinnacle Prairie Commercial South, Phase III, Second Addition Case #FP20-003

PETITIONER: Greenhill Estates, Inc. - Owner, Nelson Construction & Development; Developer

LOCATION: 11.89 acre site is located just north east section opposite Caraway Lane, along Prairie Parkway

PROPOSAL:

The petitioner is proposing to final plat a 11.89 acre area of the preliminary plat approved for Pinnacle Prairie Commercial South Phase III. The subject property is Lot 6 and Tract C of the approved preliminary plat.

This final plat is an 11.89 acre site adjacent to Prairie Parkway and the proposal is to develop a senior living facility and a tract for floodplain, wetland and drainage management, for which a site plan review will be required. Currently, there are two lots developed out of seven lots preliminary platted. Unity Point Clinic is established on lot 1; Care Initiatives is established on lot 2 whereas lot 3, 4, 5, 6 and 7 remain undeveloped. With this request Lot 6 will be developed for a senior living facility with approval of a site plan review.

BACKGROUND:

Following the rezoning to MU (Mixed Use Zoning) in 2004, planning of the district's development has been steadily in motion. Projects for the area include but are not limited to the Business Center North, Business Center South, Western Homes, and the recently updated Pinnacle Prairie Master Plan. The Preliminary Plat for this site was approved by the Planning and Zoning Commission in May 2015. After the approval of

preliminary plat and portion of southern area with a final plat, two lots have been developed in the form Unity Point Clinic and Care Initiatives. To continue developing the preliminary platted lots, applicant has proposed the final plat and a site plan review for senior living facility in the northern area of subdivision. City staff notes that final plat needs to be approved prior approval of site plan application.

ZONING:

The property is zoned MU, Mixed Use Residential, which permits a “mixture” of residential, commercial and business uses along with recreational/institutional uses in an effort to establish a comprehensive community/neighborhood development. The proposed preliminary plat continues to implement the Pinnacle Prairie Master Plan, adopted per the MU district requirements. The Pinnacle Prairie Master Plan was last updated in 2015.

STAFF ANALYSIS

The proposal of final platting Lot 6 and Tract C will lead to development of Lot 6 for a senior living facility and will maintain Tract C as a floodplain, wetland and drainage easement. Tract C is part of a larger regional detention basin that benefits the area within the subject final plat and a number of other nearby properties outside the area of the plat. There is an existing maintenance and repair agreement for this stormwater facility that covers all of the benefited properties including Lot 6 within the subject plat, so a separate agreement is not needed for this plat.

With the development in Lot 6 the developer will be adding a section of 5 foot wide public sidewalk along Prairie Parkway to connect with the existing sidewalk at the intersection with Green Creek Road and completing the extension of 10-footwide Pinnacle Prairie public trail within the platted area as per the approved Pinnacle Prairie Master Plan.

The proposed final plat includes a 10 foot wide utility easement along the west lot line of Lot 6 adjacent to Prairie Parkway and a 20 foot wide utility and trail easement along the northern and southeastern lot lines of Lot 6 to facilitate extension of the Pinnacle Prairie public trail. There is a 20 foot sanitary sewer easement along the west and north lot lines of Tract C and 10 foot wide utility easement along the east and southeast lot lines of Tract C. 130 foot wide drainage easement runs along the central portion of Tract C.

Staff finds that the proposed final plat is in substantial conformance with the approved preliminary plat. All the legal paper work for the final plat has been submitted by the applicant.

A courtesy notice was sent out regarding the final plat to the surrounding property owners on 12/15/20.

COMPLIANCE WITH PREVIOUS DEVELOPMENTAL PROCEDURES AGREEMENT

Compliance Provisions in last updated development procedural agreement for the Pinnacle Prairie Master Plan are not yet fulfilled. Provisions that must be addressed

include:

- Submittal of a plan and construction of landscaping amenities in the Prairie Parkway/Prairie View Road roundabout. In the 2015 agreement these improvements were to be constructed in 2016. Since these improvements have not yet been made, Staff recommends that prior to approval of the final plat, Oster contribute \$40,000 (reduced from the original estimated contribution of \$60,000) into an escrow account with the City. These funds will be used to supplement the more substantial funding provided by the City through TIF to construct the roundabout improvements as a future City project.
- Oster has submitted a plan for improving the terminus of Goldenrod Way that is acceptable to the City. Oster anticipates completing these improvements in Spring 2021. To ensure compliance, staff recommends that Oster provide a cash escrow for the estimated cost of the improvements, which can then be drawn down when they are completed; or Oster and the developer of the senior living facility enter into an agreement with the City prior to approval of this final plat to complete the improvements prior to issuance of an occupancy permit for the senior living facility.
- Oster has agreed to this approach and is developing a cost estimate for the Goldenrod improvements. Once the total amount of the escrow is determined and the agreement is drawn up accordingly, it will be forwarded to Council for approval. City Staff recommends that this cash escrow be in place prior to issuance of a building permit for the proposed Senior Living Facility.

TECHNICAL COMMENTS:

Stormwater: A private storm sewer network will be established onsite to collect and convey stormwater from the site into the exiting Greenhill Road Detention facility that was previously established prior to this development. This property is already under the benefited property of the established Maintenance and Repair Agreement by the previous land owners.

Sanitary Sewer: A private storm sewer network will be established onsite to collect and convey sanitary sewer from the proposed building to the public sanitary network located along the southeastern boundary of the property.

Street Improvements: As part of the development, access points will need to be established for the property for along the north bound lanes of the exiting Prairie Parkway pavement. Sidewalk and trail improvements will be made along Prairie Parkway where existing infills are required to connect to adjacent properties.

Technical errors regarding final plat platting are resolved by applicant. Final plat exhibit is attached for reference. City Staff notes that subject property falls within the previously established Maintenance Repair Agreement and therefore neither amendment nor creation of a new agreement is required based on conversation with the City's legal counsel. All the legal documents have been submitted electronically. Staff notes that all the original hard copies with required signatures and stamps will be required prior to consideration by City Council.

STAFF RECOMMENDATION:

The Community Development Department recommends approval of the proposed Final Plat of Pinnacle Prairie Commercial South, Phase III, Second Addition with the following stipulations:

- 1) Any comments or direction specified by the Planning and Zoning Commission.
- 2) Establishment of cash escrow is in place for Goldenrod improvements prior to issuance of a building permit for the proposed Senior Living Facility.
- 3) Conform to all city staff recommendations and technical requirements.

PLANNING & ZONING COMMISSION

Introduction 12/22/2020 Mr. Holst introduced the item and Mr. Atodaria provided background information. He explained that the property is located next to Prairie Parkway and south of Bluegrass Circle and provided a rendering of the being discussed. He explained that it is proposed to build a senior living center and create a floodplain, wetland and drainage easement for the area. He also noted that there is a public trail going through the tract that will be added, as well as a sidewalk connection. He discussed the technical comments that were brought forward, including the establishment of an onsite private storm sewer network from the site to the existing Greenhill Road Detention facility. A private storm sewer network will also be established onsite to collect and convey sanitary sewer from the proposed building to the public sanitary network located along the southeastern boundary of the property. The stormwater maintenance and repair agreement will need to be completed and technical errors regarding platting of lot lines on the proposed final plats must be corrected, with the revisions to be made prior to second review by the Planning and Zoning Commission. Compliance must also be met with the previous developmental procedural agreement with regard to landscaping amenities in the roundabout at Prairie Parkway and Prairie View Road. Staff recommends the item be brought forward for discussion only at this time.


Nick Bettis, Axiom Consultants, spoke to the technical concerns with the agreement and survey questions. He stated that those items should be resolved soon for commission review.

Ms. Saul asked about the landscaping amenities that need to be completed to continue complying with previous Developmental Procedural agreement. Mr. Atodaria explained that staff is working with Oster to resolve compliance and that the developer of the residential facility would not responsible for these improvements. Staff will continue to work toward a solution with Oster.


Mr. Schrad asked if the proposed wetland area connects to the other wetland area on Greenhill Road. Mr. Atodaria confirmed that it does.

The discussion was closed and will be continued at the next meeting.

Discussion
&
Vote
1/13/2021



Location Map



**Pinnacle Prairie Commercial South
Phase III, Second addition Final Plat**


ENVIRONMENTAL EXHIBIT

PINNACLE PRAIRIE SENIOR LIVING

PINNACLE PRAIRIE COMMERCIAL SOUTH PHASE III, SECOND ADDITION

CITY OF CEDAR FALLS

BLACK HAWK COUNTY, IOWA



LEGAL DESCRIPTION

A PARCEL IN THE SOUTHEAST QUARTER (SE ¼) OF THE NORTHEAST QUARTER (NE ¼) OF SECTION 25, TOWNSHIP 89 NORTH, RANGE 14 WEST AND IN THE SOUTHWEST FRACTIONAL QUARTER (SW FR ¼) OF THE NORTHWEST QUARTER (NW ¼) OF SECTION 30, TOWNSHIP 89 NORTH, RANGE 13 WEST OF THE 5TH P.M., ALL IN THE CITY OF CEDAR FALLS, BLACK HAWK COUNTY, IOWA DESCRIBED AS:

BEGINNING AT THE SOUTHWEST CORNER OF LOT 9 OF PINNACLE PRAIRIE BUSINESS CENTER NORTH (PPBCN), AS RECORDED IN BOOK 2005, PAGE 425 OF THE BLACK HAWK COUNTY RECORDER'S OFFICE, THENCE ALONG THE SOUTH LINE OF SAID PPBCN N83°20'19"E, 152.20 FEET, THENCE ALONG SAID SOUTH LINE N89°12'56"E, 456.28 FEET TO THE SOUTHEAST CORNER OF LOT 11 OF SAID PPBCN; THENCE S00°47'05"E, 30.07 FEET TO THE SOUTHWEST CORNER OF LOT 1 OF PINNACLE PRAIRIE BUSINESS CENTER NORTH PHASE II FIRST ADDITION (PPBCNP2FA), AS RECORDED IN BOOK 2012, PAGE 18835 OF THE BLACK HAWK COUNTY RECORDER'S OFFICE; THENCE ALONG THE SOUTH LINE OF SAID LOT 1 S76°58'13"E, 228.58 FEET; THENCE ALONG THE SOUTH LINE OF SAID LOT 1 N56°13'37"E, 211.71 FEET; THENCE ALONG THE SOUTH LINE OF SAID LOT 1 N22°34'30"E, 148.41 FEET TO THE SOUTH LINE OF SAID PPBCNP2FA; THENCE ALONG SAID SOUTH LINE N89°11'25"E, 474.43 FEET; THENCE S00°47'06"E, 133.16 FEET; THENCE S50°10'37"W, 216.70 FEET; THENCE S67°05'38"W, 261.76 FEET; THENCE S51°27'40"W, 400.43 FEET; THENCE S58°12'42"W, 130.38 FEET TO THE TO THE NORTH RIGHT OF WAY LINE OF PRAIRIE PARKWAY; THENCE ALONG SAID NORTH RIGHT OF WAY LINE N18°50'15"W, 49.33 FEET; THENCE ALONG SAID NORTH RIGHT OF WAY LINE N63°45'33"W, 100.04 FEET; THENCE ALONG SAID NORTH RIGHT OF WAY LINE S71°07'07"W, 120.21 FEET, THENCE ALONG SAID NORTH RIGHT OF WAY LINE N63°48'04"W, 351.66 FEET; THENCE 304.11 FEET ALONG SAID NORTH RIGHT OF WAY LINE ON A 304.98 FOOT RADIUS CURVE CONCAVE NORTHEAST (CHORD N35°14'05"W, 291.67 FEET); THENCE ALONG SAID NORTH RIGHT OF WAY LINE N06°36'03"W, 43.13 FEET TO THE POINT OF BEGINNING.


DESCRIBED PARCEL CONTAINS 11.89 ACRES AND IS SUBJECT TO EASEMENTS AND OTHER RESTRICTIONS OF RECORD.

PROPERTY OWNER/APPLICANT/ADDRESS

PROPERTY OWNER:
GREENHILL ESTATES INC
ATTN: JESSICA SUK
3957 75TH ST
AURORA, IL 60504

APPLICANT:
NELSON CONSTRUCTION & DEVELOPMENT
C/O JACOB WOLFGANG
218 6TH AVENUE, SUITE 200
DES MOINES, IA 50309
PH: 515-720-6170
JACOB@NELSONCONST.COM

PREPARED BY:
AXIOM CONSULTANTS
NICK BETTIS, P.E. - CIVIL ENGINEER
60 E. COURT STREET
IOWA CITY, IA 52240
PH: 319-519-6220
EMAIL: NBETTIS@AXIOM-CON.COM



**DEED OF DEDICATION
OF
PINNACLE PRAIRIE COMMERCIAL SOUTH PHASE III, SECOND ADDITION
CEDAR FALLS, IOWA**

KNOW ALL MEN BY THESE PRESENTS:

That GREENHILL ESTATES, INC., an Iowa corporation, with its principal office in Cedar Falls, Iowa, being desirous of setting out and platting into Lot 6 and Tract C the land described in the attached Certificate of Survey by Bradley R. Geater, P.L.S. dated _____, 2020, do by these presents designate and set apart the aforesaid premises as a subdivision of the City of Cedar Falls, Iowa, the same to be known as:

**PINNACLE PRAIRIE COMMERCIAL SOUTH PHASE III, SECOND ADDITION
CEDAR FALLS, IOWA**

(the “**Development**”), all of which is with the free consent and the desire of the undersigned.

EASEMENTS

The undersigned do hereby grant and convey to the City of Cedar Falls, Iowa, its successors and assigns, and to any private corporation, firm or person furnishing utilities for the transmission and/or distribution of water, storm water and drainage, sanitary sewer, gas, electricity, communication service or cable television, perpetual easements for the erection, laying, building and maintenance of said services over, across, on and/or under the property as shown on the attached plat designated as “Utility Easement,” “Sewer Easement,” “Storm Sewer Easement,” and “Drainage Easement”. The undersigned do hereby further grant and convey to the City of Cedar Falls, Iowa, its successors and assigns, a perpetual trail easement for pedestrian use only over, across and/or on the property as shown on the attached plat designated as “Trail Easement”. No structures shall be built or placed on said easements.

RESTRICTIONS

Be it also known that the undersigned do hereby covenant and agree for themselves and their successors and assigns that Lot 6 and Tract C in the Development be and the same are hereby made subject to the following restrictions upon their use and occupancy as fully and effectively to all intents and purposes as if the same were contained and set forth in each deed of conveyance or mortgage that the undersigned or their successors in interest may hereinafter make for any of said Lot 6 and/or Tract C and that such restrictions shall run with the land and with each individual lot thereof for the length of time and in all particulars hereinafter stated, to-wit:

1. Any building that shall be erected on Lot 6 shall have a minimum setback from the front, side, and rear of the lot lines as indicated on attached Final Plat. All minimum setbacks will be required to meet or exceed the zoning in effect respecting the Development.
2. Tract C shall be preserved and maintained primarily as a perpetual easement for wetland, floodplain and drainage purposes. No building or other permanent structure shall be constructed in any area of Tract C designated on the Final Plat as areas and/or easements for wetland, floodplain, or drainage.
3. Any and all drainage easements will be required to follow the “Stormwater Management Plan” and no building structures, fence structures, landscaping structures, private gardens or any other

possible obstruction can be built in and over said drainage easements, except for typical landscaping consisting of grass and other native vegetation. All lot owners and/or contractors working on said lots will be responsible to maintain said easements to be free and clear of any physical obstruction(s) thus allowing the conveyance of overland storm water runoff as intended per “Stormwater Management Plan” on record with the City of Cedar Falls Engineer’s Office.

4. The undersigned and all persons and entities hereafter acquiring any right, title, or interest in any portion of Lot 6 and Tract C shall be taken and held to have agreed and covenanted with the owners of all other portions of Lot 6 and Tract C and with the respective successors and assigns of all of the rest of such other portions of Lot 6 and Tract C to conform to and observe all of the foregoing covenants, restrictions, and stipulations as to the construction of building thereon, for a period of 21 years from the date of filing of said plat, and this deed of dedication for record. Within the period of 21 years and in accordance with Iowa Code § 614.24 and § 614.25 or their successor provisions, these covenants, restrictions, and stipulations may be extended for an additional period of 21 years upon compliance with § 614.24 and § 614.25 of the Code of Iowa. In the event an extension of the covenants, restrictions, and stipulations is not filed within the period of 21 years or successive 21-year periods, then the covenants, restrictions, and stipulations contained herein shall terminate at the end of the existing period of 21 years.

5. Invalidation of any of these covenants by judgment, decree, or court order, shall in no way affect any of the other provisions of this dedication and such other provisions shall remain in full force and effect.

6. If the parties hereto, or any of them, or their heirs or assigns shall violate or attempt to violate any of the covenants or restrictions herein, it shall be lawful for any other person owning property in said Development to prosecute any proceedings at law or in equity against the person or persons violating or attempting to violate any such covenants or restrictions, and for the purpose of preventing such acts or recovering damages for such violations or both, and for costs and reasonable attorney fees as determined by the court.

PUBLIC IMPROVEMENTS REQUIRED IN PLAT

1. The respective owners of Lot 6 and Tract C shall construct and maintain that portion of the public trail located on its property within the “Trail Easement,” including the eighteen inches (18”) located on both sides of said trail, in good order and repair. Said trail will be constructed prior to the issuance of a final certificate of occupancy respecting the building to be constructed on Lot 6.

2. The owner of Tract C, its successors and/or assigns, shall maintain in good order and repair Tract C so as to preserve the integrity of all wetland areas, floodplain areas, and other drainage areas located on Tract C.

3. Sanitary sewer, together with the necessary manholes and sewer service lines to all buildings in the plat will be provided.

4. Underground utilities, as required by the Subdivision Ordinance of the City of Cedar Falls, Iowa, shall be installed.

5. City water will be provided to all buildings as required by the Cedar Falls Utilities Department.

6. Municipal fire hydrant(s) will be provided as required by the Cedar Falls Public Safety Department.

7. Storm sewer will be provided as specified by the City Engineer.
8. Handicap ramps will be provided as required by law.
9. All buildings erected on any lots in the Development shall be constructed in accordance with the plumbing and electrical codes of the City of Cedar Falls.
10. The owner of Lot 6, its successors and/or assigns, will install a five (5) foot wide concrete sidewalk, four (4) inches thick, within the Prairie Parkway right-of-way to its connection with the existing sidewalk stub at the intersection of Prairie Parkway and Green Creek Road prior to the issuance of a final certificate of occupancy respecting the building to be constructed on Lot 6. This shall include handicap ramps, if any, as required by state law.
11. The improvements required for herein shall be completed in accordance with the specifications of the City of Cedar Falls, Iowa, and performed under the supervision of the City Engineer. In the event that the owners of Lot 6 and Tract C, their grantees and assigns, fail to complete said work and improvements called for within one (1) year from the date of the acceptance of said final plat by the City of Cedar Falls, Iowa, the City may then make improvements and assess the costs of the same to the respective parcel. The undersigned, for themselves, their successors, grantees and assigns, waive all statutory requirements of notice of time and place of hearing and agree that the City may install said improvements and assess the total costs thereof against the respective parcel. The foregoing one (1) year time frame shall be extended to five (5) years for the sidewalks to be installed in the Development.
12. The City may perform said work, levy the cost thereof as assessments, and the undersigned agree that said assessments so levied shall be a lien on the respective parcel with the same force and effect as though all legal provisions pertaining to the levy of such special assessments have been observed, and further authorize the City Clerk to certify such assessments to the County Auditor as assessments to be paid in installments as provided by law.
13. The owners of Lot 6 and Tract C, their grantees and assigns, shall construct and install all required public improvements within the subdivision plat, to conform with approved construction plans which meet the specifications of the City of Cedar Falls, Iowa. Such required public improvements shall meet the following requirements:
 - A. Shall be constructed and installed in a good and workmanlike manner;
 - B. Shall be free of defects in workmanship or materials;
 - C. Shall be free of any conditions that could result in structural or other failure of said improvements;
 - D. Shall be constructed and installed in accordance with the design standards and technical standards established for such public improvements by the City and by Cedar Falls Utilities;
 - E. Shall be constructed and installed in strict compliance with the minimum acceptable specifications for the construction of public improvements set forth in the Cedar Falls Code of Ordinances, including without limitation, Chapter 24, Subdivisions, and as such specifications shall be recommended for approval by

the City Engineer from time to time, and approved by the city council.

14. Construction plans for Lot 6 are now on file in the Office of the City Engineer.

[Signature and Acknowledgment Follow]



DEPARTMENT OF COMMUNITY DEVELOPMENT

City of Cedar Falls
 220 Clay Street
 Cedar Falls, Iowa 50613
 Phone: 319-273-8600
 Fax: 319-273-8610
 www.cedarfalls.com

MEMORANDUM

Planning & Community Services Division

TO: Planning and Zoning Commission
FROM: Jaydevsinh Atodaria (JD), Planner I
 Matthew Tolan, Civil Engineer II
DATE: January 7, 2021
SUBJECT: Pinnacle Prairie Senior Living Site Plan (SP20 – 011)

REQUEST: Request to approve the Pinnacle Prairie Senior Living Site Plan
 Case #SP20-011

PETITIONER: Greenhill Estates, Inc. - Owner, Nelson Construction & Development,
 Developer; Axiom, Engineer

LOCATION: Lot 6 of Pinnacle Prairie Commercial South Phase III, Second Addition. The
 5.54 acre site is located in northeast section opposite Caraway Lane, along
 Prairie Parkway.

PROPOSAL

The petitioner is proposing to build a 109 unit retirement building that will consist of 32 units in the memory care area, 77 assisted living units including 27 carefree living units and 1 guest unit on a 5.54 acre parcel along the east side of Prairie Parkway. The memory care section is located at the east end of the proposed building. This section will be a single story structure. The central portion of the building is the commons area that transitions from a single story to a two and three story section for the assisted living area at the west end of the building. The applicant has submitted the site plan to provide additional detailed information about the project.

BACKGROUND

This property is included in Pinnacle Prairie Commercial South Phase III, Second Addition. The preliminary plat for Pinnacle Prairie Commercial South Phase III was approved in 2015 and the final plat with the subject property is currently being introduced to the Planning and Zoning Commission. City staff notes that the site plan will be approved after the approval of Final Plat presented. The site plan may then proceed to the City Council in conjunction with the final plat.

The subject property is located in the MU, Mixed Use Residential District and also a part of Pinnacle Prairie Master Plan. Therefore, the building design of this proposed senior living facility should align with design guidelines in Pinnacle Prairie Master Plan. City staff believes that the applicant has consulted with the Pinnacle Prairie Design Committee to ensure that their building


design would be consistent with the design guidelines.

ANALYSIS

The property in question is located within the MU, Mixed Use Residential zoning district. Development in an MU zoning district requires a detailed site plan review to ensure that the development site satisfies the standards of the comprehensive plan, recognizes principles of civic design, land use planning, landscape architecture, and building architectural design that are set out for the district. Attention to details such as parking, open green space, landscaping, signage, building design, and other similar factors help to ensure orderly development. The following is a review of the zoning ordinance requirements:

Use:

The intent of the MU district is to encourage a variety of housing types and neighborhood commercial land uses for the purpose of creating viable, self-supporting neighborhood districts. Therefore, MU zoning permits a variety of uses ranging from neighborhood commercial to office to single-unit homes to condominiums and multi-unit dwellings. The subject property is part of Pinnacle Prairie Master Plan (See image to the right for reference) and it is designated to be developed as Mixed Use property. City's Future Land Use Map closely follows the Pinnacle Prairie Master Plan. A standard planning practice is to create a gradual transition of development intensity from single unit development to higher density residential to neighborhood-serving commercial and mixed-uses. The proposed Pinnacle Prairie senior living facility will serve as a transition in development intensity and is consistent with the City's Future Land Use Map. **The proposed senior living facility is a permitted use in this area and also consistent with the approved Pinnacle Prairie Master Plan.**



Building Location:

In the MU Zoning District, minimum setback area consisting of open landscaped green space measuring 30 foot in width shall be established around the perimeter of the development site. No structures or parking areas are permitted in the said setback area. The minimum setback area may be reduced to 20 feet on tracts measuring less than ten acres in area subject to review and recommendation by the planning and zoning commission and city council. In this case, the subject property being just less than 6 acres, the latter rule will be applicable. Because the proposed building height is 40 feet, 5 feet more than the standard height allowance, therefore 1 feet of additional setback for every 1 feet additional height above 35 feet will have to be provided as a perimeter setback to meet the exception as per MU district guidelines. Therefore minimum required perimeter building setback from the site boundary is 25 feet in the case of proposed site plan. The proposed building setbacks are 59.41' north; 27.6' west; 55.47' south and 57.62' east. All the proposed parking areas are located outside the required perimeter setback of 20 feet. **Setbacks satisfied.**

Parking:

The parking requirement for senior living facilities in Cedar Falls is 1.5 stalls for every dwelling unit and one stall for every two employees. The parking requirement for nursing homes is one parking stall for every 5 beds. The proposed senior living facility will include 32 memory care units, 77 assisted living units including 27 carefree living units and 1 guest unit. The parking requirement is listed in the following table:

Type of Use	Parking Requirement	No. of Beds/Units	Required Parking	Total
Memory Care	1 stall/5 beds	32 Beds	6.4 stalls	7
Employees	1 Stall/2 Employees	36 Employees	18 stalls	18
Assisted Living	1 stall/5 beds	49 Beds	9.8 stalls	10
Carefree Living	1.5 stalls/unit	27 rooms & 1 guest rooms	42 stalls	42
			Total Required Parking	77
			Parking Provided	93

The parking areas are situated off of Prairie Parkway and located south, east, and north of the building along the internal access drive. The petitioner states that there is enough parking stalls to accommodate employees, visitors and residents.

All parking areas are well screened from the adjacent streets and lots. Out of 93 parking stalls, 16 stalls are placed just east of the Memory Care unit along the internal drive, 6 stalls are placed just north of the Memory Care unit and the remainder 71 stalls are provided south of the commons area. There is provision of 5 Handicapped stalls, which are placed next to the main entrance area for easy accessibility. The parking area will be accessed by an internal two-way drive. **Parking requirements satisfied.**

Open Green Space/Landscaping:


The MU District requires that open green space be provided at the rate of 10% of the total development site area excluding the required district setbacks. The development site is 5.54 acres or 241,366 square feet. The proposed site plan offers 2.68 acres or 116,873 square feet (48.5%) of open space. The minimum required open space area for this lot is approximately 24,136 square feet. When deducting the driveways and parking areas for this property the open space provided for the site is 57,493 square feet. **The open green space requirement is met.**

In addition to the green space requirement the MU district has a landscaping requirement of 0.02 landscaping points per square foot of total development site area. For a 241,366 square feet lot, 4,827 landscaping points are needed. The proposed landscaping plan is proposing to provide 6,640 landscaping points. The proposed landscaped areas will be distributed throughout the development site.

The MU District also requires 0.75 landscaping points for street trees per linear foot of public street frontage. This development is required to provide 525 (700 feet x 0.75) landscaping points worth of street trees. In response, developer will plant 14 overstory street trees amounting to 1,120 points.

Apart from this, parking lot screening and landscaping requirements will also be applicable. Minimum 1 overstory tree for every 15 parking stalls or every 2,500 sq. of parking space should

be provided. For total of 93 parking stalls, 7 overstory trees are required. In response developer has proposed to plant 8 overstory trees. For screening the parking areas from public view, shrubs are provided in the periphery of parking areas. **Landscaping and screening requirements are satisfied.**



Proposed landscaping in the site includes:

- All parking areas will be screened from public view with shrubs around it.
- Café patio and dining room patio areas in the commons area will be planted with overstory and ornamental trees.
- Red oak and ornamental trees will be planted near the main entrance to the commons area.
- Ornamental trees, evergreen trees and red oak trees will be placed in the west courtyard located between the assisted living areas of the building facing Prairie Parkway.
- A 20-foot landscape buffer along the north property line will be screened with shrubs, overstory trees, evergreen trees and ornamental trees. This will provide a landscaping buffer between the senior living facility and the property to the north.
- The entire periphery of the building will have shrubs/perennial plantings.
- Native prairie grasses will be placed along the eastern and southern areas of the property.
- Lawn area will be placed along western and northern property lot lines.

Building Height:

The maximum building height allowed in this district is 35 feet or three stories, whichever is less. In the MU district, buildings may increase in height if the setback is increased by 1 foot for every additional foot of height on the building. The proposed building will be one to three stories in height for a total height of 40 feet. To allow for the additional 5 feet of building height, the building is setback with an additional 6 feet perimeter setback.

The proposed building is situated from its lowest height at the east end of the site to its tallest point at the west end of the site. A berm will be installed along the westerly property line beginning from the north side of the storm sewer and continuing northward. The site will be graded, with some cut on western side of the site and some fill on eastern side of the site so that site is flattened for the building and site construction. **Building height satisfied.**

Building Design:

The MU District requires a design review of various elements to ensure architectural compatibility to surrounding structures within the MU District. Below are a set of images showing the character of neighboring buildings and developments within the MU District. The height in the surrounding area ranges from one and half to four stories. Architectural characteristics of surrounding building are mix of Prairie Style and modern styles. All the neighboring properties including the subject property are part of MU, Mixed Use Residential Zoning District and also part of Pinnacle Prairie Master Plan. Building design should respond both to MU District zoning standards and Pinnacle Prairie Master Plan design guidelines.



Western Home communities 6th Addition



Village Cooperative of Cedar Falls Housing for 55+ communities.



Unity Point Clinic

Proportion: The relationship between the width and height of the front elevations of adjacent buildings shall be considered in the construction or alteration of a building; the relationship of width to height of windows and doors of adjacent buildings shall be considered in the construction or alteration of a building.

The MU District allows a variety of housing types and neighborhood commercial land uses. The property in question has duplex residential development to the west. There are condominium apartments along the northeast site boundary and a health clinic in the south eastern proximity to the site. Two-story buildings are typical for this area with one and half story residential units west of the proposed site, three-story condos abutting northeast corner of the proposed site and a four-story health clinic southeast of the site.

The proposed senior living facility will be one to three stories in height. The one story (approx. 25 feet in height) section and the three story (approx. 40 feet in height) section of the building will be closest to Prairie Parkway across the street from the existing residential dwellings on the west side of the street. The site will be graded with excavation on the western side of site and filling on eastern side of the site so that the building development occurs more or less on a flat surface. The proposed building will be similar in height to the multi-dwelling building located northeast of the site.

The design of the building includes an array of windows on all sides. The central part of the building provides a covered entrance canopy for vehicle pick up and drop off. There are ground to eave window openings, ribbon windows along with a mixture of single, double and triple wide windows around the building. These features are found in other surrounding buildings. **Criterion met.**

Roof shape, pitch, and direction: The similarity or compatibility of the shape, pitch, and direction of roofs in the immediate area shall be considered in the construction or alteration of a building.

All neighboring residential developments and condominium apartments have pitched roofs whereas the health clinic has a flat roof. The proposed senior living buildings will incorporate a

blend of pitched and flat roofs. **Criterion met.**

Pattern: *Alternating solids and openings (wall to windows and doors) in the front facade and sides and rear of a building create a rhythm observable to viewers. This pattern of solids and openings shall be considered in the construction or alteration of a building.*

The proposed building has a harmonious building pattern for each section. The entries are recessed from primary building line of the structure. There are covered porches in the central portion of the building for both entrance area and gathering space that the tenants can use. The pitch in the commons area is slightly elevated than other commons and memory care unit areas. The outdoor patio area in the northern section is lined with wooden screens and metal pergola to provide nice semi-covered areas for tenants to enjoy. The pattern around the entire perimeter of the building is a unique combination of horizontal and vertical fiber cement panels in two different colors and manufactured stone materials.

Windows and doors in the building have stone sill and stone bands to give a unique break of continuous building façade. The windows and doors create a nice pattern around the building. Again, these design features are found on other buildings in this MU District. **Criterion met.**

Materials and texture: *The similarity or compatibility of existing materials and textures on the exterior walls and roofs of buildings in the immediate area shall be considered in the construction or alteration of a building. A building or alteration shall be considered compatible if the materials and texture used are appropriate in the context of other buildings in the immediate area.*

The proposed senior living facility includes a number of materials that make up the exterior portion of the facade. The lower portion of the building is covered with a manufactured stone material and is then merged with fiber cement siding and “vintagewood” fiber cement panels in the upper areas. Sections of manufactured stone facades are placed up to three stories high in the assisted living area of the building and are capped with stone bands. Areas of the facades with vintagewood fiber cement horizontal and vertical panels provide a great contrast to the stone façade. The pitched roofs in the building are capped with aluminum coping and are covered with a standing seam metal roof.

Pitched roofs in the building have aluminum coping in the perimeter while the flat roofs have fiber cement fascia board, this will provide a clear distinction of roof areas and building facades. The flat roofs in the building are slightly cantilevered from the building façade to provide a good distinctive breakage between the building façade and roofs of the building. The proposed materials are consistent with materials used within the district. **Criterion met.**

Color: *The similarity or compatibility of existing colors of exterior walls and roofs of buildings in the area shall be considered in the construction or alteration of a building.*

The proposed buildings will be covered with fiber cement siding of in two different brown colors, both vertical and horizontal vintagewood fiber cement panels resembling color of wood. The manufactured stone is ivory and the roof shingles are dark brown in color. Overall color pattern resembles earthen color pallet. The use of a neutral color is consistent with the area. **Criterion met.**

Architectural features: Architectural features, including but not limited to, cornices, entablatures, doors, windows, shutters, and fanlights, prevailing in the immediate area, shall be considered in the construction or alteration of a building. It is not intended that the details of existing buildings be duplicated precisely, but those features should be regarded as suggestive of the extent, nature, and scale of details that would be appropriate on new buildings or alterations.

There are a number of architectural elements on the proposed senior living facility that resemble a prairie style of architecture. The wide eaves are typical of this style. There are exposed aluminum copings, stone bands both in lintel and sill areas of the building and fiber cement fascia of flat roofs creates a distinctive prairie style building. Outdoor courtyards allow tenants to explore wide visual surroundings and celebrate community space. A drive through canopy that extends out supported with two columns covered with stone work provides shelter from the elements and a distinctive entrance feature to this prairie style building. The roof line is broken up and the front walls are setback in places to create both visual horizontal and vertical breaks. Stone bands are provided around the entire periphery of the building to create a unique breakage of continuous fiber cement facades. These architectural elements can be found in other buildings in the area. **Criterion met.**



Main Entrance area




Memory Care area



Assisted living area

Signage:

As shown on the submitted drawings, one monument sign will be installed along Prairie Parkway, placed next to the access drive on the southwest area of the site. The monument sign is nicely supported by two stone columns with stone coping and horizontal wooden beams. The dimensions and area of the monument sign meets the district requirements.



Access locations / Sidewalks:

Site is equipped with two driveway locations for the site. Both the driveways are off of Prairie Parkway and are right-in / right-out only because there is a median along Prairie Parkway that prevents full access. The master plan anticipated this limited access. The driveway leading to main entrance area is located in the southwest corner of site.

Site will also be accessed by pedestrian means. A 5 foot sidewalk will be constructed along eastern edge of Prairie Parkway and will be extended to connect with the sidewalk at the intersection of Green Creek Road. Pedestrian walkways are extended to provide access to and around the various buildings on the site and to all entrances. In addition, a section of sidewalk will also be extended from the north courtyard of the building to the Pinnacle Prairie public trail running along the northern boundary of the site. All sidewalks placed within the senior living campus and bordering Prairie Parkway are 5 feet wide.

In addition, as per the Pinnacle Prairie Master Plan, developer will also be extending the existing 10-foot wide Pinnacle Prairie public trail from the existing northeastern edge of site to connect

with the sidewalk along Prairie Parkway.

Infrastructure Improvements:

Stormwater: A private storm sewer network will be established onsite to collect and convey stormwater from the site into the exiting Greenhill Road Detention facility that was previously established prior to this development. This property is already under the benefited property of the established Maintenance and Repair Agreement by the previous land owners.

Sanitary Sewer: A private storm sewer network will be established onsite to collect and convey sanitary sewer from the proposed building to the public sanitary network located along the southeastern boundary of the property.

Street Improvements: As part of the development, access points will need to be established for the property for along the north bound lanes of the exiting Prairie Parkway pavement. Sidewalk and trail improvements will be made along Prairie Parkway where existing infills are required to connect to adjacent properties.

Other Site Elements:

Details of the site elements are enclosed in the packet. Site will be equipped with trash enclosure (20' x 10'), generator enclosure (20' x 28') and a transformer pad. All of these areas are located just north of commons area. Both the enclosures will be framed with composite decking material with diagonal bracing and will be up to 10 feet in height.

The site lighting will include LED luminaires mounted on varying heights of 18' and 20' tall square bronze aluminum pole for the parking lot and driveway around the building. Small bollard lights or pathway lights at 36" in height will be placed along the walking paths and by the building. These lights will also be placed next to internal sidewalks for additional safety and easy accessibility in the night time. These are downcast lights that do not project outward into the neighboring properties. Site lighting plan has been provided in the packet for additional reference.



TECHNICAL COMMENTS

City technical staff, including Cedar Falls Utilities (CFU) personnel, has reviewed the proposed site plan. All utilities including water, electric, gas and communications are available to the site in accordance with CFU service policies from Prairie Parkway. Developer is responsible for the construction of a properly sized water system. The public sidewalk along Prairie Parkway will be 5 feet wide and installed in conjunction with the construction of the building. The water main and service to the property will be owned, installed, and maintained by the developer/owner, including the fire sprinkler service and all fire hydrants required by the Cedar Falls Public Safety Department. The developer will need to work with CFU regarding final locations of the water, electric, gas and communications utilities.

A courtesy notice to adjoining property owners was mailed on December 15, 2020.

STAFF RECOMMENDATION The Community Development Department recommends approval of the proposed site plan with in conformity with approval of proposed final plat with the following stipulation:

- 1) Any comments or direction specified by the Planning and Zoning Commission.
- 2) Establishment of cash escrow is in place for Goldenrod improvements prior to issuance of a building permit for the proposed Senior Living Facility.
- 3) Conform to all city staff recommendations and technical requirements.

Note: Site plan cannot be approved prior approval of final plat.

PLANNING & ZONING COMMISSION


Introduction 12/22/2020 Mr. Holst introduced the item and Mr. Atodaria provided background information. He explained that the site plan is for the property discussed in the previous item and stated the area is 5.54 acres. He discussed the senior living center and wetland, floodplain and drainage easement proposed for the tracts. He also provided information with regard to height and setbacks for the proposed building, which are all allowed in the MU zoning district. He also discussed vehicular and pedestrian access, noting that these connections are in line with the master plan. Mr. Atodaria provided a rendering of the landscaping plan and discussed the landscaping points, and the mixture of trees, shrubs and prairie grass proposed. He then talked about the storm sewer collection and outlets and parking requirements. He also discussed the three sections of the building (assisted living, commons area and memory care), the façade elements, site lighting, dumpster enclosure and monument signage. He noted that the site plan is just being presented for discussion at this time.

Mr. Holst commented that there were letters received right before the meeting from neighbors who had concerns with the project. Ms. Lynch asked if there has been any traffic study done in the area with regard to the median. Ms. Howard stated that it was studied when the design was originally done and was noted in the master plan that this lot would only have right in/right out traffic.


Mr. Leeper asked if the project meets the requirements for visibility and distance from intersections as those concerns were stated in the letters. Ms. Howard stated that it was studied at the time the master plan was approved and that more information can be brought back from the city engineer at the next meeting.

The discussion was closed and will be continued at the next meeting.

Discussion
&
Vote
1/13/2021




Location Map



**Pinnacle Prairie Senior Living Facility
Site Plan**

45

SITE PLAN PINNACLE PRAIRIE SENIOR LIVING IN THE CITY OF CEDAR FALLS BLACK HAWK COUNTY, IOWA




ENGINEER	DATE	DESCRIPTION OF CHANGES

ISSUED FOR:	REVIEW	DATE ISSUED:	CURRENT REV:

PROJECT NAME:	CLIENT NAME:
PINNACLE PRAIRIE	NELSON CONSTRUCTION

SHEET NUMBER:	PROJECT NO.:	PROJECT MANAGER:
C2.00	200016	BETTIS



LINE #	LENGTH	BEARING
L1	30.07	S00°47'05"E
L2	49.33	N18°50'15"W
L3	120.21	S71°07'07"W
L4	43.08	N08°18'58"W
L5	76.90	S71°07'07"W
L6	43.31	S71°07'07"W

CURVE #	LENGTH	RADIUS	DELTA	CHORD DIR.	CHORD LEN.
C1	304.11	304.98	57°07'56"	N35°14'05"W	291.67

PARKING INFORMATION

PROPOSED BUILDING	FIRST FLOOR	SECOND FLOOR	THIRD FLOOR
65,360 SF	24,359 SF	24,359 SF	

PROPOSED USE	MEMORY CARE (32 BEDS (36 EMPLOYEES))	REQUIRED PARKING
PER BED	1 SPACE/5 BEDS	7 SPACES
PER EMPLOYEE	1 SPACE/2 EMPLOYEES	18 SPACES


PROPOSED USE	ASSISTED LIVING (49 UNITS) 49 TOTAL BEDS	REQUIRED PARKING
PER BED	1 SPACE/5 BEDS	10 SPACES

PROPOSED USE	CAREFREE LIVING (27 ROOMS & 1 GUEST ROOM)	REQUIRED PARKING
PER BED	1.5 SPACE/ROOM	42 SPACES
TOTAL REQUIRED PARKING		77 SPACES
PROVIDED PARKING (INCLUDES 5 ADA STALLS)		93 SPACES

PROPERTY OWNER/APPLICANT/ADDRESS


4900 PRAIRIE PARKWAY.	
PROPERTY OWNER: GREENHILL ESTATES INC ATTN: JESSICA SUK 3957 75TH ST AURORA, IL 60504	APPLICANT: NELSON CONSTRUCTION & DEVELOPMENT C/O JACOB WOLFGANG 218 6TH AVENUE, SUITE 200 DES MOINES, IA 50309 PH: 515-720-6170 JACOB@NELSONCONST.COM

CONCEPT NOT FOR CONSTRUCTION



SITE INFORMATION

PURPOSE OF DEVELOPMENT	DIMENSIONAL STANDARDS
EXISTING SITE IS AN OPEN LOT THAT DRAINS TO THE EAST/SOUTHEAST DIRECTION. SITE SHALL BE REGRADED TO ACCOMMODATE NEW BUILDING WILL CONSIST OF ASSISTED LIVING AND MEMORY CARE CENTER, AND CAREFREE LIVING.	FRONT SETBACK: 20' SIDE SETBACK: 30' REAR SETBACK: 30' *REQUEST UP TO A MAXIMUM OF 41-FT BY INCREASING EACH SETBACK BY 6-FT (1-FT ADDITIONAL SETBACK PER 1-FT ADDITIONAL HEIGHT ABOVE 35-FT CODE. PROPOSED BUILDING HAS A PLANNED HEIGHT OF 40'.
ZONING INFORMATION	AREA CALCULATIONS
CURRENT ZONING - MIXED USE RESIDENTIAL (MU)	TOTAL SITE 241,366 SF (100%) TOTAL BUILDING AREA 65,113 SF (26.9%) OVERALL OPEN SPACE 116,873 SF (48.5%) PARKING/DRIVES 59,380 SF (24.6%)
LOT SIZE	ERU CALCULATIONS
241,344SF (5.54 ACRES)	TOTAL IMPERVIOUS AREA: 124,493 SF 124,493 / 4,000 SF/ERU = 31.12 ERU
MAXIMUM BUILDING HEIGHT:	
35' (SEE SETBACK NOTE)	
REQUESTED DENSITY	
114 UNITS (22.0 UNITS/ACRE)	
SITE NOTES:	
1. ALL SIDEWALKS WITHIN ROW TO BE 5-FT. ALL SIDEWALKS WITHIN SITE TO BE A MINIMUM OF 5-FT. 2. ALL DRIVES & PARKING AREAS TO HAVE CURB AND GUTTER. 3. SIGHT DISTANCE TRIANGLES ARE 10-FT PER ZONING CODE SECTION 26-220(e)(7) a AND b. FIGURE 2 AND 3.	



KEYED NOTES THIS SHEET ONLY:

- B** NEW 120/208V- 3Ø - 3000 AMP SERVICE TERMINATION W/ C/T AND METER BY UTILITY CONCRETE PAD AND FOUNDATION BY GENERAL CONTRACTOR
- C** NEW 120/208V- 3Ø- 2500 AMP SERVICE TERMINATION W/ C/T AND METER BY UTILITY CONCRETE PAD AND FOUNDATION BY GENERAL CONTRACTOR
- D** NEW STANDBY DIESEL GENERATOR - 450 KW / 500 KVA 208V - 3Ø W/ 1600A SERVICE TYPE DISCONNECTS - 1600A / 3Ø - EMERGENCY POWER SERVICE TYPE BREAKER PROVIDE SUB BASE TANK W/ 24 HR RUN CAPACITY LEVEL 2 SOUND ENCLOSURE AND SILENCER
- E** GENERATOR ENCLOSURE TO HAVE THE FOLLOWING ON EMERGENCY POWER CIRCUITS SUPPLIED FROM HOUSE PANEL 'EG' - (4) WP/GFCI DUPLEX RECEPTACLES CIRCUIT (EG-3) - (4) FIXTURES TYPE 'DD' W/ WATER PROOF SWITCH AT ENTRY TO ENCLOSURE CIRCUIT (EG-1) - (3) FIXTURES TYPE 'EB' EMERGENCY LIGHTING CONTINUOUS POWER CIRCUIT (EG-5)
- F** NEW GAS METER -
- G** FLAG POLE - PROVIDE POLE TOP DOWNLIGHTING FIXTURE. FIXTURE TO BE SUPPLIED W/ INTEGRAL SOLAR PANEL, 12 HR. BATTERY AND PHOTO-CELL ON/OFF CONTROL. ALT. - TOP OF POLE SWIVEL TYPE LED FIXTURE 120V - 1P CIRCUIT

- SITE AREA LIGHTING - FIXTURE TYPE 'PAX' SINGLE HEAD ON A SINGLE 14" HIGH STRAIGHT ALUMINUM POLE W/ CONCRETE BASE - 24" ABOVE FINISH GRADE NORMAL POWER
- SITE AREA LIGHTING - FIXTURE TYPE 'PAXX' DOUBLE HEAD ON A SINGLE 14" HIGH STRAIGHT ALUMINUM POLE W/ CONCRETE BASE - 24" ABOVE FINISH GRADE NORMAL POWER
- SITE AREA LIGHTING - FIXTURE TYPE 'PBX' SINGLE HEAD ON A SINGLE 16" HIGH STRAIGHT ALUMINUM POLE W/ CONCRETE BASE - 1" ABOVE FINISH GRADE NORMAL POWER
- SITE AREA LIGHTING - FIXTURE TYPE 'PC' SINGLE HEAD ON A SINGLE 16" HIGH STRAIGHT ALUMINUM POLE W/ CONCRETE BASE - EMERGENCY POWER

- NOTE:
 'X' - OPTICAL DISTRIBUTION PATTERN OF THE FIXTURE
 'HS' - HOUSE SIDE SHIELD
 'PAX' - COOPER LIGHTING - MCGRAW-EDISON GLEON-AF-03-LED-EI-SL-X-7050 14" STRAIGHT ALUMINUM POLE MOUNTED ON 24" CONCRETE BASE - EXTENDING 24" A.F.G. 166W - 18591 LUMENS 70CRI - 3000K
 'PBX' - COOPER LIGHTING - MCGRAW-EDISON GLEON-AF-03-LED-EI-SL-X-7050 16" STRAIGHT ALUMINUM POLE MOUNTED ON 24" CONCRETE BASE - EXTENDING 1" A.F.G. 166W - 18591 LUMENS 70CRI - 3000K
 'PC' - CREE LIGHTING - EDGE SERIES BNY-EDG-2M-P3-02-E-UL-BZ-350 16" STRAIGHT ALUMINUM POLE MOUNTED ON 24" CONCRETE BASE - EXTENDING 1" A.F.G. 166W - 18591 LUMENS 70CRI - 3000K
 'PD' - KIM LIGHTING - SIGN MOUNTED WALL WASH W/ KNUCKLE MOUNT, 12" PIPE EXTENSIONS AND FIXED HOOD #348P70 32"-3KLV D0 FH48 KNUCKLE MOUNT ON THREADED PIPE - MOUNT FIXTURES TO BOTH SIDES OF THE SIGN TOP RAIL PROVIDE JUNCTION BOX AND WEATHER TIGHT CONDUIT 74W - 4563 LUMENS 70CRI - 3000K

Pinnacle Prairie
 Senior Living
 Cedar Falls



1414 UNDERWOOD AVE.
 WAUWATOSA, WI 53213
 414.431.3131 TEL
 414.431.0531 FAX
 WWW.AGARCH.COM
 Architecture
 Engineering
 Planning

REVISIONS

SCHEMATIC DESIGN
 NOT FOR
 CONSTRUCTION

THIS DRAWING, ITS DESIGN CONCEPT AND ITS DETAILS ARE THE SOLE PROPERTY OF AG ARCHITECTURE, INC. AND SHALL NOT BE COPIED IN ANY FORM OR MANNER WITHOUT WRITTEN AUTHORIZATION OF ITS DESIGNER/CREATOR

DRAWN BY
 TJL/TAR
 DATE
 24 AUGUST 2020
 PROJECT
 200401
 SHEET NO.

1" = 30.00' - SITE ELECTRICAL PLAN EG20

PLAUT PARRAGE TERRY, FILE # 20200401, 1500 WEST WISCONSIN AVENUE, SUITE 200, MILWAUKEE, WI 53233
 PROJECT NO. 200401, DATE 08/24/2020, DRAWN BY TJL/TAR, CHECKED BY [REDACTED], PLOT DATE 08/24/2020

EXTERIOR ELEVATION GENERAL NOTES

1. PROVIDE CONCRETE SPLASH BLOCKS AT ALL DOWNSPOUTS WHICH SPILL ONTO GRADE OR ROOFS.
2. ALL CONDUIT, METERS, VENTS, ETC. TO BE PAINTED TO MATCH ADJACENT SURFACE.
3. GUTTERS AND DOWNSPOUTS ARE PREFINISHED ALUMINUM.

EXTERIOR ELEVATION KEY NOTES:


- MR STANDING SEAM METAL ROOF
- F1 FIBER CEMENT SIDING WITH ALTERNATING 4" AND 8" LAP SIDING
- F2 FIBER CEMENT SIDING WITH 6" LAP
- FP1 FIBER CEMENT PANELS - COLOR A
- FP2 FIBER CEMENT PANELS - COLOR B
- A THREE DIMENSIONAL ASPHALT SHINGLES
- MS MANUFACTURED STONE
- X1 NICHHA VINTAGEWOOD FIBER CEMENT PANEL - HORIZONTAL
- X2 NICHHA VINTAGEWOOD FIBER CEMENT PANEL - VERTICAL



2
A5001
COMMONS BACK



1
A5001
COMMONS



Pinnacle Prairie

1/8" EXTERIOR ELEVATIONS

Cedar Falls, Iowa

23 NOV 2020



1414 UNDERWOOD AVE.
WAUWATOSA, WI 53213
414.431.3131 TEL
414.431.0531 FAX
WWW.AGARCH.COM


Architecture
Engineering
Planning

EXTERIOR ELEVATION GENERAL NOTES

- 1. PROVIDE CONCRETE SPLASH BLOCKS AT ALL DOWNSPOUTS WHICH SPILL ONTO GRADE OR ROOFS.
- 2. ALL CONDUIT, METERS, VENTS, ETC. TO BE PAINTED TO MATCH ADJACENT SURFACE.
- 3. GUTTERS AND DOWNSPOUTS ARE PREFINISHED ALUMINUM.

EXTERIOR ELEVATION KEY NOTES:

- MR STANDING SEAM METAL ROOF
- F1 FIBER CEMENT SIDING WITH ALTERNATING 4" AND 8" LAP SIDING
- F2 FIBER CEMENT SIDING WITH 6" LAP
- FP1 FIBER CEMENT PANELS - COLOR A
- FP2 FIBER CEMENT PANELS - COLOR B
- A THREE DIMENSIONAL ASPHALT SHINGLES
- MS MANUFACTURED STONE
- MF1 NICHHA VINTAGEWOOD FIBER CEMENT PANEL - HORIZONTAL
- MF2 NICHHA VINTAGEWOOD FIBER CEMENT PANEL - VERTICAL




MEMORY CARE 1
3
A501.1



MEMORY CARE 2
2
A501.1



MEMORY CARE 3
1
A501.1



Pinnacle Prairie
1/8" EXTERIOR ELEVATIONS
Cedar Falls, Iowa

23 NOV 2020



1414 UNDERWOOD AVE.
WAUWATOSA, WI 53213
414.431.3131 TEL
414.431.0531 FAX
WWW.AGARCH.COM

Architecture
Engineering
Planning

ASSISTED LIVING
77 UNITS
1 GUEST SUITE

COMMONS

MEMORY CARE
32 UNITS



④

①

③

②



SCALE: 1/16" = 1'



23 NOV 2020



Pinnacle Prairie
FIRST FLOOR PLAN
Cedar Falls, Iowa

1414 UNDERWOOD AVE.
 WAUWATOSA, WI 53213
 414.431.2121 TEL
 414.431.0531 FAX
 WWW.AGARCH.COM

Architecture
 Engineering
 Planning



① View From South - Looking Northeast





② View From Southeast - Looking Northwest





③ View From North - Looking Southwest





④ View From Southwest - Looking Northeast







1414 UNDERWOOD AVE.
WAUWATOSA, WI 53213
414.431.3131 TEL
414.431.0531 FAX
WWW.AGARCH.COM
Architecture
Engineering
Planning
REVISIONS
NO. DATE DESCRIPTION

SCHEMATIC DESIGN
NOT FOR
CONSTRUCTION


DATE
17 JULY 2020
PROJECT
200401
SHEET NO.




7 GATE PADLOCK DETAIL
6230 3' x 1'-0"




8 TYP. EXTERIOR FENCE DETAIL
6230 1/2' x 1'-0"




9 TRASH ENCLOSURE HINGE DETAIL
6230 1' x 1'-0"




C TYP EXTERIOR FENCE SECTION AT FOOTING
6230 1/2' x 1'-0"




2 EXTERIOR ELEVATION
6230 1/4' x 1'-0"




4 EXTERIOR ELEVATION
6230 1/4' x 1'-0"




6 SIGN - ELEVATION
6230 1/2' x 1'-0"




A SIGN COLUMN - SECTION
6230 1/2' x 1'-0"




B SIGN - SECTION
6230 1/2' x 1'-0"



1 GENERATOR ENCLOSURE PLAN
6230 1/4' x 1'-0"



3 TRASH ENCLOSURE PLAN
6230 1/4' x 1'-0"



5 SIGN PLAN
6230 1/2' x 1'-0"

Jaydevsinh Atodaria

From: Cork Klages <corkk44@yahoo.com>
Sent: Sunday, December 20, 2020 4:22 PM
To: Jaydevsinh Atodaria
Subject: Site Plan Senior Living 4900 Prairie Prky

Follow Up Flag: Flag for follow up
Flag Status: Flagged

CAUTION: This email originated outside the City of Cedar Falls email system.
 Do not click links or open attachments unless you recognize the sender and know the content is safe.

I am responding to the Site Plan for the Senior Living facility at 4900 Prairie Parkway of which I received.

My concern is relative to traffic flow on Prairie Parkway both into and out of the facility.

Relative to entering the property, traffic from the north (southbound) has no access to either entrance due to the boulevard on Prairie Parkway. It would seem their only option would be a U-turn at the intersection of Prairie Parkway and Purple Clover Rd/Green Creek Rd, returning north to the entrance(s). That intersection is currently a very busy and precarious intersection due to 1) the amount of traffic on Prairie Parkway, 2) the amount of traffic turning into Unity Point Clinic, 3) the amount of traffic out of WHC on Purple Clover Dr making a LH turn onto Prairie Parkway due to no LH turn at Caraway Ln and Prairie Parkway, and 4) a high number of U-turns currently at that intersection for what ever reason. In addition, the visibility to the south at that intersection is somewhat limited due to the curve in Prairie Parkway and the incline in the street. We live directly on the corner of Prairie Parkway and Purple Clover Dr and can attest to the above.

Secondly, I would question the traffic exiting the property from either entrance. Again, it appears their only option would be a RH exit onto Prairie Parkway and leaving those with a desire to go south an issue of doing a U-turn somewhere, likely the intersection of Wild Rye Way/Bluegrass Cir and Prairie Parkway. Another intersection with limited visibility and heavy traffic, not conducive to U-turn traffic.

Please provide explanation if and how the above has been addressed.

Corwin Klages
805 Shooting Star Way
 319 240 2921

Jaydevsinh Atodaria

From: Jim Trask <jftrask@cfu.net>
Sent: Monday, December 21, 2020 8:10 PM
To: Jaydevsinh Atodaria
Subject: Pinnacle Prairie Senior Living Site Plan

CAUTION: This email originated outside the City of Cedar Falls email system.
Do not click links or open attachments unless you recognize the sender and know the content is safe.

Jay Atodaria (JD)

My concerns regarding this proposed development;

This type of high density senior living located on Prairie Parkway at this location is concerning the traffic visibility issue that we live with on a daily basis in this area. Traffic coming from the south out of the roundabout is traveling at a posted 35 MPH, with many going much faster as they are coming from the Viking area shopping area. I see that this plan shows two driveways included in this plan and they are positioned in the S curve area of Prarie Parkway. The north driveway is placed right next to the walking trail that crosses Prairie Parkway. There is no visibility at present to maneuver

Oncoming fast moving traffic from the South!

I have lived on Bluegrass Circle in the Village Cooperative so I know first hand the traffic issues that we face daily. Since our arrival we have seen unbelievable development. We have added 9 apartment buildings on our street 108 2 bedroom units accounting for approximately 225 cars. Add to that a 4 story 70 some unit apartment/retail building and who knows how many cars all trying to exist on Bluegrass Circle with only two exits from our street while providing very poor visibility to see oncoming traffic. Because of the tight curves, all of the plantings in the Boulevard, very busy traffic going way too fast. Add to this all the traffic added at the Westernhome development and we already have a large number of seniors in the midst of a very busy highly traveled 4 lane low visibility area.

Doesn't it make more sense to build a development such as this on one of the many available lots located on a side street area to let this traffic to disperse while taking pressure off of Prarie Parkway roadway. Look at where their other complex is located.

It is not located directly adjoining a busy thoroughfare. Makes sense to me!

Let's not rush a decision on this project and wind up with a major traffic issue down the road. As you know it's much easier to do it right in the beginning than to try to fix it later. I would suggest that your folks spend some time in this area observing the issues presented above!

We appreciate your consideration.

Jim Trask
918 Bluegrass Circle
Unit 308
Cedar Falls 50613
319-231-3768

Sent from my iPad

