

**NOTICE OF OPEN MEETING & VOTE TO
CLOSE PART OF THE MEETING
A G E N D A
COUNCIL MEETING
City of Moberly
City Council Room – Moberly City Hall
101 West Reed Street
July 19, 2021
6:00 PM**

Posted:

Pledge of Allegiance

Roll Call

Approval of Agenda

Approval of Minutes

1. Approval of Minutes.

Recognition of Visitors

Communications, Requests, Informational Items

Public Hearing and Receipt of Bids

2. Receipt Of Bids For A New Street Sweeper For The Public Works Department.

Ordinances & Resolutions

3. An Ordinance Establishing Procedure To Disclose Potential Conflicts Of Interest And Substantial Interest For Certain Municipal Officials.

4. A Resolution Authorizing The City Manager To Enter Into A Letter Of Understanding With The Austin Peters Group, Inc., For A Market Survey Compensation Update.

5. A Resolution Accepting A Permanent Stormwater Easement From MFA Oil Company.

6. A Resolution Accepting The Bid Of Armor Equipment For A Tymco 500x Street Sweeper And Authorizing The Purchase For \$286,793.00.

7. A Resolution Authorizing The Placement Of Wellness Signs In The City Of Moberly.

8. A Resolution Appropriating Money Out Of The Treasury Of The City Of Moberly, Missouri.

Official Reports

9. Department Head Monthly Reports.

Anything Else to Come Before the Council

10. Appointments for Airport Advisory Board.

11. Consideration For Approval Of A Renewal Liquor Application.

12. Consideration Of A Motion To Adjourn To A Work Session Followed By A Closed Session To Discuss The Status Of Pending Real Estate, Personnel, and Negotiated Contract and Personnel Record. (Closed Statute 610.021) (2,3,12,13)

Adjournment

We invite you to attend virtually by viewing it live on the City of Moberly You Tube Live Channel, Facebook page. A link to the City's Channel can be found on our website's main page at www.cityofmoberly.com. The public is invited to attend the Council meeting. Representatives of the news media may obtain copies of this notice by contacting the City Clerk. If a special accommodation is needed as addressed by the Americans with Disabilities Act, please contact the City Clerk twenty-four (24) hours in advance of the meeting.

July 6, 2021
City of Moberly, Missouri Council Minutes

Council met in regular session at 6:00 p.m. in the City Hall Council Chambers with Mayor Jeffrey presiding.

All stood and recited the pledge of allegiance led by Mayor Jeffrey.

Council Members answering the roll call were: Jerry Jeffrey, Tim Brubaker, John Kimmons, Cole Davis, and Austin Kyser.

A motion was made by Kyser and seconded by Brubaker to approve the agenda. Ayes: Jeffrey, Brubaker, Kimmons, Davis and Kyser. Nays: none.

A motion was made by Brubaker and seconded by Kimmons to approve the minutes of June 21, and June 29, 2021, Council meetings as presented. Ayes: Jeffrey, Brubaker, Kimmons, Davis and Kyser. Nays: none.

A request was made from Moberly School Senior High School to hold their annual Homecoming parade on September 24, 2021. A motion was made by Kimmons and seconded by Davis to approve the request. Ayes: Jeffrey, Brubaker, Kimmons, Davis and Kyser. Nays: none.

A request was made from Kristina Flores to hold their annual SIDS Awareness 5K on August 16, 2021. A motion was made by Brubaker and seconded by Kyser to approve the request. Ayes: Jeffrey, Brubaker, Kimmons, Davis and Kyser. Nays: none.

The following bids were received for the State contract for a new rubber tire loader: **John Deere**, Total bid, \$175,825.00; **Altorfer CAT**, Total Bid, \$175,825.00; **Martin Equipment**, Total bid, \$178,000.00. A motion was made by Davis and seconded by Kyser to accept the bids. Ayes: Jeffrey, Brubaker, Kimmons, Davis and Kyser. Nays: none.

The following bid was received for two patrol cars and one SUV for the Moberly Police Department: **Moberly Motors**, two 2021/2022 Dodge Charger AWD Police Package Sedans and the 2021/2022 Ford Police Interceptor AWD Explorer. The purchase price for the Dodge Charger is \$27,514.00 (each) plus \$1,800.00 for the AYE Patrol Package Base prep wiring upgrade, for a total cost per vehicle of \$29,314.00, or \$58,628.00 for both. The **State** bid price for the 2021 Dodge Charger is \$27,389.00. The purchase price for the Ford SUV is \$33,194.00 plus \$700.00 for the wiring kit upgrade 67V and 67U. The total price is \$33,894.00, the State bid price is \$33,873.00 without any upgrades. Due to vehicle order cut off dates of June 17, 2021, for Dodge Chargers and June 25, 2021, for the Ford Explorer, Moberly Motors has placed both orders as of Friday, June 11, 2021. The total purchase cost is \$92,522.00. A motion was made by Kimmons and seconded by Davis to accept the bids. Ayes: Jeffrey, Brubaker, Kimmons, Davis and Kyser. Nays: none.

Kyser introduced a bill for an ordinance entitled: **"AN ORDINANCE APPROVING A FIRST AMENDMENT TO COOPERATIVE FUNDING AGREEMENT BETWEEN THE DOWNTOWN MOBERLY**

COMMUNITY IMPROVEMENT DISTRICT AND THE CITY OF MOBERLY FOR IMPROVEMENTS TO THE FENNEL COMPLEX" and moved that the bill be read two times by title for passage. Brubaker seconded the motion, and upon said motion the vote was as follows: Ayes: Jeffrey, Brubaker, Kimmons and Kyser. Nays: none. The bill having previously been made available for public inspection was read by title two times. Kyser moved that the bill be enacted into an ordinance. Davis seconded the motion. The presiding officer having called for a vote on the motion, the vote was as follows: Ayes: Jeffrey, Brubaker, Kimmons, Davis and Kyser. Nays: none.

Brubaker introduced a bill for an ordinance entitled: **"AN ORDINANCE ACCEPTING CHANGE ORDER NO. 6 IN THE AMOUNT OF \$1,458.32 TO THE MORLEY STREET SIDEWALK IMPROVEMENT PROJECT"** and moved that the bill be read two times by title for passage. Kimmons seconded the motion, and upon said motion the vote was as follows: Ayes: Jeffrey, Brubaker, Kimmons and Kyser. Nays: none. The bill having previously been made available for public inspection was read by title two times. Kimmons moved that the bill be enacted into an ordinance. Davis seconded the motion. The presiding officer having called for a vote on the motion, the vote was as follows: Ayes: Jeffrey, Brubaker, Kimmons, Davis and Kyser. Nays: none.

Kimmons introduced a bill for an ordinance entitled: **"AN ORDINANCE AMENDING CITY CODE SECTIONS 14-23 AND 14-25 RELATING TO CONVEYANCE OF CEMETERY LOTS"** and moved that the bill be read two times by title for passage. Davis seconded the motion, and upon said motion the vote was as follows: Ayes: Jeffrey, Brubaker, Kimmons and Kyser. Nays: none. The bill having previously been made available for public inspection was read by title two times. Kyser moved that the bill be enacted into an ordinance. Brubaker seconded the motion. The presiding officer having called for a vote on the motion, the vote was as follows: Ayes: Jeffrey, Brubaker, Kimmons, Davis and Kyser. Nays: none.

Davis introduced **"A RESOLUTION ACCEPTING THE BID OF MOBERLY MOTORS FOR THREE POLICE VEHICLES IN THE TOTAL AMOUNT OF \$92,522.00"** and made a motion for it to be read. Brubaker seconded the motion. Ayes: Jeffrey, Brubaker, Kimmons, Davis and Kyser. Nays: none. The Resolution bill having previously been made available for public inspection was read by title one time. A motion was made by Kimmons and seconded by Kyser to adopt the Resolution. Ayes: Jeffrey, Brubaker, Kimmons, Davis and Kyser. Nays: none.

Kyser introduced **"A RESOLUTION ACCEPTING THE BID OF ALTORFER, INC., FOR A 2021 CAT 926M WHEEL LOADER AND AUTHORIZING THE PURCHASE FOR \$175,825.00"** and made a motion for it to be read. Davis seconded the motion. Ayes: Jeffrey, Brubaker, Kimmons, Davis and Kyser. Nays: none. The Resolution bill having previously been made available for public inspection was read by title one time. A motion was made by Kimmons and seconded by Davis to adopt the Resolution. Ayes: Jeffrey, Brubaker, Kimmons, Davis and Kyser. Nays: none.

Brubaker introduced **"A RESOLUTION APPROVING GRANT FUNDING TO AREA CIVIC AND CHARITABLE ORGANIZATIONS AND AUTHORIZING THE CITY MANAGER TO EXECUTE ANNUAL SERVICE AGREEMENTS WITH AREA CIVIC AND CHARITABLE ORGANIZATIONS"** and made a motion for it to be read. Kimmons seconded the motion. Ayes: Jeffrey,

Brubaker, Kimmons, Davis and Kyser. Nays: none. The Resolution bill having previously been made available for public inspection was read by title one time. A motion was made by Davis and seconded by Kyser to adopt the Resolution. Ayes: Jeffrey, Brubaker, Kimmons, Davis and Kyser. Nays: none.

Brubaker made a motion for **"A RESOLUTION ACCEPTING A PERMANENT STORMWATER EASEMENT FROM MFA OIL COMPANY"** to be tabled until the July 19, 2021, Council Meeting. Davis seconded the motion. Ayes: Jeffrey, Brubaker, Kimmons, Davis and Kyser. Nays: none. The Resolution was tabled until the July 19, 2021, Council meeting.

Davis introduced **"A RESOLUTION APPROPRIATING MONEY OUT OF THE TREASURY OF THE CITY OF MOBERLY, MISSOURI IN THE AMOUNT OF \$721,045.95"** and made a motion for it to be read. Kimmons seconded the motion. Ayes: Jeffrey, Brubaker, Kimmons, Davis and Kyser. Nays: none. The Resolution bill having previously been made available for public inspection was read by title one time. A motion was made by Brubaker and seconded by Kyser to adopt the Resolution. Ayes: Jeffrey, Brubaker, Kimmons, Davis and Kyser. Nays: none.

The following new liquor application was submitted for approval:

Vertigo Event Services LLC, 315 West Coates Street, Moberly, MO, submitted by Tahlor Fowlkes.

A motion was made by Kimmons and seconded by Brubaker to grant the license subject to investigation. Ayes: Jeffrey, Brubaker, Kimmons, Davis and Kyser. Nays: none.

Present from the news media was Chuck Embree, Moberly Monitor Index.

A motion was made by Kyser and seconded by Brubaker to adjourn to a work session followed by a closed session to discuss the status of pending real estate and negotiated contract. (Closed Statute 610.021) (2,12). Roll call vote: Ayes: Jeffrey, Brubaker, Kimmons, Davis and Kyser. Nays: none.

Mayor Jeffrey reopened the meeting.

A motion was made by Kyser and seconded by Brubaker to adjourn. Ayes: Jeffrey, Brubaker, Kimmons, Davis and Kyser. Nays: none.

Work Session

The following was discussed at the work session:

Discussion Of Moberly, Missouri Market Survey Update From Austin Peters Group Inc.

Review Of Pro Champ Vacant And Foreclosure Registration.

Presentation And Review Of Moberly Downtown Hotel Feasibility Study.

Receipt Of Bids For A New Street Sweeper For The Public Works Department.

An Ordinance Establishing Procedure To Disclose Potential Conflicts Of Interest And Substantial Interest For Certain Municipal Officials.

A Request From Building Communities For Better Health For Signs Along The 3-Mile Wellness Walk.

DRAFT

City of Moberly City Council Agenda Summary

Agenda Number: #2.
 Department: Public Works
 Date: July 19, 2021

Agenda Item: Receipt of bids for new Street Sweeper.

Summary: We looked at and had a demo done on 3 different street sweepers, the first demo was a new Elgin Whirlwind from Key Equipment at a MoDOT bid price of \$317,565.00, this is the kind of sweeper we currently have and is a pure vacuum type sweeper. The first demo did not go well and the sweeper they brought had some issues with not picking up and leaving trails of debris. Key Equipment took it back to their shop and made some changes then brought it back a second time and it performed ok. Key Equipment also brought down an Elgin Crosswind which is a regenerative Air type sweeper at a MoDOT bid price of \$273,817.50 and we tested it on some of our chip seal streets and cul-de-sacs, it performed ok but did leave some debris around the pickup head. The third sweeper we looked at was a New Tymco S00X regenerative air type sweeper from Armor Equipment at a MoDOT bid price of \$286,793.00, we took this sweeper to some of our worst areas, and it performed flawlessly, we uncovered bricks on north Ault I didn't even know was there. This sweeper has the side dump hopper which will dump at a height of 11 feet which would allow us to empty into a dump truck instead of having to run back to the street barn to dump. We have had 2 Tymco sweepers in the past and the maintenance cost on those was no different than the maintenance cost on the Elgin we currently have. After reviewing all 3 sweepers and talking to the operator we feel like the Tymco S00X would best suit our needs for a new street sweeper, it is in the middle of the price range at \$286,793.00, not the cheapest and not the most expensive but the one we think would work for us.

Recommended

Action: Accept these bids.

Fund Name: N/A

Account Number: N/A

Available Budget \$: N/A

ATTACHMENTS:

		Roll Call	Aye	Nay
<input type="checkbox"/> Memo	<input type="checkbox"/> Council Minutes	Mayor		
<input type="checkbox"/> Staff Report	<input type="checkbox"/> Proposed Ordinance	M___ S___ Jeffrey	___	___
<input type="checkbox"/> Correspondence	<input type="checkbox"/> Proposed Resolution			
<input type="checkbox"/> Bid Tabulation	<input type="checkbox"/> Attorney's Report	Council Member		
<input type="checkbox"/> P/C Recommendation	<input type="checkbox"/> Petition	M___ S___ Brubaker	___	___
<input type="checkbox"/> P/C Minutes	<input type="checkbox"/> Contract	M___ S___ Kimmons	___	___
<input type="checkbox"/> Application	<input type="checkbox"/> Budget Amendment	M___ S___ Davis	___	___
<input type="checkbox"/> Citizen	<input type="checkbox"/> Legal Notice	M___ S___ Kyser	___	___
<input type="checkbox"/> Consultant Report	<input checked="" type="checkbox"/> Other Bids	Passed	Failed	

Tom

We looked at and had a demo done on 3 different street sweepers, the first demo was a new Elgin Whirlwind from Key Equipment at a modot bid price of \$317,565.00, this is the kind of sweeper we currently have and is a pure vacume type sweeper. The first demo did not go well and the sweeper they brought had some issues with not picking up and also leaving trails of debris. Key Equipment took it back to their shop and made some changes then brought it back a second time and it performed ok. Key Equipment also brought down a Elgin Crosswind which is a regenerative Air type sweeper at a modot bid price of \$273,817.50 and we tested it on some of our chip seal streets and cul-de-sacs , it performed ok but did leave some debris around the pickup head. The third sweeper we looked at was a New Tymco 500X regenerative air type sweeper from Armor Equipment at a modot bid price of \$286,793.00 , we took this sweeper to some of our worst areas and it performed flawlessly, we uncovered bricks on north Ault I didn't even know was there. This sweeper has the side dump hopper which will dump at a height of 11 feet which would allow us to empty into a dump truck instead of having to run back to the street barn to dump. We have had 2 Tymco sweepers in the past and the maintenance cost on those was no different than the maintenance cost on the Elgin we currently have. After reviewing all 3 sweepers and talking to the operator we feel like the Tymco 500X would best suit our needs for a new street sweeper, it is in the middle of the price range at \$ 286,793.00, not the cheapest and not the most expensive but the one we think would work for us.

Thank You
Tim

**Key
Equipment
& Supply Co.**
The key to quality since 1962

Corporate Office
P.O. Box 2007
Maryland Heights, MO 63043
314-298-8330

Branch Office
P.O. Box 11035
Kansas City, KS 66111
913-371-8260

Branch Office
P.O. Box 692109
Tulsa, OK 74169
405-812-5827



April 26, 2021

Attn: Mr. Tim Grimsley, Fleet Maintenance Manager
City of Moberly
2300 Morely
Moberly, MO 65270



Dear Tim,

Thank you for the opportunity to provide the City of Moberly the 2021 Elgin Whirlwind 1 Single Engine Air Street Sweeper. Key Equipment and Supply Company is proud to provide the safest, durable and most dependable street sweepers on the market today.

PRODUCT DESCRIPTION

· Tier 4F emissions, 8 cubic yard hopper, 36 in. (711 mm) trailing arm side brooms on both right and left hand sides, ergonomic control console, sweeper is powder coated from powder coatings chart 2003/N with powder coated gray undercarriage.

Please review the following standard features:

- Alternator, 120 amp
- AM/FM/CD Radio
- Backup Alarm, electric
- Blower, 20,000 CFM rating with linatex lined housing
- Brooms, hydraulic rotation
- Brooms, Dual with side broom lights for night operation
- Broom Measurement Ruler
- Camera, rear mounted
- Console, w/rocker switches for all sweep functions, including memory sweep with full gauge package including tachometer, engine hour meter, oil pressure indicator, coolant temperature, voltmeter and fuel lever indicator, water level gauge and warning lights for hopper pressure controls and manual reset circuit breakers
- Doors, access fiberglass doors provide easy service and maintenance on auxiliary engine, hydraulic and electrical system
- Electronic Throttle, sweep resume/sweep transport/reverse pick-up
- Hopper rear door, hydraulically opened/closed and locked/unlocked with external controls.
- Hose, hydrant fill, 16' 8" with coupling
- In-Cab Hopper Dump
- LED Clearance Lights
- Left Hand Fender Mirror
- Lights, rear clearance and rear identification
- Manuals, operator and parts
- Mirrors, West Coast type with 8" convex inserts, one each side
- Pick-up head, hydraulically operated, 14" (355 mm) outside diameter pressure hose, 12-3/4" (324mm) inside diameter suction hose with quick disconnect on suction side
- Right And Left Hand Heated And Remote Controlled Mirrors
- Spray nozzles, sixteen (16), seven (7) in the pick-up head, three (3) in the suction nozzle, three (3) at each side broom
- Side Broom Outer Position Stop
- Trans Oil Cooler
- Vacuum enhancer, in-cab operated
- Water tank, molded polyethylene, 240 gallons (907L)
- Water pre-filter, hydrant fill hose
- Sweeper Painted Standard White
- Chassis Painted Standard White
- Red Logo
- 1 Year Parts and Labor Warranty

In addition to the standard features, the following product enhancements meet and or exceed the current MODOT specifications:

- Sidebroom Tilt Left Hand with Indicator
- Sidebroom Tilt Right Hand with Indicator
- Memory Sweep
- Stainless Steel Hopper Screens
- Stainless Steel Right Hand Inspection Door & Step
- Stainless Steel Left Hand Inspection Door & Step
- 6" Hopper Drain
- Hopper Deluge
- Air Purge for Water System
- Lifeliner Hopper
- Broom Hour Meter
- Midwest Autolube Sweeper Only
- Individual Switches for Dual Sidebroom & Rear Flood Lights
- AM/FM/CD Radio
- Single Rear/Single Hopper Beacon; LED with Guard
- LED Stop/Tail/Turn Lights
- (2) Rear Bumper Mounted Strobes
- (2) Alternating Flashing Lights Rear LED
- Sweeper Painted RAL 1028 Melon Yellow
- Wide Front Spray Bar
- Chassis Painted RAL 1028 Melon Yellow
- MoDOT Special Arrow Board
- (2) Bostrom 905 mid-back air suspension seats

2021 Elgin Whirlwind 1:	\$ 203,863.00
2022 Freightliner M2 106 WB=176:	\$ 109,557.00
Delivered Price per Unit:	\$ 313,420.00

Deductions:

Stainless Steel Left Hand Inspection Door & Step:	\$ 500.00
Stainless Steel Right Hand Inspection Door & Step:	\$ 500.00
(2) Rear Bumper Mounted Strobes:	\$ 700.00
(2) Alternating Flashing Lights Rear LED:	\$ 700.00
Sweeper Painted RAL 1028 Melon Yellow:	\$ 400.00
Chassis Painted RAL 1028 Melon Yellow:	\$ 2,200.00
MoDOT Special Arrow Board:	\$ 8,500.00
(2) Bostrom 905 mid-back air suspension seats:	\$ 1,000.00
Total Deductions:	\$ 14,500.00

Additional Enhancement:

Wandering Hose Dual Variable Speed:	\$ 4,925.00
RH Inspection Door:	\$ 455.00
2.5lb Fire Extinguisher:	\$ 255.00
High Pressure Washdown:	\$ 4,240.00
High Pressure Washdown Reel:	\$ 1,190.00
Quick Disconnect Water Fill:	\$ 530.00
Wandering Hose 4ft Extension:	\$ 795.00
Idle Down/No Water:	\$ 625.00

Tri Reflect Flares:	\$ 100.00
Utility Cover Lifter:	\$ 2,720.00
3 rd Caster:	\$ 795.00
Piranha Broom Attachments:	\$ 575.00
Auto Shutter:	\$ 1,440.00
Total Additions:	\$ 18,645.00

2021 Elgin Whirlwind with MoDOT Specifications:	\$ 313,420.00
Deductions:	\$ 14,500.00
Additional Enhancements:	\$ 18,645.00
Equipment Total:	\$ 317,565.00
Less Trade in of 2015 Elgin Whirlwind:	\$ 50,000.00
Total Invoice Amount:	\$ 267,565.00

Price is good through September 30, 2021

Includes on site factory certified training by Key Equipment for service and operation

Payment Terms are Net 10

Delivery in approximately 150-180 days A.R.O.

Base chassis bid is the latest model Freightliner M2 with dualization. Subject to availability – other chassis are available.

Thank you for your continued trust in our products, service, and staff. If you have any questions, or would like additional information, don't hesitate to contact me at (314) 614-6262 or fboitano@keyequipment.com.

Respectfully,

Frank Boitano

Frank Boitano
Territory Manager
Key Equipment & Supply Co.





Corporate Office
P.O. Box 2007
Maryland Heights, MO 63043
314-298-8330

Branch Office
P.O. Box 11035
Kansas City, KS 66111
913-371-8260

Branch Office
P.O. Box 692109
Tulsa, OK 74169
405-812-5827



May 4, 2021

City of Moberly
Attn: Tim Grimsley, Fleet Maintenance Manager
2300 Morely
Moberly, MO 65270



Re: Elgin Crosswind 1

Dear Tim,

Thank you for the opportunity to provide the City of Moberly a proposal for a new 2021 Elgin Crosswind 1 Single Engine Regenerative Air Street Sweeper. Key Equipment and Supply Company is proud to provide the safest, durable and most dependable street sweepers on the market today.

PRODUCT DESCRIPTION

· Equipped with Memory Sweep;8.0 cu. Yd. Hopper, right sidebroom, sweeper is powder coated from powder coatings chart 2003/N with powder coated gray undercarriage.

Please review the following standard features:

- Alternator, 95 amp
- AM/FM/CD Radio
- Backup Alarm, electric
- Blower, 20,000 CFM rating with linatex lined housing
- Brooms, hydraulic rotation
- Brooms, Dual with side broom lights for night operation
- Broom Measurement Ruler
- Camera, rear mounted
- Console, w/rocker switches for all sweep functions, including memory sweep with full gauge package including tachometer, engine hour meter, oil pressure indicator, coolant temperature, voltmeter and fuel lever indicator, water level gauge and warning lights for hopper pressure controls and manual reset circuit breakers
- Doors, access fiberglass doors provide easy service and maintenance on auxiliary engine, hydraulic and electrical system
- Electronic Throttle, sweep resume/sweep transport/reverse pick-up
- Hopper rear door, hydraulically opened/closed and locked/unlocked with external controls.
- Hose, hydrant fill, 16' 8" with coupling
- In-Cab Hopper Dump
- LED Clearance Lights
- Left Hand Fender Mirror
- Lights, rear clearance and rear identification
- Manuals, operator and parts
- Mirrors, West Coast type with 8" convex inserts, one each side
- Pick-up head, hydraulically operated, 14" (355 mm) outside diameter pressure hose, 12-3/4" (324mm) inside diameter suction hose with quick disconnect on suctions side
- Right And Left Hand Heated And Remote Controlled Mirrors
- Spray nozzles, sixteen (16), seven (7) in the pick-up head, three (3) in the suction nozzle, three (3) at each side broom
- Side Broom Outer Position Stop
- Trans Oil Cooler
- Vacuum enhancer, in-cab operated
- Water tank, molded polyethylene, 240 gallons (907L)
- Water pre-filter, hydrant fill hose
- Sweeper Painted Standard White
- Chassis Painted Standard White
- Red Logo
- 1 Year Parts and Labor Warranty

In addition to the standard features, the following product enhancements meet and or exceed the current MODOT specifications:

- Sidebroom Tilt Left Hand with Indicator
- Sidebroom Tilt Right Hand with Indicator
- Memory Sweep
- Stainless Steel Hopper Screens
- Stainless Steel Right Hand Inspection Door & Step
- Stainless Steel Left Hand Inspection Door & Step
- 6" Hopper Drain
- Hopper Water Nozzles
- Flow Blocker
- Functional Control of Water system
- Air Purge for Water System
- Heavy Duty Lower Roller
- Lifeliner Hopper System
- Broom Hour Meter
- Midwest Autolube Sweeper Only
- Individual Switches for Dual Sidebroom & Rear Flood Lights
- AM/FM/CD Radio
- Single Rear/Single Cab Beacon; LED with Guard
- LED Stop/Tail/Turn Lights
- (2) Rear Bumper Mounted Strobes
- Sweeper Painted RAL 1028 Melon Yellow
- Wide Front Spray Bar
- Chassis Painted RAL 1028 Melon Yellow
- MoDOT Special Arrow Board
- (2) Bostrom 905 mid-back air suspension seats

Elgin Crosswind 1:	\$ 159,192.50
2022 Freightliner M2 106 WB=176:	\$ 110,410.00
Delivered Price per Unit:	\$ 269,602.50

Deductions:

Stainless Steel Right Hand Inspection Door & Step:	\$ 700.00
Stainless Steel Left Hand Inspection Door & Step:	\$ 700.00
Individual Switches for Dual Sidebroom & Rear Flood Lights:	\$ 1,000.00
(2) Rear Bumper Mounted Strobes:	\$ 600.00
Sweeper Painted RAL 1028 Melon Yellow:	\$ 400.00
Chassis Painted RAL 1028 Melon Yellow:	\$ 2,000.00
MoDOT Special Arrow Board:	\$ 8,500.00
(2) Bostrom 905 mid-back air suspension seats:	\$ 1,000.00
Total Deductions:	\$ 16,500.00

Additional Enhancements:

Piranha brush attachments:	\$ 670.00
Low Pressure Washdown:	\$ 1,230.00
High Pressure Washdown:	\$ 4,240.00
Wandering Hose 4ft extension:	\$ 795.00
Right Hand Inspection door:	\$ 455.00
Hopper Deluge:	\$ 1,060.00
Hydraulic Wandering Hose:	\$ 4,925.00

Transport Mode/No Water:	\$ 770.00
Hydraulic Oil Level Thermometer:	\$ 195.00
Side Broom Scrub:	\$ 1,710.00
Vac Enhancer:	\$ 505.00
RH Sidebroom Light with Switch:	\$ 720.00
Variable Speed Sidebrooms:	\$ 3,440.00
Total Additional Enhancements:	\$ 20,715.00

2021 Elgin Crosswind 1 with MoDOT Specifications:	\$ 269,602.50
Deductions:	\$ 16,500.00
Additions:	\$ 20,715.00
Total Equipment Price:	\$ 273,817.50
Less Trade in of 2015 Elgin Whirlwind:	\$ 50,000.00
Total Invoice Amount:	\$ 223,817.50

Price is good through September 30, 2021
 Includes on site factory certified training by Key Equipment for service and operation
 Payment Terms are Net 10
 Delivery in approximately 150-180 days A.R.O.
 Base chassis bid is the latest model Freightliner M2 with dualization. Subject to availability – other chassis are available.
 Other product enhancements are available to add to these specifications...see enclosure.

Thank you for your continued trust in our products, service, and staff. If you have any questions, or would like additional information, don't hesitate to contact me at (314) 614-6262 or fboitano@keyequipment.com.

Respectfully,

Frank Boitano
 Frank Boitano
 Territory Manager



*Sample Photo



500x[®]

AIR SWEEPER

GENERAL SPECIFICATIONS



MODEL 500x[®] REGENERATIVE AIR SWEEPER[®]

FINAL TIER 4 AUXILIARY ENGINE/CONVENTIONAL CAB CHASSIS

SWEeper AUXILIARY ENGINE

Make John Deere, 4045 turbo, 4 cyl.
(Final Tier 4)
Displacement 275 in³ (4.5 L)
Power 115 hp (86 kW) @ 2200 RPM
Net torque 373 lb-ft @ 1500 RPM (506 Nm)
Air cleaner Heavy duty, w/pre-cleaner
Oil filter Spin on, full flow
Auxiliary engine fuel tank shared with chassis
Diesel fuel tank capacity 50 gal (189 L)
DEF tank Dedicated
Capacity (volumetric) 5.4 gal (20.6 L)
Capacity (useable) 3.8 gal (14.4 L)
Auxiliary engine protection system
Fuel/water separator and separate fuel filter
Open crankcase ventilation (OCV) filter

BLOWER, RUBBER LINED

Aluminum alloy, high volume, open face turbine
Purpose Creates blast and suction
Bearings (2) sealed lifetime lube, anti-friction
Housing Isolation mounted
with abrasion resistant, replaceable liner
Housing seal Heavy rubber section,
non-wiping, spring actuated Tilt-N-Seal[®] design
Drive Fixed displacement,
heavy duty, bent axis hydraulic motor

DUST SEPARATOR

Type Cyclonic, multipass,
centrifugal separation
Size 28 x 48 in (711 x 1219 mm)
Location Inside hopper
Particulate removal achieved through dual
skimmer slots into hopper
Abrasion resistant housing w/replaceable liner
Self opening, self emptying when hopper tilts

HOPPER, STAINLESS STEEL

Volumetric capacity 5.7 yd³ (4.3 m³)
Useable capacity 4.0 yd³ (3.06 m³)
Construction Welded non-magnetic
stainless steel plate w/integral stiffeners
Floor dump angle 50°
Dump door opening 68 x 57 in
(1727 x 1448 mm)
Dump door Self locking
Chute 72 x 48 in (183 x 122 cm)
stainless steel lined
Chute reach 22 in (56 cm) w/o side shift
Dumping direction Right side
Lifting method Two stage scissor lift, dual
hydraulic cylinders w/integral holding valves
Lift capacity 10,000 lbs (4536 kg)
Dump height Variable
Minimum 24 in (610 mm)
from bottom of chute to ground
Maximum 132 in (11 ft) (3353 mm)
from bottom of chute to ground
Overall 262 in (21 ft 8 in) (6655 mm)
Dump tilt slope 50°
Hopper screen 2 piece stainless steel
screen w/access for cleaning top side
Hopper drain system

BROOM ASSIST PICK-UP HEAD (BAH[®])

Type Dual chamber with broom assist
Function Delivers air blast and suction
Width 87 in (2210 mm)
Pick-up head area 3567 in² (2.3 m²)
Broom 12 x 79 in (305 x 2007 mm)
enclosed in rear of pick-up head
Suspension 4 springs 2 drag links

Suction hose 12 in diameter (305 mm)
Pressure hose 14 in diameter (356 mm)
Skids DUO SKID[®], long-life carbide
Pressure bleeder Integral for
leaf/light material pick-up.
Reverse pick-up head system

GUTTER BROOMS, TWIN, Patented

Standard equipment, includes floodlights and
parabolic mirrors
Drive Variable speed
non-reversible hydraulic motor
Adjustment Adjustable for down
pressure, pattern and wear
Down pressure Automatically
adjusts to requirement
Flexibility All directions, integral
anti-damage "swing away" relief valve
Brooms 43 in dia. (1.1 m) steel wire,
vertical diggers
Hydraulic tilt Twin gutter brooms
adjust for curb depth

HYDRAULIC SYSTEM

Drive Direct drive
Blower pump Heavy duty variable
displacement piston pump, hydrostatically
drives blower
Sweeper pump Variable displacement
piston pump, operates gutter brooms, pick-up
head, stabilizers, hopper lift, hopper dump, and
hopper door.
Blower pump flow 26 GPM (100 LPM)
Sweeper pump flow 11 GPM (42 LPM)
BAH pump Gear pump,
operates Broom Assist Head broom motor
BAH pump flow 8 GPM (30 LPM)
Reservoir 34 gal (129 L)
Return filter 3 micron,
spin-on, in-line return
Charge loop filter 10 micron
Vent filter 10 micron spin-on
Cooler Air to oil
integral with auxiliary engine heat exchanger
Hydraulic level/temperature shutdown system
Hydraulic oil filter restriction indicator - in cab
Hydraulic oil sight/temperature gauge
Auxiliary hydraulic system

DUST CONTROL SYSTEM

Water spray nozzles for dust suppression
Pump Electric diaphragm
Reservoirs Polyethylene, 250 gallons (946 L)
Filter 80 mesh stainless steel, in-line
Low water shut-off Safety shut-off
with low water warning light in cab
Spray nozzles:
Pick-up head 4
Gutter brooms (each) 2
Hopper 1
Hydrant fill hose w/storage area 20 ft (6 m)

CONTROL SYSTEM

BlueLogic[®] Control System
Multiplexed electrical system includes hardware
and TYMCO designed software that integrates
the in-cab controls to the auxiliary engine and all
sweeper functions; as well as provides intelligent
safety features and on-board diagnostics (OBD)
for the auxiliary engine and sweeper through
the BlueLogic display.

BlueLogic Display

Pedestal mounted touchscreen display
provides sweeper and auxiliary engine data
to the operator and includes hour meters
(trip and total) for the auxiliary engine, gutter
brooms, pick-up head, blower, water pump,
and BAH broom if applicable; dump cycle
counter, sweeper odometer (records curb
miles swept and sweeping hours), service
reminders, custom reminders, overspeed
warning, low water audible alarm, and OBD.

Interior Components

Leaf pressure bleeder control, BlueLogic
display, auxiliary fuse panel, illuminated
control switches: pick-up head, gutter
brooms, blower RPM, dump cycle, variable
speed gutter brooms, dust control water
system nozzles, safety lights.

Exterior Components

BlueLogic multiplex modules

STORAGE COMPARTMENT

Location Rear left, beneath auxiliary engine
Dimensions 18 x 18 x 30 in
(457 x 457 x 762 mm)

SAFETY/WARNING DEVICES

BlueLogic Control System utilizes solid-state
proximity switches to help provide several safety
systems: Right and left stabilizers automatically
deploy before raising the hopper and retract
after lowering the hopper, stabilizers down
warning system, transmission interlock when
stabilizers are down, blower actuation interlock,
and minimum dump interlock. Other devices
include alternating LED rear flashers, front
mounted SAE Class 1/California Title 13 amber
beacon light (LED) w/ limb guard, back-up
alarm, scissor lift safety props, and shop prop.

OPTIONAL EQUIPMENT

AOD water pump w/washdown hose/spray gun
Abrasion protection package
Air purge, water system
Auto Sweep Interrupt (ASI)
Auxiliary hand hose, 8 in (203 mm) diameter
Camera/monitor system
Engine block heater
Gutter broom, drop down
High output water system
Hi/Low pressure washdown system
Hopper load indicator alarms
Hopper vibrator - electric
Linear actuator - pressure bleeder w/gauge
Low emissions package (required for South
Coast AQMD Rule 1186)
Magnet, light, standard, or heavy duty
Pick-up head front curtain lifter
Sweeper deluge system, includes hopper and
pick-up head deluge w/6 in (152 mm) cleanout
port
Screen vibrator - pneumatic
Paint color (other than TYMCO standard white)

*Special options are available for your individual
requirements. Contact your local dealer or
TYMCO.*

CHASSIS AVAILABLE

International 4300
Freightliner M2-106

MODEL 500x[®] REGENERATIVE AIR SWEEPER[®]

FINAL TIER 4 AUXILIARY ENGINE/CONVENTIONAL CAB CHASSIS



INTERNATIONAL 4300



FREIGHTLINER M2-106

CAB/CHASSIS		
GVW	33,000 lb (14,982 kg)	33,000 lb (14,982 kg)
Front Axle	10,000 lb (4536 kg) w/10,000 lb (4536 kg) front suspension	10,000 lb (4536 kg) w/10,000 lb (4536 kg) front suspension
Rear Axle	23,000 lb (10,442 kg), w/23,000 lb (10,442 kg) Hendrickson™ air suspension	23,000 lb (10,442 kg), w/23,000 lb (10,442 kg) Hendrickson™ air suspension
Gear ratio	6.17/8.40 (two speed)	5.38/7.50 (two speed)
Frame	80,000 psi	80,000 psi
Engine	Cummins ISB	Cummins ISB
Displacement	409 in ³ (6.7 L)	409 in ³ (6.7 L)
Power	200 hp @ 2400 RPM	200 hp @ 2400 RPM
Torque	520 lb-ft (705 Nm) @ 1600 RPM	520 lb-ft (705 Nm) @ 1600 RPM
Transmission	Allison 2500 RDS 6-speed automatic transmission with PTO provision, synthetic fluid, and temperature gauge in cab	Allison 2500 RDS 6-speed automatic transmission with PTO provision, synthetic fluid, and temperature gauge in cab
Alternator	160 amp	160 amp
Batteries	(2) 12 v dual 1900 CCA maintenance free	(2) 12 v dual 1900 CCA maintenance free
Wheelbase	156 in (3962 mm)	158 in (4025 mm)
Turning diameter (wall to wall)	45.3 ft (13.81 m)	45.5 ft (13.78 m)
Turning diameter (curb to curb)	43.2 ft (13.17 m)	43.9 ft (13.38 m)
Fuel	Diesel	Diesel
Fuel tank	50 gallons (189 L) shared with sweeper	50 gallons (189 L) shared with sweeper
DEF tank	7 gal (26.5 L)	6 gal (22.7 L)
Tires (2-front, 4-rear)	Tubeless radial 11 R x 22.5, 14 ply	Tubeless radial 11 R x 22.5, 14 ply
Steering	Dual with gauges, w/18 in (457 mm) diameter steering wheel w/full power w/tilt	Dual with gauges, w/18 in (457 mm) diameter steering wheel w/full power w/tilt
Brakes	Full air with 18.7 CFM (0.53 m ³ /minute) air compressor	Full air with 18.7 CFM (0.53 m ³ /minute) air compressor
Instruments & lights	Full package as required	Full package as required
Seats	Adjustable, individual high back air seats w/lumbar support and cloth inserts for operator comfort	Adjustable, individual high back air seats w/vinyl inserts
Air dryer	Yes w/heater	Yes w/heater
Cruise control	Yes	Yes
Mirrors	Electric remote and heated	Electric remote and heated
Air conditioned cab	Yes, w/fresh air filters (primary and secondary) for cab filtration	Yes, w/fresh air filter for cab filtration
Windows and door locks	Manual (power optional; special order)	Manual (power optional; special order)
Exhaust system	Single, horizontal; after-treatment device, frame mounted right side, under cab w/horizontal tail pipe	Single, horizontal; after-treatment device, frame mounted right side, under cab w/horizontal tail pipe
Audio system	AM/FM auxiliary input stereo radio w/digital clock	AM/FM/WB auxiliary input stereo radio w/digital clock
Daytime running lights	Yes	Yes

GENERAL SWEEPING WIDTH (Approximate)

Pick-up head only	87 in (2210 mm)	87 in (2210 mm)
With 1 gutter broom	110 in (2794 mm)	110 in (2794 mm)
With 2 gutter brooms	Up to 142 in (3607 mm)	Up to 142 in (3607 mm)

OVERALL DIMENSIONS (Approximate)


Length (sweeper body & chassis only)	288 in (7315 mm)	286 in (7264 mm)
Width (w/2 gutter brooms)	96 in (2438 mm)	96 in (2438 mm)
Height (w/o bar light)	113 in (2870 mm) @ hopper door hinge	113 in (2870 mm) @ hopper door hinge
Empty weight (sweeper body & chassis only)	22,960 lbs (10,414 kg)	22,960 lbs (10,414 kg)

Dimensions and weight may vary with equipment. Consult factory for additional specifications and other available truck chassis.

Sweeping Performance and Applications

- True Regenerative Air Performance
- High Side Dump Flexibility - from 2 ft. to 11 ft.
- Dump on the Ground
- Dump in a Container
- Dump in a Dump Truck
- Increase Efficiency by Dumping Closer to the Job
- Stage containers
- Dispatch dump trucks
- Municipal, Construction and Highway Sweeping

Model 500X



Superior Training from TYMCO

We want you to understand the Regenerative Air System and your TYMCO Sweeper completely, so you can get optimal performance from your equipment investment. That's why, for more than thirty years, we've offered two-day scheduled training schools at our facility in Waco, Texas. Managers, owners, operators and mechanics get hands-on training and practical levels are kept low, so you and your team will get personal attention as well as the opportunity to learn from the experience of others.

- True Regenerative Air**
- When you as operator and mechanics are thoroughly trained and knowledgeable about the TYMCO Sweeper, your performance and a lower cost per operating hour.
 - TYMCO offers full two-day schools
 - Choose from 30 or 70-hour schools
 - Hands-on demonstrations and class agendas are available
 - Learn through seminars and classes on an operational sweeper
 - Special school's arranged for large groups
 - Register to attend on tymco.com



Convenient Dealer Service Centers TYMCO Builds a Model to Fit your Cleaning Needs

Specifically designed for routine, our 3500 square foot, temperature controlled facility provides rapid, expert for dimensions on an operational sweeper and systems components. We also provide daily ground transportation from the hotel to our training facility.

Over 50 U.S. and International locations, you receive on-the-spot parts and service from TYMCO's network of dealers.

TYMCO REGENERATIVE AIR SWEEPERS

1-800-258-6921

www.tymco.com

TYMCO REGENERATIVE AIR SWEEPERS are South Coast AQMD Rule 1198 PM10 Certified

MODEL 435P High Speed Performance by Agri-Tech
 MODEL 600* CNG Compressed Natural Gas Power
 MODEL DST16* Diesel Sweeping Technology
 MODEL 435* Mid-Size Street Sweeper
 MODEL 600* COMDEX High Speed Sweeper
 MODEL DST16* Diesel Sweeping Technology
 MODEL 210* Diesel Sweeper

TYMCO Inc. • P.O. Box 2308 • Waco, TX 76703-2308 • (254) 799-5516 • FAX (254) 799-5722

TYMCO® 500X AIR SWEEPER




High Side Dump Regenerative Air Sweeper

MADE IN WACO TEXAS USA

BlueLogic® Control System

The BlueLogic® Control System is the TYMCO multiple system of controls that provides reduced waiting and advanced diagnostics.



In-cab controls are center mounted and illuminated for ease of operation from either driving position. Switches include multi-color LEDs, giving operators instant feedback on switch functions.



The high resolution color touchscreen allows drivers on-board diagnostics for the TYMCO engine, transmission and auxiliary engines. ECU Diagnostic Query and ECU Diagnostic Display for the auxiliary engine and hydraulic system fluids are also available.



The optional in-cab operator mounted Head Point Camera Lifter raises the front camera to allow large amounts of higher materials, such as gravel, to easily pass beneath the pick-up head.

TYMCO Regenerative Air Cleans Deeper™



No Grease Filings or Lube Maintenance

The hopper dump vibrator lift assembly has a 10,000 lb lift capacity. All parts on the lift are self-lubricating and never require greasing. Integral counterbalance lowering of the lift assembly and serve as redundant safety locks.



The TYMCO patented The-A-S-Steel Blower System utilizes an adjustable stainless long steel lift between the hopper and blower housing. The hydraulically driven blower does not operate during the dump cycle to remove the blower housing.

330 gallons of water available for dust control and the blower. The Dust Control System turns off while the blower is off, conserving water.



The large 5.7 cubic yard hopper offers a variable dump height from 12' to 17' (6' to 8' for dumping into various size and type containers).



The heavy duty hopper, screens and high capacity dust separator are constructed of heavy-duty steel. The hopper is designed with integral openings for cleaning above the screens or access panels. The large hopper is hydraulically and mechanically locked for both air and water tight seal.

The hopper drain system and jet cleaning water pick-up system are available.

The Sweeper Discharge System allows for the attachment of a high volume hose to aid in cleaning both the hopper and pick-up head.



Dual stabilizers automatically deploy before the dump cycle begins, delivering full stability throughout the dumping process.

15.0 cubic feet steel storage box with lockable door.

The TYMCO patented dual 13 inch vertical lifter. The lifter raises the front camera to allow large amounts of higher materials, such as gravel, to easily pass beneath the pick-up head.

The Brown, tested Pick-up Head (BAH) provides an on-demand broom for broom assisted sweeping only when needed, reducing broom wear.



The large stainless steel dump chute projects debris into the middle of the container without the chute being separated from the hopper floor, which minimizes potential damage to the drum and container. In addition, the 360° just dumping cycle contributes to high productivity.

Additional Sweeper Options

- AOD (Air Operated Diaphragm) Water Pump
- H / Low Pressure Washdown System
- Pick-Up Head Front Curtain Lifter
- Camera / Monitor System

Chassis Options and Features

- Cabover - Available with Dual Steering, Dual Tilt and Dual Instrumentation.
- Some models also available with Right Only Steering.
- Conventional Cab - Available with Dual Steering, Dual Tilt and Dual Instrumentation.
- Dual Adjustable High Back Air Suspension Seats
- Remote Controlled Heated Power Mirrors



City of Moberly City Council Agenda Summary

Agenda Number: #3.

Department: City Clerk

Date: July 19, 2021

Agenda Item: An Ordinance Establishing Procedure To Disclose Potential Conflicts Of Interest And Substantial Interest For Certain Municipal Officials.

Summary: This is an Ordinance that is re-adopted every two (2) years and is mandated by the State of Missouri. It establishes procedure for publicly declaring any potential conflicts of interest and conversely declaring the lack of conflicts-of-interest.

Recommended

Action: Please approve this Ordinance.

Fund Name: N/A

Account Number: N/A

Available Budget \$: N/A

ATTACHMENTS:		Roll Call	Aye	Nay
<input type="checkbox"/> Memo	<input type="checkbox"/> Council Minutes	Mayor		
<input type="checkbox"/> Staff Report	<input checked="" type="checkbox"/> Proposed Ordinance	M___ S___ Jeffrey	___	___
<input type="checkbox"/> Correspondence	<input type="checkbox"/> Proposed Resolution	Council Member		
<input type="checkbox"/> Bid Tabulation	<input type="checkbox"/> Attorney's Report	M___ S___ Brubaker	___	___
<input type="checkbox"/> P/C Recommendation	<input type="checkbox"/> Petition	M___ S___ Kimmons	___	___
<input type="checkbox"/> P/C Minutes	<input type="checkbox"/> Contract	M___ S___ Davis	___	___
<input type="checkbox"/> Application	<input type="checkbox"/> Budget Amendment	M___ S___ Kyser	___	___
<input type="checkbox"/> Citizen	<input type="checkbox"/> Legal Notice		Passed	Failed
<input type="checkbox"/> Consultant Report	<input type="checkbox"/> Other _____			

BILL NO. _____

ORDINANCE NO. _____

AN ORDINANCE OF THE CITY OF MOBERLY, MISSOURI TO ESTABLISH A PROCEDURE TO DISCLOSE POTENTIAL CONFLICTS OF INTEREST AND SUBSTANTIAL INTERESTS FOR CERTAIN MUNICIPAL OFFICIALS.

NOW THEREFORE, BE IT ORDAINED BY THE CITY COUNCIL OF THE CITY OF MOBERLY, AS FOLLOWS, TO WIT:

SECTION ONE: Declaration of Policy; The proper operation of municipal government requires that public officials and employees be independent, impartial and responsible to the people; that government decisions and policy be made in the proper channels of the governmental structure; that public office not be used for personal gain; and that the public have confidence in the integrity of this government. In recognition of these goals, there is hereby established a procedure for disclosure by certain officials and employees of private financial or other interests in matters affecting the City.

SECTION TWO: Conflicts of Interest. The Mayor or any member of the City Council, who has a substantial personal or private interest, as defined by State law, in any bill shall disclose on the records of the City Council the nature of his interest and shall disqualify himself from voting on any matters relating to this interest.

SECTION THREE: Disclosure Reports. Each elected official, the City Manager, the Chief Purchasing Officer and the General Counsel (if employed full-time), City Clerk and City Finance Director shall disclose the following information by May 1st if any such transactions were engaged in during the previous calendar year.

- a. For such person, and all persons within the first degree of consanguinity or

affinity of such person, the date and the identities of the parties to each transaction known to the person with a total value in excess of five hundred dollars, if any, that such person had with the political subdivision, other than compensation received as an employee or payment of any tax, fee or penalty due to the political subdivision, and other than transfers for no consideration to the political subdivision; and

- b. The date and the identities of the parties to each transaction known to the person with a total value in excess of five hundred dollars, if any, that any business entity in which such person had a substantial interest, had with the political subdivision, other than payment of any tax, fee or penalty due to the political subdivision or transactions involving payment for providing utility service to the political subdivision, and other than transfers for no consideration to the political subdivision.
- c. The City Manager and Chief Purchasing Officer also shall disclose by May 1 for the previous calendar year the following information:
 - 1. The name and address of each of the employers of such person from whom income of one thousand dollars or more was received during the year covered by the statement;
 - 2. The name and address of each sole proprietorship that he owned; the name, address and the general nature of the business conducted for each general partnership and joint venture in which he was a partner or participant; the name and address of each partner or co-participant for each partnership or joint venture unless such names and addresses are filed by

the partnership or joint venture with the Secretary of State; the name, address and general nature of the business conducted of any closely held corporation or limited partnership in which the person owned ten percent or more of any class of the outstanding stock or limited partnership units; and the name of any publicly traded corporation or limited partnership that is listed as a regulated stock exchange or automated quotation system in which the person owned two percent or more of any class of outstanding stock, limited partnership units or other equity interests;

3. The name and address of each corporation for which such person served in the capacity of a director, officer or receiver.

SECTION FOUR: Filing of Reports. The reports shall be filed with the City Clerk and the Missouri Ethics Commission. The reports shall be available for public inspection and copying during normal business hours.

SECTION FIVE: When Filed. The financial interest statements shall be filed at the following times, but no person is required to file more than one financial interest statement in any calendar year:

- a. Each person appointed to office shall file the statement within the thirty days of such appointment or employment.
- b. Every other person required to file a financial interest statement shall file the statement annually not later than May1 and the statement shall cover the calendar year ending the immediately preceding December 31; provided that any member of the City Council may supplement the financial interest statement to report additional interest acquired after December 31 of the covered year until the date of

filing of the financial interest statement.

SECTION SIX: Filing of Ordinance. The City Clerk is hereby ordered to send a certified copy of this Ordinance to the Missouri Ethics Commission within ten days of its adoption.

SECTION SEVEN: Effective Date. This Ordinance shall take effect and be in force from and after its passage and adoption by the Council of the City of Moberly, Missouri, and its signature by the officer presiding at the meeting at which it was passed and adopted.

PASSED AND ADOPTED by the Council of the City of Moberly, Missouri on this _____ day of _____,2021.

Presiding Officer at Meeting

ATTEST:

Shannon Hance
City Clerk

City of Moberly City Council Agenda Summary

Agenda Number: #4.

Department: Administration

Date: July 19, 2021

Agenda Item: A Resolution Authorizing The City Manager To Enter Into A Letter Of Understanding With The Austin Peters Group, Inc., For A Market Survey Compensation Update.

Summary: Like many employers, the inflationary factors of employee wages continue to be a focal point. From a increase in minimum wage, to the increase cost for benefits the city continues to look at market analysis in determining the pay scale for employees. With upcoming minimum wage increases statewide, the city will need to be prepared for the increased costs in labor.. The Austin Peters Group, Inc. has conducted all city salary studies since 2017. This review will give a full review of the pay scale, positions, current pay of the city and compare to other cities. It will also give a recommendation on if the city should or should not increase those positions compared to the market. A city-wide study has not been completed since 2017. This agreement engages Austin-Peters to conduct this survey and make a recommendation on funding the results. With a very busy workload. Austin Peters plans to start this survey in September and finish up before the end of the year, so the information will be ready for potential implementation in the 2022-2023 Fiscal Year.

Recommended

Action: Approve this Resolution

Fund Name: N/A

Account Number: N/A

Available Budget \$: N/A

ATTACHMENTS:		Roll Call	Aye	Nay
<input type="checkbox"/> Memo	<input type="checkbox"/> Council Minutes	Mayor		
<input type="checkbox"/> Staff Report	<input type="checkbox"/> Proposed Ordinance	M___ S___ Jeffrey	___	___
<input checked="" type="checkbox"/> Correspondence	<input checked="" type="checkbox"/> Proposed Resolution	Council Member		
<input type="checkbox"/> Bid Tabulation	<input type="checkbox"/> Attorney's Report	M___ S___ Brubaker	___	___
<input type="checkbox"/> P/C Recommendation	<input type="checkbox"/> Petition	M___ S___ Kimmons	___	___
<input type="checkbox"/> P/C Minutes	<input type="checkbox"/> Contract	M___ S___ Davis	___	___
<input type="checkbox"/> Application	<input type="checkbox"/> Budget Amendment	M___ S___ Kyser	___	___
<input type="checkbox"/> Citizen	<input type="checkbox"/> Legal Notice		Passed	Failed
<input type="checkbox"/> Consultant Report	<input type="checkbox"/> Other _____			

BILL NO. _____

RESOLUTION NO. _____

A RESOLUTION AUTHORIZING THE CITY MANAGER TO ENTER INTO A LETTER OF UNDERSTANDING WITH THE AUSTIN PETERS GROUP, INC., FOR A MARKET SURVEY COMPENSATION UPDATE.

WHEREAS, The Austin Peters Group, Inc., (“Austin”) prepared a compensation market study for the City of Moberly in 2017 and was requested by city staff to update that study; and

WHEREAS, Austin provided the attached proposal and Letter of Understanding to provide an updated compensation market study at a cost of \$8,500.00; and

WHEREAS, the city is in need of current market information in order to review pay scales, staff positions and compare pay to other comparable cities; and

WHEREAS, city staff requests approval of the proposal and authorization for the city manager to contract for the described services.

NOW, THEREFORE, the Moberly, Missouri, City Council hereby accepts the proposal of Austin to prepare an updated market survey compensation study and authorizes the City Manager to enter into the attached Letter of Understanding for a sum not to exceed \$8,500.00 and to take such other actions as may be necessary to accomplish the purposes of this Resolution.

RESOLVED this 19th day of July, 2021, by the Council of the City of Moberly, Missouri.

Presiding Officer at Meeting

ATTEST:

Shannon Hance, City Clerk



**Proposal for Services
Market Study Update
June 1, 2021**



Elizabeth Tatarko, Vice President
4809 Prairie Vista Drive
Fort Collins, Colorado 80526
etatarko@austinpeters.com
970-266-8724
www.austinpeters.com



OVERLAND PARK, KS OFFICE: P.O. Box 27196, Overland Park, KS 66225 Phone: (913) 851-7530
FORT COLLINS, CO OFFICE: 4809 Prairie Vista Drive, Fort Collins, CO 80526 Phone: (970) 266-8724
Fax: (913) 851-7529
www.austinpeters.com

Brian Crane
City Manager
City of Moberly, Missouri
101 W. Reed Street
Moberly, MO 65270

Dear Brian

Enclosed, please find a proposal for a market survey update for compensation planning purposes for the City of Moberly. We would propose using the same benchmark positions and the same peer communities as the prior studies (2017 original study and 2019 selected positions market survey).

We have an extensive background working with city and county government, elected officials, and public-sector employees on these types of projects. Our depth of experience with other cities and counties of similar size including completing the City’s previous comprehensive study is a plus in this proposal. This proposal is valid for 90 days. We look forward to talking with you to discuss your needs.

Sincerely,

Elizabeth (Beth) Tatarko
4809 Prairie Vista Drive
Fort Collins, CO 80526
Ph (970) 266-8724
etatarko@austinpeters.com



Firm Name, Location, and Background

Kansas Office:
The Austin Peters Group, Inc.
P.O. Box 27196
Overland Park, Kansas 66225

Colorado Office:
The Austin Peters Group, Inc.
4809 Prairie Vista Drive
Fort Collins, Colorado 80526

www.austinpeters.com

The Austin Peters Group, Inc. (APG) is a corporation established in 1998. The company is incorporated in the state of Kansas. It is a privately owned, certified Women Business Enterprise (WBE). APG is co-owned by Rebecca Crowder, President, and Elizabeth Tatarko, Vice-President. Rebecca Crowder will be the primary contact for the project. A small company based in Overland Park, Kansas, The Austin Peters Group combines the experience and energy to provide high-quality, tailored products that meet the demands of our customers. The firm prides itself in being highly responsive to its client needs.

The Austin Peters Group has completed projects similar to this for over a 140 local governments. We have been assisting local governments since 1998.

Project Team and Qualifications

Project Manager and Team

Project Team and Qualifications

The following is an overview of our project team, which includes qualifications, education, professional registrations, and areas and years of service in the respective field.

Rebecca Crowder, Masters in Public Administration, SPHR—President

The founder and President of The Austin Peters Group, Inc., Rebecca has more than 25 years of local government management experience. Rebecca has provided management assistance to over 200 local government clients on a variety of management issues. She has researched and authored more than 200 studies. Past positions – Human Resource/Administrative Services Director—Merriam, Kansas; Management Consultant – University of Tennessee Municipal Technical Advisory Service; Management



Assistant – Janesville, Wisconsin; Budget Analyst – Johnson County, Kansas. Rebecca’s extensive local government experience has touched all local service areas, including: police, fire, public works, engineering, water, wastewater, building inspection, planning, solid waste, library, mental retardation services, administration, county-elected officials, courts and juvenile justice, and more. She holds a Bachelor of Arts in Political Science from Kansas State University and a Master of Public Administration from the University of Missouri at Columbia. Former National Society for Human Resource Certification instructor for four years at Washburn University, she taught the compensation and classification certification (among others). Rebecca has led all projects listed in experience statement. Professional Memberships and Certifications: ICMA, SHRM, DDI Trainer, Zenger Miller Trainer.

Elizabeth Tatarko, Masters in Urban Planning—Vice President

Elizabeth has served local and state government – as well as non-profit organizations – for more than 25 years. Prior to joining The Austin Peters Group, she was the Assistant Director of the Kansas Center for Rural Initiatives at Kansas State University. Elizabeth has provided technical assistance to more than 200 local, regional, and state organizations. Elizabeth has co-authored nearly all of the studies undertaken by The Austin Peters Group, Inc. for local government and worked directly with nearly all of Austin Peters Group, Inc. 120 local government clients, and worked with more than 20 communities in citizen attitude survey research, focus group research, and individual interviews. She holds a Bachelor of Science in Political Science and a Master of Science in Regional and Community Planning from Kansas State University. Elizabeth was the Project Manager for Johnson County’s Performance Evaluation program involving more than 4,000 employees. She also served as co-project manager for the Ford County Organizational Assessment. Professional Memberships and Certifications: APA, Myers Briggs Type Indicator, DDI Trainer, Center for Creative Leadership graduate, and Focus Group Facilitator at University of Minnesota.

Jay Crowder, Masters in Human Development, SPHR—Senior Consultant

Jay has held leadership and professional positions in two Fortune 250 companies and in County government. His 25 years of experience are in the areas of – Affirmative action; Fair employment practices (ADA, FMLA, Title VII); Human resource planning; Recruitment; Compensation; Performance management; 360-degree evaluation process; Employee relations; Training and development; Employee relocation; Union avoidance; Worker’s compensation; and Immigration. Jay holds a Bachelor’s Degree in Human Development from the University of Kansas and a Master’s Degree in Human Resource Development from Vanderbilt University. Training and experience include specific studies, as well as the former Classification and Compensation Analyst for Johnson County, Kansas (current employees total over 4,000). Professional memberships and certifications include ICMA and SHRM.

Michelle Schamberger, Masters in English—Consultant

Michelle has more than 15 years of experience in writing. She is experienced in E-business research, writing, and website development. Michelle has been an instructional designer and technical writer for training, specializing in use of multimedia. Michelle has a Bachelor of Arts in English, a Master of Arts in English, and a Proficiency Certificate in French Studies. Michelle has been with The Austin Peters Group, Inc. for 14 years and prior to that was an Educational Consultant for Sprint Corporation. She has served as an Adjunct Instructor, Colorado Mountain College, University of Missouri Kansas City, Penn Valley Community College, and Johnson County Community College.

Description of Firm’s Experience

Partial List of Clients

Below is a partial list of clients, and more specific information is available upon request. Private sector clients are not listed.

City of Arnold, Missouri

A revision of job descriptions was conducted for a more thorough review of Americans with Disabilities Act functions along with more accurate descriptions. A classification and compensation study was accomplished in coordination with the job description revision. A salary and benefit survey was conducted for an external review of the market. A review of performance management and appraisal was provided for leadership guidance. This project was completed for all employees.

City of Cuba, Missouri

A revision of job descriptions was conducted for a more thorough review of Americans with Disabilities Act functions along with more accurate descriptions. A classification and compensation study was accomplished in coordination with the job description revision. A salary and benefit survey was conducted for an external review of the market. This project was completed for all employees.

City of Festus, Missouri

A revision of job descriptions was conducted for a more thorough review of Americans with Disabilities Act functions along with more accurate descriptions. A classification and compensation study was accomplished in coordination with the job description revision. A salary and benefit survey was conducted for an external review of the market. A review of performance management and appraisal was provided for leadership guidance. This project was completed for all employees.

City of Jefferson City, Missouri

A revision of job descriptions was conducted for a more thorough review of Americans with Disabilities Act functions along with more accurate descriptions. A classification and compensation study was accomplished in coordination with the job description revision. A salary and benefit survey was conducted for an external review of the market. This project was completed for over 400 employees.

City of Maryville, Missouri

A revision of job descriptions was conducted for a more thorough review of Americans with Disabilities Act functions along with more accurate descriptions. A classification and compensation study was accomplished in coordination with the job description revision. A salary and benefit survey was conducted for an external review of the market.

City of Mexico, Missouri

A revision of job descriptions was conducted for a more thorough review of Americans with Disabilities Act functions along with more accurate descriptions. A classification and compensation study was accomplished in coordination with the job description revision. A salary and benefit survey was conducted for an external review of the market.

City of Moberly, Missouri

A revision of job descriptions was conducted for a more thorough review of Americans with Disabilities Act functions along with more accurate descriptions. A classification and compensation study was accomplished in coordination with the job description revision. A salary and benefit survey was conducted for an external review of the market. This project was completed for all employees.

City of Washington, Missouri

A revision of job descriptions was conducted for a more thorough review of Americans with Disabilities Act functions along with more accurate descriptions. A classification and compensation study was accomplished in coordination with the job description revision. Performance management and evaluation was also part of the project. A salary and benefit survey was conducted for an external review of the market. This project was completed for all employees.

City of Warrensburg, Missouri

A revision of job descriptions was conducted for a more thorough review of Americans with Disabilities Act functions along with more accurate descriptions. A classification and compensation study was

accomplished in coordination with the job description revision. A salary and benefit survey was conducted for an external review of the market. This project was completed for all employees.

City of Mission, Kansas

A revision of job descriptions was conducted for a more thorough review of Americans with Disabilities Act functions along with more accurate descriptions. A classification and compensation study was accomplished in coordination with the job description revision. A salary and benefit survey was conducted for an external review of the market. This project was conducted with all full-time employees.

City of Bonner Springs, Kansas

A revision of job descriptions was conducted for a more thorough review of Americans with Disabilities Act functions along with more accurate descriptions. A classification and compensation study was accomplished in coordination with the job description revision. A salary and benefit survey was conducted for an external review of the market. This project was conducted with all full-time employees.

City of Hesston, Kansas

A revision of job descriptions was conducted for a more thorough review of Americans with Disabilities Act functions along with more accurate descriptions. A classification and compensation study was accomplished in coordination with the job description revision. A salary and benefit survey was conducted for an external review of the market. This project was conducted with all full-time employees.

City of Larned, Kansas

A revision of job descriptions was conducted for a more thorough review of Americans with Disabilities Act functions along with more accurate descriptions. A classification and compensation study was accomplished in coordination with the job description revision. A salary and benefit survey was conducted for an external review of the market. This project was conducted with all full-time employees. Our firm also completed a market update for the City.

City of Newton, Kansas

A revision of job descriptions was conducted for a more thorough review of Americans with Disabilities Act functions along with more accurate descriptions. A classification and compensation study was accomplished in coordination with the job description revision. A salary and benefit survey was

conducted for an external review of the market. This project was conducted with all full-time employees.

Johnson County, Kansas

System-wide implementation of performance evaluation system for more than 4,000 employees.

Routt County, Colorado

This project was an extensive market evaluation of all full-time and part-time positions. The classification and compensation study was accomplished in coordination with the market review and update for over 170 positions. The salary and benefit survey involved working with more than 20 participants to determine market recommendations for wages and benefits. All employees were interviewed as a part of the process, and the consultants worked hand-in-hand with administration and the governing body to implement recommendations.

City of Iowa City, Iowa

A revision of job descriptions was conducted for a more thorough review of Americans with Disabilities Act functions, along with more accurate descriptions. A classification and compensation study was accomplished in coordination with the job description revision. A salary and benefit survey was conducted for an external review of the market. This project was conducted with all full-time employees.

City of La Vista, Nebraska

A revision of job descriptions was conducted for a more thorough review of Americans with Disabilities Act functions along with more accurate descriptions. A classification and compensation study was accomplished in coordination with the job description revision. A salary and benefit survey was conducted for an external review of the market. This project was conducted with all full-time employees.

Flint Hills Services

A revision of job descriptions was conducted for a more thorough review of Americans with Disabilities Act functions along with more accurate descriptions. A classification and compensation study was accomplished in coordination with the job description revision. A salary and benefit survey was conducted for an external review of the market. This project was conducted with all full-time employees.

City of La Vista, Nebraska

After the City adopted a pay study and had their strategic plan updated by the consulting team, the team developed low-cost solutions to their pay-for-performance system.

City of North Liberty, Iowa

After the City adopted a pay structure, the consulting team guided implementation of a pay-for-performance system that has customizable performance factors.

Flint Hills Services

After the organization adopted a pay structure, the consulting team guided implementation of a pay-for-performance system that has customizable performance factors.

Rice County

After the County adopted a pay structure, the consulting team guided implementation of a pay-for-performance system that has customizable performance factors.

Butler County, Kansas

A revision of job descriptions was conducted for a more thorough review of Americans with Disabilities Act functions along with more accurate descriptions. A classification and compensation study was accomplished in coordination with the job description revision. A salary and benefit survey was conducted for an external review of the market. This project was conducted with all full-time employees.

Cheyenne County, Kansas

A revision of job descriptions was conducted for a more thorough review of Americans with Disabilities Act functions along with more accurate descriptions. A classification and compensation study was accomplished in coordination with the job description revision. A salary and benefit survey was conducted for an external review of the market. This project was conducted with all full-time employees.

Douglas County, Kansas

A revision of job descriptions was conducted for a more thorough review of Americans with Disabilities Act functions along with more accurate descriptions. A classification and compensation study was

accomplished in coordination with the job description revision. A salary and benefit survey was conducted for an external review of the market. This project was conducted with all full-time employees. A follow up project was completed for an organizational assessment for a department.

Geary County, Kansas

A revision of job descriptions was conducted for a more thorough review of Americans with Disabilities Act functions along with more accurate descriptions. A classification and compensation study was accomplished in coordination with the job description revision. A salary and benefit survey was conducted for an external review of the market. This project was conducted with all full-time employees.

Harvey County, Kansas

A revision of job descriptions was conducted for a more thorough review of Americans with Disabilities Act functions along with more accurate descriptions. A classification and compensation study was accomplished in coordination with the job description revision. A salary and benefit survey was conducted for an external review of the market. This project was conducted with all full-time employees.

Riley County, Kansas

This project was conducted with all full-time employees. A revision of job descriptions was conducted for a more thorough review of Americans with Disabilities Act functions along with more accurate descriptions. The classification and compensation study was accomplished in coordination with the job description revision. The salary and benefit survey was conducted for an external review of the market.

Pottawatomie County, Kansas

A revision of job descriptions was conducted for a more thorough review of Americans with Disabilities Act functions along with more accurate descriptions. A classification and compensation study was accomplished in coordination with the job description revision. A salary and benefit survey was conducted for an external review of the market. This project was conducted with all full-time employees.

Scope of Work

Market Survey Update

In 2017, the Austin Peters Group, Inc. provided a comprehensive compensation and classification study along with job description updates. In 2019 the study was updated for Fire and Police. The City of Moberly has asked to have new data regarding market changes for wages and benefits.

- The Austin Peters Group, Inc. would propose using the same benchmark positions as the previous study (with some adjustments for added and deleted job descriptions) and the same peer respondents with some minor adjustments.
- Positions will be evaluated in comparison to local economic market conditions for entry-level, professional, and management personnel. In order to accomplish the external market review of positions, ten or more comparable organizations (*e.g.* similar counties and cities) and a minimum of five major private and/or public sector market competitors will be surveyed as determined in agreement with the City.
- Respondents will receive a summary of the position being surveyed, and will be asked to score how closely the respondent’s position matches the benchmark position in the survey. This assists the consultant with determination of content and duty comparisons. After surveys are received, the consultant often communicates with the respondents to confirm information and responses or review job descriptions. External data sources may be used in lieu of a full survey.
- The same positions from the 2017 study and the 2019 market survey update (excluding Golf) will be surveyed and used as benchmark positions for extrapolating data to groupings (or classes) of positions. Every effort will be made to have a minimum of eight responses for each position surveyed. Additional organization information will be collected in the market survey to include: insurance plans and descriptions, employer contributions for single, family, vacation and leave policies. Cities and organizations to be included in the survey will be:

Boonville
Cape Girardeau
Carthage
Columbia
Excelsior Springs
Farmington
Fulton
Hannibal

Jackson
Kirksville
Lebanon
Marshall
Maryville
Mexico
Neosho
Poplar Bluff
Republic
Sikeston
Trenton
Troy
Washington
Webb City
West Plains
Central Christian College
Central Methodist University
Moberly Area Community College
Moberly Area Technical Center
Moberly Correctional Center
Moberly Public Schools
Moberly Regional Medical Center
Randolph County, Missouri
State of Missouri
U.S. Department of Labor, Bureau of Labor Statistics

- Each department head will be interviewed to review their positions and changes since the prior study. We will also discuss market competitors with department heads.
- The final report will provide a table summary of the average of respondents for the market results and City of Moberly. Benefits data will be collected from each respondent, and that information will also be calculated into comparative data for health insurance and pension benefits, and other

descriptive information will be summarized. The report will outline where the City currently stands in the market, and what steps would be necessary to lead, meet, or lag the market. Fire and Police pay ranges would be provided on a separate pay schedule. APG will also ask market participants for information on recent pay increases and future planned increases. **APG will provide market data with and without Columbia as a respondent to provide alternatives for the governing body.**

Fees

The rate for this project \$8,500. That fee does not include any travel or onsite visits with elected officials or staff.

Proposed Timeline

14 to 16 weeks depending on start date.



OVERLAND PARK, KS OFFICE: P.O. Box 27196, Overland Park, KS 66225 Phone: (913) 851-7530
FORT COLLINS, CO OFFICE: 4809 Prairie Vista Drive, Fort Collins, CO 80526 Phone: (970) 266-8724
Fax: (913) 851-7529
www.austinpeters.com

LETTER OF UNDERSTANDING

Market Study Update

June 1, 2021

This letter shall serve as a letter of understanding between the Moberly (“Moberly”), Missouri and The Austin Peters Group, Inc. of Overland Park, Kansas (“The Austin Peters Group, Inc.”), governing the provision of professional human resource consulting for Moberly.

The Austin Peters Group, Inc. shall provide consulting services for a market study update as outlined in the proposal June 1, 2021. The timeframe for the project will be 14 to 16 weeks depending on start date. Both parties must agree to any changes in this agreement. This agreement’s obligations and benefits shall apply to any successor companies.

Moberly agrees to compensate The Austin Peters Group, Inc. under the terms and conditions as provided herein. Payment for services is estimated to be \$8,500.

A deposit of 25% (twenty five percent) shall be required prior to the commencement of project. Three additional payments will be made by Moberly as invoiced by The Austin Peters Group, Inc. Payment is due upon Moberly receiving such invoice from The Austin Peters Group.

With regard to the services to be performed by The Austin Peters Group, Inc. pursuant to the terms of the agreement, The Austin Peters Group, Inc. shall not be liable to Moberly, or to anyone who may claim any right due to his relationship with Moberly, for any acts or omissions in the performance of said services on the part of The Austin Peters Group, Inc. or on the part of the agents or employees of The Austin Peters Group, Inc., except when said acts or omissions of The Austin Peters Group, Inc. are due to their willful misconduct.

Moberly agrees that the liability of The Austin Peters Group, Inc., its officers, agents, employees, and contractors, regardless of the legal theory under which such liability is imposed, shall not exceed the total fee paid to The Austin Peters Group, Inc. for the particular documents, calculations or other associated services that gave rise to the claim being asserted by Moberly. In no event shall The Austin




Peters Group, Inc., its officers, agents, employees and contractors, be liable for any special, incidental or consequential damages.

If any provision of this Agreement is deemed to be invalid or inoperative for any reason, that part shall be deemed modified to the extent necessary to make it valid and operative, or if it cannot be so modified, then severed, and the remainder of the Agreement shall continue in full force and effect as if the Agreement had been signed with the invalid portion so modified or eliminated.

If the terms of this agreement meet with your approval, please indicate the same below by your signature and a return copy (both pages of this section "LETTER OF UNDERSTANDING...") for my files. Returning via email is preferred, it can be sent to etatarko@austinpeters.com.

Sincerely,



Elizabeth Tatarko
Vice President

Accepted by: Moberly, Missouri

By: _____

Title: _____ Date _____

City of Moberly City Council Agenda Summary

Agenda Number: _____ #5.
 Department: Administration
 Date: July 19, 2021

Agenda Item: A Resolution accepting a Permanent Stormwater Easement from MFA.

Summary: Howe Company, LLC has engineered a regional detention basin to house stormwater at the Moberly Area Industrial Park to improve the area for development to assist with the Swift plant. The detention basin plans include temporarily housing stormwater on property owned by MFA. MFA has agreed to provide a permanent easement to the city for that purpose. Costs of this project will be reimbursed through a Economic Development Authority grant.

Recommended

Action: Approve this resolution

Fund Name: N/A

Account Number: N/A

Available Budget \$: N/A

ATTACHMENTS:		Roll Call	Aye	Nay
___ Memo	___ Council Minutes	Mayor		
___ Staff Report	___ Proposed Ordinance	M___ S___ Jeffrey	___	___
___ Correspondence	<u>x</u> Proposed Resolution	Council Member		
___ Bid Tabulation	___ Attorney's Report	M___ S___ Brubaker	___	___
___ P/C Recommendation	___ Petition	M___ S___ Kimmons	___	___
___ P/C Minutes	___ Contract	M___ S___ Davis	___	___
___ Application	___ Budget Amendment	M___ S___ Kyser	___	___
___ Citizen	___ Legal Notice			
___ Consultant Report	___ Other _____		Passed	Failed

BILL NO. R1099

RESOLUTION NO. R1099

A RESOLUTION ACCEPTING A PERMANENT STORMWATER EASEMENT FROM MFA OIL COMPANY.

WHEREAS, in order to fully utilize the Moberly Area Industrial Park for economic development certain improvements are necessary including the creation of a stormwater detention basin; and

WHEREAS, Howe Company, LLC have engineered a Regional Detention Basin which includes the need to temporarily hold stormwater on land owned by MFA Oil Company (“MFA”); and

WHEREAS, attached hereto is a proposed Permanent Stormwater Easement whereby MFA will convey to the City of Moberly sufficient real estate to temporarily store stormwater; and

WHEREAS, city staff requests that the Council accept the Easement and further authorize the Mayor and City Manager to take such other and further action to accomplish the purposes of this Resolution.

NOW, THEREFORE, the City Council of the City of Moberly hereby accepts the attached easement from MFA and further authorizes the Mayor and City Manager to take such other and further action to accomplish the purposes of this Resolution.

RESOLVED this 19th day of July, 2021, by the Council of the City of Moberly, Missouri.

Presiding Officer at Meeting

ATTEST:

Shannon Hance, City Clerk

A motion was made by Brubaker and seconded by Davis to table Resolution R1099 until the July 19, 2021, Council meeting. Ayes: Jeffrey, Brubaker, Kimmons, Davis and Kyser. Nays: none. 07-06-2021

_____ [Space Above this Line for Recording Data] _____

Title of Document: Permanent Stormwater Easement

Date of Document: _____, 202__

Grantors: MFA OIL COMPANY,
a Missouri non-stock corporation

Grantors' Address: One Ray Young Drive
P.O. Box 519
Columbia, Missouri 65205

Grantee: THE CITY OF MOBERLY,
a Missouri municipal corporation

Grantee's Address: 101 West Reed Street
Moberly Missouri 65270

Full Legal Description:
See page 2 hereof.

Reference Documents:

PERMANENT STORMWATER EASEMENT

THIS EASEMENT is made as of this _____ day of _____, 20____,
by MFA Oil Company, a Missouri non-stock corporation, hereinafter referred to as Grantors,
and The City of Moberly, hereinafter referred to as Grantee.

Grantors' Mailing Address	Grantee's Mailing Address
MFA Oil Company	City of Moberly
One Ray Young Drive	101 West Reed Street
P.O. Box 519	Moberly, Missouri 65270
Columbia, Missouri 65205	

WITNESSETH

That the said Grantors, in consideration of the sum of Ten (\$10.00) Dollars and other good and valuable consideration the receipt and sufficiency of which is hereby acknowledged, do hereby grant and convey unto said Grantee a permanent, non-exclusive stormwater easement for the purpose of allowing stormwater overflow from the City of Moberly Central Stormwater Detention Basin to be temporarily stored over and upon the following described real estate situated in Randolph County, Missouri to wit:

DESCRIPTION:

A tract of land lying in the Southwest Quarter of Section 24 and the Northwest Quarter of Section 25 all in Township 54 North, Range 14 West of the Fifth Principal Meridian and being part of Parcel #2 as shown by survey recorded in Plat Book B, Volume 7, Page 9B, Randolph County, Missouri, being more particularly described as follows: Commencing at an iron rod marking the Northwest corner of said Section 25, thence along the North line of said Section 25, South 88 degrees 14 minutes 40 seconds East 403.18 feet to the Point of Beginning, said point being the Northwest corner of the MFA tract; thence North 00 degrees 00 minutes 00 seconds East 77.90 feet to an iron rod; thence North 90 degrees 00 minutes 00 seconds East 1450.07 feet to an iron rod on the Westerly right-of-way of the former Norfolk Southern Railroad; then along said right-of-way South 01 degree 29 minutes 37 seconds West 930.32 feet to an iron rod on the Northerly right-of-way of McKeown Parkway; thence along said right-of-way South 90 degrees 00 minutes 00 seconds West 1325.80 feet to an iron rod; thence North 00 degrees 00 minutes 00 seconds East 930.00 feet to the Point of Beginning.

PERMANENT STORMWATER EASEMENT

Commencing at the Northwest corner of the above-described tract; thence along the west line of said tract, South 00 degrees 00 minutes 00 seconds West 930.00 feet to the Southwest corner of said tract; thence along the Northerly right-of-way of McKeown Parkway North 90 degrees 00 minutes 00 seconds East 150.00 feet; thence North 00 degrees 00 minutes 00 seconds East 662.00 feet; thence South 00 degrees 00 minutes 00 seconds West 150.00 feet to the POINT OF BEGINNING, containing 2.28 acres (collectively, the "Easement Property").

See Exhibit A attached hereto and by this reference incorporated herein for depiction of the Easement Property and the easement rights herein granted;

This grant of permanent stormwater easement is subject to the following terms and conditions:

1. Grantors hereby grants-to Grantee a perpetual, non-exclusive easement to temporally

overflow, flood, and submerge the Easement Property from stormwater overflow from the City of Moberly Central Stormwater Detention Basin; *provided that* no permanent (in excess of one continuous 24-hour period) pool of water from the Central Stormwater Detention Basin shall be permitted to remain within the Easement Property.

2. This grant of easement excludes ingress and egress in, on, over, across, and through Easement Property. Grantee shall have no rights under this easement agreement to access the Easement Property without prior approval from Grantors.

3. The benefits of this grant of easement shall inure solely to the City of Moberly and shall not be assignable without approval from Grantors.

4. Grantors shall remain solely responsible for all current and future taxes, special assessments and similar levies on or affecting the Easement Property.

5. Subject to the terms of this easement agreement and Grantee's rights hereunder, Grantors shall retain the right to use the Easement Property at any time, in any matter, including placing of fill material; *provided that* Grantors shall not interfere with Grantee's rights under this grant of easement and Grantee shall not be responsible or have any liability for any damages or interference with the Grantors' other uses of the Easement Property as a result of any inundation resulting whether from Grantors' activities, the exercise of Grantee's rights under this easement agreement, or otherwise.

6. The rights granted by this easement agreement to Grantee may be extinguished or modified only by a written, recordable writing approved and executed by Grantors and Grantee.

7. This easement shall terminate upon removal and abandonment by Grantee of the City of Moberly Central Stormwater Detention Basin.

The undersigned hereby represents and covenants to Grantee that the undersigned enjoys full corporate authority to execute this easement agreement on behalf of Grantors and that MFA Oil Company, a Missouri non-stock corporation, is the sole owner in fee of the Easement Property.

IN WITNESS WHEREOF, the undersigned have set their hands as of this _____ day of _____ 20 ____ .

MFA OIL COMPANY

By: _____

Printed name: _____

Title: _____

INSERT EXHIBIT A
MFA OIL COMPANY
PERMANENT STORMWATER EASEMENT



City of Moberly City Council Agenda Summary

Agenda Number: _____ #6.

Department: Public Works

Date: July 19, 2021

Agenda Item: A Resolution Accepting The Bid Of Armor Equipment For A Tymco 500x Street Sweeper And Authorizing The Purchase For \$286,793.00.

Summary: We looked at and had a demo done on 3 different street sweepers, the first demo was a new Elgin Whirlwind from Key Equipment at a MoDOT bid price of \$317,565.00, this is the kind of sweeper we currently have and is a pure vacuum type sweeper. The first demo did not go well and the sweeper they brought had some issues with not picking up and leaving trails of debris. Key Equipment took it back to their shop and made some changes then brought it back a second time and it performed ok. Key Equipment also brought down an Elgin Crosswind which is a regenerative Air type sweeper at a MoDOT bid price of \$273,817.50 and we tested it on some of our chip seal streets and cul-de-sacs, it performed ok but did leave some debris around the pickup head. The third sweeper we looked at was a New Tymco S00X regenerative air type sweeper from Armor Equipment at a MoDOT bid price of \$286,793.00, we took this sweeper to some of our worst areas, and it performed flawlessly, we uncovered bricks on north Ault I didn't even know was there. This sweeper has the side dump hopper which will dump at a height of 11 feet which would allow us to empty into a dump truck instead of having to run back to the street barn to dump. We have had 2 Tymco sweepers in the past and the maintenance cost on those was no different than the maintenance cost on the Elgin we currently have. After reviewing all 3 sweepers and talking to the operator we feel like the Tymco S00X would best suit our needs for a new street sweeper, it is in the middle of the price range at \$286,793.00, not the cheapest and not the most expensive but the one we think would work for us.

Recommended

Action: Approve this resolution.

Fund Name: N/A

Account Number: N/A

Available Budget \$: N/A

ATTACHMENTS:

		Roll Call	Aye	Nay
<input type="checkbox"/> Memo	<input type="checkbox"/> Council Minutes	Mayor		
<input type="checkbox"/> Staff Report	<input type="checkbox"/> Proposed Ordinance	M___ S___ Jeffrey	___	___
<input type="checkbox"/> Correspondence	<input checked="" type="checkbox"/> Proposed Resolution	Council Member		
<input type="checkbox"/> Bid Tabulation	<input type="checkbox"/> Attorney's Report	M___ S___ Brubaker	___	___
<input type="checkbox"/> P/C Recommendation	<input type="checkbox"/> Petition	M___ S___ Kimmons	___	___
<input type="checkbox"/> P/C Minutes	<input type="checkbox"/> Contract	M___ S___ Davis	___	___
<input type="checkbox"/> Application	<input type="checkbox"/> Budget Amendment	M___ S___ Kyser	___	___
<input type="checkbox"/> Citizen	<input type="checkbox"/> Legal Notice			
<input type="checkbox"/> Consultant Report	<input type="checkbox"/> Other _____	Passed	Failed	

BILL NO: _____

RESOLUTION NO: _____

A RESOLUTION ACCEPTING THE BID OF ARMOR EQUIPMENT FOR A TYMCO 500X STREET SWEEPER AND AUTHORIZING THE PURCHASE FOR \$286,793.00.

WHEREAS, the Moberly Public Works Department investigated options available to it to replace its street sweeper and determined using Missouri state bids was the most economical; and

WHEREAS, the state has negotiated a purchase price of \$286,793.00 for a Tymo 500X Street Sweeper which is available to the city from Armor Equipment and which pursuant to Sec. 2-435 (4) of the City Code is a cooperative purchasing exception to the city’s purchasing rules; and

WHEREAS, the Moberly Public Works department recommends acceptance of the Armor Equipment bid in the amount of \$286,793.00.

THEREFORE, the Moberly, Missouri, City Council accepts the bid of Armor Equipment and authorizes the City Manager or his designee to purchase the specified equipment for the price of \$286,793.00 and further authorizes the City Manager to take such other necessary action to carry out the intent of this Resolution.

RESOLVED this 19th day of July, 2021, by the Council of the City of Moberly, Missouri.

Presiding Officer at Meeting

ATTEST:

City Clerk

Bid Tab for Street Sweeper

Company	Brand	Total
Key Equipment & Supply	Elgin Whirlwind 1 w/ right & left sidebroom	\$317,565.00
Key Equipment & Supply	Elgin Whirlwind 1 w/right sidebroom	\$273,817.50
Armor Equipment	Tymco 500X Airsweeper	\$286,793.00

City of Moberly City Council Agenda Summary

Agenda Number: #7.

Department: Public Works

Date: July 19, 2021

Agenda Item: A Resolution Authorizing The Placement Of Wellness Signs In The City Of Moberly.

Summary: The requesting organization has a history of working to promote the health of area residents and have funding to develop the 3-mile Wellness Walk. As part of that they are asking for permission to install signs along the sections of sidewalk/trail depicted on the attached diagrams. Some of the signs would be in r/w and some of the signs would be in private easement, which they would have to request and get approval from the adjacent property owners. They would ask the City to install if approved. They are aware that the long-term care/replacement would be at their expense.

Recommended

Action: Approve this resolution.

Fund Name: N/A

Account Number: N/A

Available Budget \$: N/A

ATTACHMENTS:

Roll Call Aye Nay

<input type="checkbox"/> Memo	<input type="checkbox"/> Council Minutes	Mayor		
<input type="checkbox"/> Staff Report	<input type="checkbox"/> Proposed Ordinance	M__ S__ Jeffrey	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> Correspondence	<input checked="" type="checkbox"/> Proposed Resolution	Council Member		
<input type="checkbox"/> Bid Tabulation	<input type="checkbox"/> Attorney's Report	M__ S__ Brubaker	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> P/C Recommendation	<input type="checkbox"/> Petition	M__ S__ Kimmons	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> P/C Minutes	<input type="checkbox"/> Contract	M__ S__ Davis	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> Application	<input type="checkbox"/> Budget Amendment	M__ S__ Kyser	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> Citizen	<input type="checkbox"/> Legal Notice			
<input type="checkbox"/> Consultant Report	<input type="checkbox"/> Other _____			
		Passed		Failed

BILL NO: _____

RESOLUTION NO. _____

A RESOLUTION AUTHORIZING THE PLACEMENT OF WELLNESS SIGNS IN THE CITY OF MOBERLY.

WHEREAS, Building Communities for Better Health (“BCBH”) has asked for permission to install signs promoting wellness on private property and in the public right-of-way along Shepherd Brothers Blvd, Gratz Road, East Urbandale Drive and S. Williams Street; and

WHEREAS, city staff has determined that such signs are exempt from regulation under city code sections 46-238, 46-240 and 36-9 upon the following terms and conditions:

- a. private property owners must give permission for signs located on their property;
- b. BCBH will maintain all signs and agrees that the city may remove signs that are not adequately maintained;
- c. city staff will install all signs; and

WHEREAS, the signs are for instructional purposes designed to promote better community health.

NOW, THEREFORE, the Moberly, Missouri, City Council hereby approves and authorizes the placement of wellness signs as provided herein and such other and further actions as may be necessary to carry out the purpose of this Resolution.

RESOLVED this 19th day of July, 2021, by the Council of the City of Moberly, Missouri.

Presiding Officer at Meeting

ATTEST:

Shannon Hance, City Clerk



Building Communities for Better Health MOBERLY

June 10, 2021

Dear Property Owner,

The Building Communities for Better Health coalition is made up of various businesses and organization in Randolph County whose focus is on bettering the health of Moberly residents. One of our current projects is what we are calling the Wellness Walk.

The Wellness Walk is a 3-mile route that circles a popular area of town for pedestrians including residents, students, church goers, and small business patrons. Since this route is used so frequently and has had recent sidewalk updates, we wanted to add an element of wellness along the trail. We have created a series of wellness prompts to post along the route and have added what each sign will look like in this packet (see attached).

It just so happens that your property is among the proposed locations for one of these signs. Our coalition is seeking permission or easement to be able to post a wellness prompt on your side of the sidewalk. It will be an 11x18” laminated metal sign with one of the prompts securely attached to an attractive wooden post standing around 4 feet tall.

If you have any further questions about the placement of the sign, please feel free to reach out to Jenny Cummings at jcumings@randolphcountyhealth.org or 660-263-6643. Otherwise, if you have no objections to placement of the Wellness Walk sign beside the sidewalk on your property, please print and sign below.

Thank you for your time and contribution to the wellness of Moberly!

Sincerely,

BCBH Coalition

BCBH Coalition


Printed Name & Address

Signature

Date

Moberly, MO

#7.



- Legend**
- Roads
 - Corporate Limit
 - Parcel
 - Original Lot
 - Stream
 - Subdivision
 - Lots
 - South Ridge Lot Line
 - City Easement
 - ★ Signage Placement

1 in. = 367ft.



Notes
 Solid Red Line---- Sign location options between sidewalk and property lines.

733.8 0 366.92 733.8 Feet

This Cadastral Map is for informational purposes only. It does not purport to represent a property boundary survey of the parcels shown and shall not be used for conveyances or the establishment of property boundaries.
 THIS MAP IS NOT TO BE USED FOR NAVIGATION

WELLNESS WALK

BROUGHT TO YOU BY:

SQUAT 10 TIMES

DO ARM PRESSES FOR 1 MINUTE

DO LUNGES TO THE NEXT SIGN

DO HIGH KNEES TO THE NEXT SIGN

DO ARM CIRCLES FOR 1 MINUTE

STRETCH FOR 5 MINUTES

PRACTICE MINDFULNESS TO THE NEXT SIGN

WHAT DO YOU SEE?
WHAT DO YOU HEAR?
WHAT DO YOU SMELL?

PRACTICE MINDFULNESS 1 MINUTE

JUST BREATHE

Feel your stomach rise and fall, while focusing on slowing your breath.

DON'T FORGET! MAKE 1/2 YOUR PLATE FRUITS AND VEGGIES

A DIET RICH IN FRUITS AND VEGETABLES CAN:

- ✓ Lower blood pressure
- ✓ Reduce the risk of heart disease & stroke
- ✓ Prevent some types of cancer
- ✓ Lower the risk of eye & digestive problems
- ✓ Keep your appetite in check

THIRSTY? DRINK MORE WATER!

DRINKING WATER IS IMPORTANT FOR YOUR HEALTH. WATER HELPS YOUR BODY:

- ✓ Lubricate and cushion joints
- ✓ Keep a normal temperature
- ✓ Protect body organs and tissues
- ✓ Carry nutrients and oxygen to cells
- ✓ Get rid of bodily waste

City of Moberly City Council Agenda Summary

Agenda Number: _____
Department: City Clerk
Date: July 19, 2021

Agenda Item: A Resolution Appropriating Money Out Of The Treasury Of The City Of Moberly, Missouri.

Summary: Appropriation Resolution.

Recommended

Action: Please approve this Resolution.

Fund Name: N/A

Account Number: N/A

Available Budget \$: N/A

ATTACHMENTS:		Roll Call	Aye	Nay
<input type="checkbox"/> Memo	<input type="checkbox"/> Council Minutes	Mayor		
<input type="checkbox"/> Staff Report	<input type="checkbox"/> Proposed Ordinance	M___ S___ Jeffrey	___	___
<input type="checkbox"/> Correspondence	<input checked="" type="checkbox"/> Proposed Resolution	Council Member		
<input type="checkbox"/> Bid Tabulation	<input type="checkbox"/> Attorney's Report	M___ S___ Brubaker	___	___
<input type="checkbox"/> P/C Recommendation	<input type="checkbox"/> Petition	M___ S___ Kimmons	___	___
<input type="checkbox"/> P/C Minutes	<input type="checkbox"/> Contract	M___ S___ Davis	___	___
<input type="checkbox"/> Application	<input type="checkbox"/> Budget Amendment	M___ S___ Kyser	___	___
<input type="checkbox"/> Citizen	<input type="checkbox"/> Legal Notice			
<input type="checkbox"/> Consultant Report	<input type="checkbox"/> Other _____		Passed	Failed

BILL NO. _____

RESOLUTION NO. _____

A RESOLUTION APPROPRIATING MONEY OUT OF THE TREASURY OF THE CITY OF MOBERLY, MISSOURI IN THE AMOUNT OF \$529,156.79.

WHEREAS, the funds are to be disbursed as follows;

SECTION 1: There is hereby appropriated out of the **General Fund** of the Treasury of the City of Moberly, Missouri to pay expenses due July 19, 2021 in the amount of \$91,945.99.

SECTION 2: There is hereby appropriated out of the **Payroll Fund** of the Treasury of the City of Moberly, Missouri to pay expenses due July 19, 2021 in the amount of \$44,693.43.

SECTION 3: There is hereby appropriated out of the **Solid Waste Fund** of the Treasury of the City of Moberly, Missouri to pay expenses due July 19, 2021 in the amount of \$70,298.57.

SECTION 4: There is hereby appropriated out of the **Parks and Recreation Fund** of the Treasury of the City of Moberly, Missouri to pay expenses due July 19, 2021 in the amount of \$31,425.02.

SECTION 5: There is hereby appropriated out of the **Airport Fund** of the Treasury of the City of Moberly, Missouri to pay expenses due July 19, 2021 in the amount of \$49,057.45.

SECTION 6: There is hereby appropriated out of the **Utilities OP & Maintenance Fund** of the Treasury of the City of Moberly, Missouri to pay expenses due July 19, 2021 in the amount of \$39,165.45.

SECTION 7: There is hereby appropriated out of the **Utilities OP Reserve Fund** of the Treasury of the City of Moberly, Missouri to pay expenses due July 19, 2021 in the amount of \$9,400.79.

SECTION 8: There is hereby appropriated out of the **2006A SRF Bonds Debt Service Fund** of the Treasury of the City of Moberly, Missouri to pay expenses due July 19, 2021 in the amount of \$9,694.59.

SECTION 9: There is hereby appropriated out of the **ESP Projects Debt Service Fund** of the Treasury of the City of Moberly, Missouri to pay expenses due July 19, 2021 in the amount of \$135,340.85.

SECTION 10: There is hereby appropriated out of the **Emergency Telephone Fund** of the Treasury of the City of Moberly, Missouri to pay expenses due July 19, 2021 in the amount of \$10,994.21.

SECTION 11: There is hereby appropriated out of the **Transportation Trust Fund** of the Treasury of the City of Moberly, Missouri to pay expenses due July 19, 2021 in the amount of \$143.58.

SECTION 12: There is hereby appropriated out of the **Street Improvement Fund** of the Treasury of the City of Moberly, Missouri to pay expenses due July 19, 2021 in the amount of \$882.11.

SECTION 13: There is hereby appropriated out of the **Downtown CID Property Tax Fund** of the Treasury of the City of Moberly, Missouri to pay expenses due July 19, 2021 in the amount of \$36,114.75.

NOW, THEREFORE, the Moberly City Council authorizes these expenditures.


RESOLVED this 19th day of July 2021 by the Council of the City of Moberly, Missouri.

ATTEST:

Presiding Officer

City Clerk

I hereby certify that there is sufficient money standing to the credit of the City of Moberly, Missouri, unappropriated in the several funds covered by this resolution to meet the requirements of this resolution.




City Treasurer, City of Moberly, Missouri

EXPENSES PAID JULY 2, 2021 - JULY 14, 2021 FOR THE FOLLOWING FUNDS ARE TO BE INCLUDED WITH THE JULY 19, 2021 APPROPRIATION RESOLUTION TOTAL.

General Fund	\$	91,945.99
Payroll Fund	\$	44,693.43
Solid Waste Fund	\$	70,298.57
Parks and Recreation Fund	\$	31,425.02
Airport Fund	\$	49,057.45
Utilities OP & Maintenance Fund	\$	39,165.45
Utilities OP Reserve Fund	\$	9,400.79
2006A SRF Bonds Debt Service Fund	\$	9,694.59
ESP Projects Debt Service Fund	\$	135,340.85
Emergency Telephone Fund	\$	10,994.21
Transportation Trust Fund	\$	143.58
Street Improvement Fund	\$	882.11
Downtown CID Property Tax Fund	\$	36,114.75
Total	\$	529,156.79

I hereby certify that there is sufficient money standing to the credit of the City of Moberly, Missouri, unappropriated to cover the above funds.



City Treasurer, City of Moberly, Missouri

7/14/2021

Date

ACCOUNTS PAYABLE CHECK REGISTER

#8.

BANK#	BANK NAME	CHECK#	DATE	ACCOUNT#	NAME	CHECK AMOUNT	CLEARED	MANUAL	VOID	REASON FOR VOID
24 DISBURSEMENTS										
87085	7/09/2021	6	AMEREN MISSOURI		26.18					
87086	7/09/2021	4504	AT&T 5011		680.36					
87087	7/09/2021	6454	CAPITAL ONE		295.50					
87088	7/09/2021	6509	KOCHER CHELSEA		120.00					
87089	7/09/2021	1565	MACON ELECTRIC COOP		40.46					
87090	7/09/2021	5639	SOCKET		.00				VOID:	
87091	7/09/2021	5639	SOCKET		2,574.32					
* 87092	Thru 87097									
87098	7/14/2021	351	AGEE CARL W		6,288.75					
87099	7/14/2021	1	ALTORFER INC		1.27					
87100	7/14/2021	6120	AMAZON CAPITAL SERVICES		484.44					
87101	7/14/2021	3	AFLAC GROUP INSURANCE		2,101.01					
87102	7/14/2021	3112	ARAMARK UNIFORM SERVICES		684.88					
87103	7/14/2021	790	ARISTA INFORMATION SYSTEMS INC		2,824.00					
87104	7/14/2021	30	WOOGEDY LLC		595.75					
87105	7/14/2021	3808	ATCO INTERNATIONAL		210.00					
87106	7/14/2021	6185	AYYEKA INC		240.00					
87107	7/14/2021	6245	AZAVAR		437.21					
87108	7/14/2021	26	B & D LOCK & KEY		952.65					
87109	7/14/2021	6160	BACKGROUND INVESTIGATION		59.85					
87110	7/14/2021	970	BANNER FIRE EQUIPMENT INC		3,424.08					
87111	7/14/2021	34	BOB'S TIRE, LLC		1,606.00					
87112	7/14/2021	2605	BRATCHER'S MARKET		17.95					
87113	7/14/2021	5257	BROWN SMITH WALLACE		5,000.00					
87114	7/14/2021	191	BROWNFIELD OIL CO INC		151.00					
87115	7/14/2021	5004	CHAMPION BRANDS LLC		596.71					
87116	7/14/2021	598	CHARITON VALLEY COMMUNICATIONS		250.97					
87117	7/14/2021	1301	CINTAS CORPORATION		99.32					
87118	7/14/2021	3137	CINTAS CORPORATION #379		61.54					
87119	7/14/2021	2924	CIVICPLUS		5,711.08					
87120	7/14/2021	2645	CORE & MAIN LP		3,437.95					
87121	7/14/2021	678	CROWN POWER & EQUIPMENT		698.56					
87122	7/14/2021	2913	CULLIGAN WATER CONDITIONING		83.63					
87123	7/14/2021	2908	CUNNINGHAM VOGEL & ROST PC		11,180.70					
87124	7/14/2021	118	D & L TRENCHING INC		1,900.00					
87125	7/14/2021	5797	DA-COM		200.00					
87126	7/14/2021	6508	DAMERON RONNELL		175.00					
87127	7/14/2021	6473	DAWSON KENZIE		91.50					
87128	7/14/2021	194	DMC CONCRETE CONSTRUCTION		19,826.00					
87129	7/14/2021	2937	LJN MANAGEMENT CORP		10.00					
87130	7/14/2021	5791	DOUGLAS SUMMER H		90.00					
87131	7/14/2021	695	ENGINEERING SURVEYS & SERVICES		4,895.85					
87132	7/14/2021	1527	ESRY DANIEL		130.00					
87133	7/14/2021	3139	EVOQUA WATER TECHNOLOGIES LLC		16,071.82					
87134	7/14/2021	3103	FASTENAL COMPANY		105.25					
87135	7/14/2021	1308	FEHLING SMALL ENGINE LLC		290.06					
87136	7/14/2021	5858	FERRO JAVIER		75.00					
87137	7/14/2021	5754	FIRST STATE COMMUNITY BANK		135,340.85					
87138	7/14/2021	6510	FULLER ELMER		25.00					
87139	7/14/2021	2839	FUSION TECHNOLOGY LLC		2,356.90					
87140	7/14/2021	988	GULF STATES DISTRIBUTORS		168.37					

ACCOUNTS PAYABLE CHECK REGISTER

#8.

BANK#	BANK NAME	ACCOUNT#	NAME	CHECK AMOUNT	CLEARED	MANUAL	VOID	REASON FOR VOID
CHECK#	DATE							
87141	7/14/2021	6512	HAMILTON HALIE	100.00				
87142	7/14/2021	6507	HANEY RODRICK	75.00				
87143	7/14/2021	298	HARLAN ELECTRIC & CONTROLS LLC	2,465.18				
87144	7/14/2021	1338	HAWKINS INC	3,735.41				
87145	7/14/2021	6517	HOUSE RITA	65.00				
87146	7/14/2021	5721	HOWE COMPANY LLC	7,678.00				
87147	7/14/2021	4830	HULL ROSA	25.00				
87148	7/14/2021	763	SUMNER ONE	238.30				
87149	7/14/2021	5965	KIM HOSKINS ENVIRONMENTAL	975.00				
87150	7/14/2021	4776	KNOT AS IT SEEMS FLOWERS AND	81.00				
87151	7/14/2021	1319	KOHL WHOLESALE	12,068.20				
87152	7/14/2021	3144	KZZT FM 105 INC	82.50				
87153	7/14/2021	579	LAND/CHARITON COUNTY CONCRETE	60.00				
87154	7/14/2021	1246	LOCHNER	48,765.71				
87155	7/14/2021	3015	LOWE'S HOME CENTERS, LLC	.00				VOID:
87156	7/14/2021	3015	LOWE'S HOME CENTERS, LLC	1,600.96				
87157	7/14/2021	4836	M&M GOLF CARS LLC	675.00				
87158	7/14/2021	679	MARTECK	191.77				
87159	7/14/2021	2220	MARTIN EQUIPMENT	949.26				
87160	7/14/2021	6441	MARTIN TAYLOR	44.00				
87161	7/14/2021	2717	MATHESON TRI GAS INC	440.41				
87162	7/14/2021	1648	MCM SYSTEMS	.00				VOID:
87163	7/14/2021	1648	MCM SYSTEMS	5,992.28				
87164	7/14/2021	1694	MFA INCORPORATED	1,623.15				
87165	7/14/2021	480	MISSOURI CHAPTER IAAI	20.00				
87166	7/14/2021	604	MISSOURI MUNICIPAL LEAGUE	45.00				
87167	7/14/2021	414	MISSOURI STATE TROOPERS ASSOCA	275.00				
87168	7/14/2021	6442	MITCHELL COLBY	44.00				
87169	7/14/2021	3041	MO ONE CALL SYSTEM INC	297.50				
87170	7/14/2021	1921	MOBERLY LUMBER INC	.00				VOID:
87171	7/14/2021	1921	MOBERLY LUMBER INC	926.44				
87172	7/14/2021	1954	MOBERLY MOTOR COMPANY	164.04				
87173	7/14/2021	2731	MOTOROLA	29,638.43				
87174	7/14/2021	1604	NAPA AUTO PARTS OF MOBERLY	.00				VOID:
87175	7/14/2021	1604	NAPA AUTO PARTS OF MOBERLY	.00				VOID:
87176	7/14/2021	1604	NAPA AUTO PARTS OF MOBERLY	.00				VOID:
87177	7/14/2021	1604	NAPA AUTO PARTS OF MOBERLY	2,031.86				
87178	7/14/2021	2128	NATIONAL TACTICAL OFFICERS	450.00				
87179	7/14/2021	2152	NEMO ELECTRIC CO INC	1,140.00				
87180	7/14/2021	2976	NEUMAYER EQUIPMENT CO INC	6,905.77				
87181	7/14/2021	2299	O'REILLY AUTOMOTIVE STORES INC	.00				VOID:
87182	7/14/2021	2299	O'REILLY AUTOMOTIVE STORES INC	1,122.78				
87183	7/14/2021	1618	ONMEDIA COLUMBIA, MO	965.00				
87184	7/14/2021	2822	PEPSI-COLA	630.94				
87185	7/14/2021	5579	PERRY AGRICULTURAL LAB INC	684.01				
87186	7/14/2021	5727	PEST PRO SOLUTIONS INC	155.00				
87187	7/14/2021	2556	PETTY CASH	12.00				
87188	7/14/2021	2596	PLUMB SUPPLY COMPANY-MOB	508.67				
87189	7/14/2021	6506	PROCTOR KIRBY	97.50				
87190	7/14/2021	5829	Q SECURITY SOLUTIONS LLC	358.00				
87191	7/14/2021	2973	QUALITY RENTAL CENTER	38.06				
87192	7/14/2021	415	RANDOLPH AREA YMCA	1,274.00				
87193	7/14/2021	6514	REDIFER CHRISTINA	25.00				

ACCOUNTS PAYABLE CHECK REGISTER

#8.

BANK#	BANK NAME	CHECK#	DATE	ACCOUNT#	NAME	CHECK AMOUNT	CLEARED	MANUAL	VOID	REASON FOR VOID
87194		7/14/2021		6505	RENT TO SCHMITT LLC	10,000.00				
87195		7/14/2021		2977	RICKETTS FARM SERVICE INC	406.30				
87196		7/14/2021		2600	SAFE PASSAGE	116.00				
87197		7/14/2021		2601	SAFETY-KLEEN CORP	98.14				
87198		7/14/2021		6516	SCG CONSULTING SERVICES LLC	10,000.00				
87199		7/14/2021		280	SCHEPPERS INTERNATIONAL TRUCK	1,793.90				
87200		7/14/2021		617	SCHULTE SUPPLY INC	179.15				
87201		7/14/2021		5700	STAPLES	.00			VOID:	
87202		7/14/2021		5700	STAPLES	819.90				
87203		7/14/2021		5758	STARGUARD ELITE LLC	420.00				
87204		7/14/2021		6511	TAYLOR JESSICA	100.00				
87205		7/14/2021		5737	THOMSON REUTERS-WEST	53.00				
87206		7/14/2021		6374	UNIFIRST CORPORATION	283.70				
87207		7/14/2021		2643	UNITED WAY	1,181.94				
87208		7/14/2021		2646	VALIC	1,042.00				
87209		7/14/2021		5800	VERIZON CONNECT NWF INC	19.19				
87210		7/14/2021		6343	WASTE MANAGEMENT SOLUTIONS	66,103.01				
87211		7/14/2021		2656	WESTLAKE HARDWARE	.00			VOID:	
87212		7/14/2021		2656	WESTLAKE HARDWARE	.00			VOID:	
87213		7/14/2021		2656	WESTLAKE HARDWARE	1,286.04				
87214		7/14/2021		6518	WHITMORE MATTIE	83.74				
87215		7/14/2021		6443	WOOLDRIDGE BRYN	157.50				
87216		7/14/2021		5298	ZAMKUS AND ASSOCIATES LLC	1,000.00				
87217		7/14/2021		6519	ZERO9 SOLUTIONS	219.20				
87218		7/14/2021		6515	ZYDECO'S CAJUN	100.00				
*20190889										
20190890		7/05/2021		1800	MO LAGERS	39,911.48			E-PAY	
20190891		7/09/2021		5898	MOBERLY SOLAR, LLC	15,660.16			E-PAY	
20190892		7/12/2021		2708	UMB BANK	9,694.59			E-PAY	

* See Check Summary below for detail on gaps and checks from other modules.

BANK TOTALS:	
OUTSTANDING	529,156.79
CLEARED	.00

BANK 24 TOTAL	529,156.79
VOIDED	.00

FUND	TOTAL	OUTSTANDING	CLEARED	VOIDED
100	GENERAL FUND	91,945.99	91,945.99	.00
105	PAYROLL FUND	44,693.43	44,693.43	.00
110	SOLID WASTE FUND	70,298.57	70,298.57	.00
115	PARKS & RECREATION FUND	31,425.02	31,425.02	.00
120	AIRPORT FUND	49,057.45	49,057.45	.00
301	UTILITIES OP & MAINT	39,165.45	39,165.45	.00
303	UTILITIES OP RESERVE	9,400.79	9,400.79	.00
378	2006A SRF BONDS DEBT SERV	9,694.59	9,694.59	.00
381	ESP PROJECTS DEBT SERVICE	135,340.85	135,340.85	.00
400	EMERGENCY TELEPHONE FUND	10,994.21	10,994.21	.00
600	TRANSPORTATION TRUST FUND	143.58	143.58	.00
601	STREET IMPROVEMENT FUND	882.11	882.11	.00

ACCOUNTS PAYABLE CHECK REGISTER

#8.

BANK#	BANK NAME	CHECK#	DATE	ACCOUNT#	NAME	CHECK AMOUNT	CLEARED	MANUAL	VOID	REASON FOR VOID
		912		DOWNTOWN	CID PROP TAX	36,114.75	36,114.75		.00	.00

ACCOUNTS PAYABLE CHECK REGISTER

*** CHECK SUMMARY ***

#8.

BANK#	BANK NAME	DESCRIPTION
CHECK#		

24 DISBURSEMENTS

87085 Thru	87091	Accounts Payable Checks
87092 Thru	87097	Utility Billing Checks
87098 Thru	87218	Accounts Payable Checks

20190890 Thru	20190892	Accounts Payable E-Pay
---------------	----------	------------------------

City of Moberly City Council Agenda Summary

Agenda Number: #9.

Department: City Manager

Date: July 19, 2021

Agenda Item: Department Head Monthly Reports

Summary: Attached is Community Development Monthly Report/Public Works Monthly, Finance Department Monthly Report, Parks and Rec. Monthly Report, Police Department Monthly Report, Fire Department Monthly Report, Public Utility Monthly Report, Moberly Area Economic Development, Moberly Chamber of Commerce.

These are for you to review on the activity that each Department has accomplished for the Month June.

Recommended

Action: Just for your review

Fund Name: N/A

Account Number: N/A

Available Budget \$: N/A

ATTACHMENTS:		Roll Call	Aye	Nay
<input type="checkbox"/> Memo	<input type="checkbox"/> Council Minutes	Mayor		
<input checked="" type="checkbox"/> Staff Report	<input type="checkbox"/> Proposed Ordinance	M___ S___ Jeffrey	___	___
<input type="checkbox"/> Correspondence	<input type="checkbox"/> Proposed Resolution			
<input type="checkbox"/> Bid Tabulation	<input type="checkbox"/> Attorney's Report	Council Member		
<input type="checkbox"/> P/C Recommendation	<input type="checkbox"/> Petition	M___ S___ Brubaker	___	___
<input type="checkbox"/> P/C Minutes	<input type="checkbox"/> Contract	M___ S___ Kimmons	___	___
<input type="checkbox"/> Application	<input type="checkbox"/> Budget Amendment	M___ S___ Davis	___	___
<input type="checkbox"/> Citizen	<input type="checkbox"/> Legal Notice	M___ S___ Kyser	___	___
<input type="checkbox"/> Consultant Report	<input type="checkbox"/> Other _____		Passed	Failed

COMMUNITY DEVELOPMENT/PUBLIC WORKS MONTHLY REPORT

June 2021

A. PROJECTS

Community Development

Request for Individualized Supported Living (ISL) homes – Ross Walden, who has some currently in Moberly is looking at a couple more locations for consideration. These are a type of group home where there is limited oversight of the residents, and each bedroom can be rented out individually. It is specific for people with mental and/or physical disabilities. Some of you may remember the issues we had with residents complaining about one in Tara Park, as they thought they were running a “nursing home” in a residential neighborhood. At that time, we had a ¼ mile setback for group homes, and that was deemed to be extreme and discriminatory towards group homes. We revised our regulations and group homes, daycares, B&B’s, etc. all have 500’ setbacks from like facilities. We are reviewing the requested addresses to determine if they meet our current setbacks at this time.

Vacant Property/Foreclosed Property Fee – We have passed the ordinance allowing the registration of the vacant properties. We need to modify for the foreclosed properties as well. Pro Champs also does rental and other registrations; however we did not want them to include those services in Moberly. I have asked Randall to modify the ordinance to include foreclosed properties for council to review.

At the last council meeting, there was a question about posting owners contact information on the vacant property. I asked Pro Champs for the reasoning, and this was the response; *“Many communities include the posting requirement so that neighbors have some direct contact information for a responsible party when there are maintenance issues, giving concerned parties an option other than contacting the city. However, if it is a concern, that section can certainly be removed from the ordinance requirements.”*

Waste Management/Advanced Disposal – Since Waste Management has acquired Advanced Disposal, we have seen a fairly significant uptick in complaints, missed service, bulk items not getting picked up, significant delays in getting back to missed services and tote deliveries and long wait times for residents to access the customer care center.

Several staff and I have been in frequent contact with the managers and regional manager. I am expecting a formal response from Chuck Duncan, Regional Manager anytime. I was on the phone with him again this morning. By our contract, residential complaints are supposed to be resolved within 24 hours, specifically, missed service, and that is not happening on a regular basis at this time. I feel like it is in part due to the call center and in part due to lack of staffing, but that is their issue to resolve. We will continue to keep pressure on them, as citizens come to us after they do not get results with the call center. At this point they have agreed to pick up all the trash and bulk items at this point and we will work with them to implement the bulk item call in and that all trash has to be in containers.

Infill Development – I had a video call with JT Holman this morning to discuss a potential revised layout for his property between Logan and Woodland. As you know he was going to construct an assisted living facility, but since the Covid, they are not being able to fill those types of facilities. He has revised his plan and is expecting to bring it back for review and approval to build (6) duplexes on the property. I anticipate having a formal plan for review and consideration later this month. This would have to go back to P&Z and then to council as it would be a deviation from the current agreement we have in place.

Fennel Complex – The restroom plumbing is all in and concreted back, the concrete for the floor under the canopy is poured and cured, DMC is excavating for the center section of concrete. The structural LVL’s should be in next Thursday for the canopy structure inside of the old JT Cross.

Tuck pointing continues on the facility, replacing the stone window ledges on Coates Street side, prepping to paint the concrete block brace walls brick red.

Fennel Marketing Study – We had the initial video conference with McClure on the 13th and will be having an on-site visit with them on the 23rd. McClure also hopes to meet with stakeholders on the 23rd. I will be contacting the Council to check on availability to discuss with them. They are hoping to be here around 10 am on the 23rd.

Lot acquisitions – We are working to acquire 408 Rollins, 410&412 N. 5th and 812 W. Reed. The first one is necessary due to a sewer issue; the house is constructed on top of a sewer main that can’t be lowered. The cost to try and relocate, shift, repair is more than what the structure is worth. The next two are two lots between three City owned lots that have a small house under renovation on it. The two lots added to the three City lots will create a large enough City owned tract that we can negotiate a needed redevelopment in the area. The last property is being donated to the City, and once the structure is removed, will make a good redevelopment parcel.

Drainage Basin for Industrial Park – We are currently waiting on and O&E report so that Randall may complete a title opinion and we have to get an easement from MFA to secure the area on their property where storm water will back up to temporarily in heavy events. There will be no construction or structures on their property.

The easement language is being negotiated now and we hope to have it on a council meeting soon for approval.

Public Works

Hwy 24 & Bus. 63 Islands – As part of the recent Morley/24 sidewalk project, we did stamped concrete in the islands. We did not have the funding to complete the curb replacement around them and they looked bad. Staff recently completed repairs and painting of the curbs around these islands. Please take a look next time you are through the intersection; they really stand out and look great.

Staffing – We are anticipating having the inmates back July 19th, that will be a significant boost for us on staffing. Lots of alleys that need brush cut, ditching, etc. that our full-time and seasonal people can work on again. We may have a person lined up to come on that could fill many of the rolls that Lynn Imbler currently does, as he is retiring in August.

Equipment – We approved the acceptance of the state pricing for the Caterpillar 926 from Altorfer and we have the Tymco 500x street sweeper on the upcoming council meeting for approval. We will list both of our current items on construction equipment sites initially, and then move them to purple wave if they don’t sell for asking price in 45-60 days.

Demolition Grant – Holman was the low/only bidder on this last round of 8 houses, but the bid is in line with what the other demos have been costing. Staff and MTCOG both recommend accepting this bid. It is on the upcoming council meeting agenda for approval. The last round of 30 is complete except for one on Lyon’s Street that we are waiting for Ameren to raise the power lines to get trucks in there.

Airport Runway Reconstruction – The main runway 13-31 and the crosswind runway 5-23 where it intersects have all been poured back. The contractor is working on finishing radii, and the electrical contractor is busy installing conduit and taxiway lights through the connection area and plans to have the 5-23 open July 15, assuming no unforeseen issues.

There is still a significant amount of drainage, grading, sealing, painting, lettering, signage, electrical and lighting to go before 13-31 is re-opened, which is still scheduled for mid Sept. Local based pilots that have been observing construction have had positive comments and are anxious to try it out.

We have continued to have some fuel sales from crop dusters filling tank wagons, helicopters and Amish that purchase Jet A to replace Kerosene.

Street Evaluation/Study – As you know we have budgeted funds to complete a LIDAR scan of all streets and potentially sidewalks to give us an accurate electronic rating for them all. As part of that we want the company selected to provide us a 5-year recommendation for street repairs, factoring in street rating, traffic count, acceptable surface treatments, and allotted budget. This will give us a good platform to work from and update with in-house staff for several years and as needed we can get an updated electronic scan of the streets.

The sidewalk plan will allow us to complete a formal transition plan for the sidewalks to ADA. It will be a long and expensive process, but we have to have this in place.

Cemetery Department

GPR/GPS survey -Trekk has completed their scan/survey of the old section of the Cemetery know as Potter’s field. While I don’t have a final product in-hand they have identified dozens of lots that are not filled that can be marked and sold/utilized that will more than pay back what we spent to complete the survey work. I am looking forward to getting back the preliminary report and will provide council a copy of the results.

There were four (4) grave lots sold; six (6) graves opened; and two (2) monument permits sold during the month of June.

B. Planning & Zoning Commission

The Planning and Zoning Commission for the City of Moberly did not hold a meeting in June 2021.

C. Code Enforcement

Month of June: Rick

- Completed 32 building inspections.
- Final inspections on Swift for temporary occupancy.
- Work has started on Scooters at 534 E Highway 24.
- Participated in cleanup day picking up trash.
- Continue to drive wards for vegetation violations.
- Abatement notice sent to 323 Horsley.
- Have been working on Demolition project.
- Remainder of month was issuing permits, answering phones, code violations, commercial occupancy permits and zoning matters.

Month of June: Karen

- 97 occupancy inspections and re-inspections.
- Respond to citizen complaints, returned phone

- Had a city-wide cleanup of the street’s day this month.
- Began work on the Safety Committee after a long lapse due to COVID and attended safety meeting.

Month of June: Aaron

Round 2 demolitions were in full swing between rainfalls. Proceedings were taken to bid out and received one bid for the final 8 houses in the demolition. Utilities are cut free, and confirmations are ready to proceed. Inspections on residential houses picked up and several new construction permits were issued despite the higher cost of materials. Grass took off and kept us both very busy as the month seemed wetter than last year. Moberly Inn did not respond the full month of June with any progress, very little was observed on the exterior. Proceedings were scheduled to have a public hearing with the property. Accessory notices were sent and followed up and deadlines to occur for cleanup in July. Housing and commercial properties and lists of dangerous buildings were reviewed and updated to begin moving forward with notices in July. HPC approved one application administratively and a couple businesses were in contact preparing for opening in locations downtown (2 new ones for the City of Moberly) also existing buildings have continued to make progress on repairs or issued building permits in the district. We continued to field calls for complaints on nuisances and, also building and zoning compliance with respect to properties in town.

City of Moberly - Street Department					
June-21					
MAINTENANCE FACILITY					
	Hours	O/T	Loads	Tons	Cost
Compost Mixing	0	0	0	0	\$0.00
Load Compost, Millings, & Mulch	17	0	164	0	\$0.00
Sand, Salt, & Geomelt Mixing	0	0	0	0	\$0.00
Tub Grinder Operation	16	0	0	0	\$0.00
Winter Weather Equipment Preparations	0	0	0	0	\$0.00
ROADS & ALLEYWAYS					
	Hours	O/T	Loads	Tons	Cost
Alleys, Grade & Rock	0	0	0	0	\$0.00
Catch Basin Maintenance	140	0	1	0	\$0.00
Crack Sealing	328	0	267	0	\$0.00
Culvert Flushing	38	0	0	0	\$0.00
Culvert Installation	78	0	0	0	\$0.00
Curb Repair	16	0	0	0	\$0.00
Ditch Maintenance	77	0	1	0	\$0.00
Ice & Snow Removal	0	0	0	0	\$0.00
Milling	48	0	0	0	\$0.00
Mowing, Right-Of-Ways	128	0	0	0	\$0.00
Rock Loaded/Hauled	0	0	0	0	\$0.00
Street Repair & Maintenance	338	0	0	0	\$0.00

Street Sign Maintenance	16	0	0	0	\$0.00
Street Sweeper Operation	68	0	18	0	\$0.00
Street Sweepings Hauled To Disposal	0	0	0	0	\$0.00
Weedeating & Brush Removal, Alleys	80	0	12	0	\$0.00
Weedeating & Brush Removal, Streets	158	0	5	0	\$0.00
Weedkiller Application, Alleys	0	0	0	0	\$0.00
Weedkiller Application, Streets	88	0	0	0	\$0.00
MISCELLANEOUS					
	Hours	O/T	Loads	Tons	Cost
Inmate Labor	0	0	0	0	\$0.00
Mowing, City Lots	106	0	0	0	\$0.00
Outer Road Fill Dump Site Grading	16	0	0	0	\$0.00
Sidewalk Maintenance	56	0	0	0	\$0.00
Trash Removal & Clean-Up, Downtown	20	0	88	0	\$0.00
Trash Removal & Clean-Up, All Wards	12	0	4	0	\$0.00
FACILITIES & EQUIPMENT MAINTENANCE					
	Hours	O/T	Loads	Tons	Cost
Airport Maintenance	0	0	0	0	\$0.00
Building Maintenance	0	0	0	0	\$0.00
Cemetery Maintenance	968	0	0	0	\$0.00
Grounds Maintenance	0	0	0	0	\$0.00
Landfill Maintenance	0	0	0	0	\$0.00
Maintenance Facility Maintenance	8	0	0	0	\$0.00
Wash Trucks & Equipment	0	0	0	0	\$0.00
MATERIALS PURCHASED					
	Loads	Tons	Cubic Yards	Gallons	Cost
Asphalt	0	0	0	0	\$0.00
Road Marking Paint, White	0	0	0	0	\$0.00
Road Marking Paint, Yellow	0	0	0	0	\$0.00
Salt	0	0	0	0	\$0.00
Sand	0	0	0	0	\$0.00
MECHANIC WORK PERFORMED					
	Units	Hours			
Routine Service	15	37.5			
Maintenance And Repair	35	112			

City of *Moberly!*

To: Moberly City Council; Brian Crane, City Manager

From: Greg Hodge, Director of Finance 

Subject: Monthly Report – June 2021

General Information

- ✦ Most of the sales and use tax revenues are showing down from last year, but this is the first receipt of the new year. I am confident that these revenues will rebound over the course of the year.
- ✦ Matt and I worked throughout the month getting the 2021-2022 budget put to bed, which as you know occurred on June 29. We are now working on the final analysis of fiscal year 2020-2021 and making adjustments as needed. Once we are comfortable with the numbers we will ship the financial data off to the auditors and I will get the 2021-2022 budget book published.
- ✦ The auditors will be here the week of August 23 for phase 1 of their annual audit processes. We actually accomplish most of the work electronically utilizing their audit management software, which is so much more efficient than the reams of paper documents that we produced for the previous auditing firm. We get much more done in a shorter span of time. They will return the last week of September and I'm hoping that we have everything wrapped up by mid-October.

Sales Tax Revenues

Charts for each sales and use tax fund are included for your review. Below are the comparisons of current YTD to prior YTD.

General Fund	-1.13%	Parks	-1.56%	Capital Improvement	-1.56%
Transportation	-1.55%	Use Tax	-19.12%	Downtown CID	+92.03%

Employee Health Insurance

Health claims	\$23,723.28	Pharmaceutical claims	\$14,200.59
---------------	-------------	-----------------------	-------------

Health Insurance Budgeted Line Items (**. **.5103)

<u>Contribution This Month</u>	<u>Contributions YTD</u>	<u>Budget</u>	<u>Remaining</u>
\$111,341.99	\$1,395,329.05	\$1,571,565.88	\$176,236.83

Health Trust Fund Cash Balance

	2014/2015	2015/2016	2016/2017	2017/2018	2018/2019	2019/2020	2020/2021
July	\$868,756.32	\$953,912.59	\$959,446.10	\$789,647.32	\$600,499.65	\$452,115.58	\$350,783.18
August	\$874,161.89	\$950,828.33	\$978,085.80	\$800,479.76	\$558,026.39	\$289,833.52	\$353,291.19
September	\$974,093.54	\$1,000,905.00	\$974,427.10	\$684,692.43	\$519,407.60	\$239,111.95	\$358,230.40
October	\$946,611.09	\$1,008,278.61	\$990,003.69	\$665,224.98	\$533,065.43	\$161,101.66	\$361,082.82
November	\$983,197.01	\$1,000,000.00	\$1,000,000.00	\$689,931.75	\$521,176.81	\$161,006.25	\$359,913.42
December	\$999,278.76	\$1,002,488.15	\$867,421.94	\$524,297.94	\$521,228.06	\$244,153.89	\$341,280.69
January	\$1,000,000.00	\$997,205.10	\$888,519.67	\$590,612.39	\$549,457.98	\$309,105.79	\$436,448.97
February	\$996,307.51	\$1,001,764.14	\$815,725.20	\$712,106.49	\$559,700.67	\$297,198.27	\$462,855.81
March	\$1,000,000.00	\$980,176.79	\$762,230.98	\$587,567.48	\$578,509.63	\$273,648.37	\$481,687.90
April	\$880,223.00	\$968,681.17	\$710,720.45	\$640,541.51	\$599,662.04	\$278,933.28	\$520,587.99
May	\$899,497.24	\$1,000,000.00	\$762,796.66	\$608,960.67	\$543,627.95	\$309,247.58	\$473,770.32
June	\$911,402.69	\$1,000,000.00	\$807,724.83	\$569,163.71	\$512,223.04	\$360,812.59	\$519,861.25

TO THE HONORABLE MAYOR
and
CITY COUNCIL
of the
CITY OF MOBERLY, MISSOURI



Per RSMo 78.620 I have hereby filed an itemized statement of receipts and expenditures with the City Clerk for your review upon request.

I submit herein a summary of the business transactions for the month of
June 2021

A handwritten signature in black ink, appearing to read "Gregory L. Hodge", is written over a horizontal line.

Gregory L. Hodge, City Treasurer

City of Moberly Cash Balance Report - June 2021

Fund #	Fund Name	Beginning Cash Balance	Revenues	Transfers In	Expenditures	Transfers Out	2021-2022 MIRMA	Ending Cash Balance
100	General	1,552,100.54	576,137.97	339.45	671,326.59	61,121.94	338,888.74	1,057,240.69
102	Non-Resident Lodging Tax	165,901.47	786.52	9,604.62	16,230.34	-	-	160,062.27
105	Payroll	539,805.24	21.38	-	34,317.82	-	-	505,508.80
110	Solid Waste	671,643.92	92,885.32	-	81,515.30	-	-	683,013.94
114	Heritage Hills Golf Course	-	9,604.62	-	9,604.62	-	-	-
115	Parks and Recreation	15,634.39	103,283.53	118,343.76	93,158.96	127,948.38	50,274.43	(34,120.09)
116	Park Sales Tax	929,431.92	156,222.63	-	127,948.38	-	-	957,706.17
120	Airport	(520,328.56)	1,567,282.27	40,288.61	1,216,715.39	-	3,231.55	(132,704.62)
125	Perpetual Care Cemetery Sales	27,586.23	3,500.00	-	-	30,000.00	-	1,086.23
126	Perpetual Care Cemetery Investment	474,319.57	19.88	30,000.00	-	339.45	-	504,000.00
137	Use Tax Trust	248,805.54	9.85	-	-	-	-	248,815.39
140	Veterans Memorial Flag Project	44,666.61	301.77	-	1,020.65	-	-	43,947.73
141	Community Betterment	-	-	-	-	-	-	-
300	Utilities Collection	-	500,799.32	203,026.58	53,589.08	650,236.82	-	-
301	Utilities Operation and Maintenance	59,854.43	-	534,259.24	534,259.24	-	113,369.06	(53,514.63)
302	Utilities Replacement	657,413.58	-	4,125.00	-	-	-	661,538.58
303	Utilities Operating Reserve	1,302,655.25	80.02	-	45,887.25	203,026.58	-	1,053,821.44
306	Utilities Consumer Security	209,108.89	273.24	-	-	-	-	209,382.13
307	Sugar Creek Lake Fund	59,132.56	252.34	-	-	-	-	59,384.90
314	Route JJ Sewer Extension Fund	(9,024.32)	-	-	2,847.50	-	-	(11,871.82)
350	EDA Grant Projects Fund	(47,586.25)	-	-	25,664.34	-	-	(73,250.59)
377	2004B SRF Bonds Debt Service	1,121,668.22	44.42	43,150.05	38,191.09	-	-	1,126,671.60
378	2006A SRF Bonds Debt Service	1,643,834.46	65.10	36,862.81	27,567.47	-	-	1,653,194.90
379	2004C Bond Debt Service	98,259.03	3.89	29,710.00	26,550.18	-	-	101,422.74
380	2008A Bonds Debt Service	58,419.82	2.31	15,133.02	-	-	-	73,555.15
381	ESP Projects Debt Service	63,519.86	2.51	31,839.72	-	-	-	95,362.09
Escrow		1,017,859.66	-	-	-	-	-	1,017,859.66
Total CWWSS (funds 300-381 + escrow)		6,235,115.19	501,523.15	898,106.42	754,556.15	853,263.40	-	6,026,925.21
304	Capital Improvement Trust	9,841.97	145,068.23	-	68,948.91	58,287.46	-	27,673.83
400	911 Emergency Telephone	221,980.58	6,079.26	20,833.33	33,071.17	-	23,998.22	191,823.78
406	Inmate Security Fund	14,018.51	50.50	-	-	-	-	14,069.07

City of Moberly Cash Balance Report - June 2021

Fund #	Fund Name	Beginning Cash Balance	Revenues	Transfers In	Expenditures	Transfers Out	2021-2022 MIRMA	Ending Cash Balance
408	Police Forfeiture Fund	4,320.59	-	-	-	-	-	4,320.59
600	Transportation Trust	1,623,401.59	154,564.37	-	98,667.26	-	-	1,679,298.70
601	Street Improvement	571,885.81	37,355.86	-	24,980.28	-	-	584,261.39
900	MODAG Grant/Loan	21,797.36	0.86	-	-	-	-	21,798.22
901	Misc. Project Residuals	150,099.05	5.94	-	-	-	-	150,104.99
903	Ameren MO Solar Rebates	362,670.00	-	-	-	-	-	362,670.00
904	Hometown Strong Fund	290,000.00	-	-	-	-	-	290,000.00
905	Retail Consulting Fund	11,629.50	0.46	-	-	-	-	11,629.96
908	Railcar Preservation Fund	587.57	0.03	-	-	-	-	587.60
909	Lucille Manor CDBG Reimbursement	226,567.14	3,813.17	-	-	-	-	230,380.31
911	Downtown CID Sales Tax	44,491.55	7,077.01	-	-	-	-	51,568.56
912	Downtown CID Property Tax	353,765.21	14.01	-	8,750.00	879.40	-	344,149.82
914	Downtown NID Cost of Issuance	46,000.00	-	-	-	-	-	46,000.00
915	Downtown NID Street Projects	137,005.59	-	-	-	-	-	137,005.59
916	Downtown NID Sewer Projects	1,516,994.41	-	-	-	-	-	1,516,994.41
918	Downtown NID Debt Service	50,133.42	-	14,323.84	-	-	-	64,457.26
995	Health Trust	473,770.32	128,771.13	-	82,680.20	-	-	519,861.25
995	Investments	-	-	-	-	-	-	-
Total Health Trust		473,770.32	128,771.13	-	82,680.20	-	-	519,861.25
Total Cash		16,515,642.23	3,494,379.78	1,131,840.03	3,323,492.02	1,131,840.03	-	16,686,529.99
Less Escrow Accounts		(1,017,859.66)	-	-	-	-	-	(1,017,859.66)
Less Investments		-	-	-	-	-	-	-
2021-2022 MIRMA Payment		-	-	-	-	-	-	529,762.00
Net Cash per Bank Cash Report		15,497,782.57	3,494,379.78	1,131,840.03	3,323,492.02	1,131,840.03	529,762.00	16,198,432.33

City of Moberly Budget Comparison Report - June 2021

#9.

		Percentage of Year Completed								100.00%
		Revenues				Expenditures				
Fund #	Fund Name	Month	Year to Date	Total Budget	% of Budget	Month	Year to Date	Total Budget	% of Budget	
100	General	576,477.42	8,387,707.50	8,201,000.94	102.28%	762,508.09	8,131,233.16	8,201,000.94	99.15%	
102	Non-Resident Lodging Tax	10,391.14	103,242.01	98,800.00	104.50%	16,230.34	98,478.95	98,800.00	99.68%	
105	Payroll	21.38	372.38	0.00	0.00%	33,529.33	38,212.68	0.00	0.00%	
110	Solid Waste	92,885.32	1,089,956.93	1,075,500.00	101.34%	83,564.58	1,006,411.39	1,053,050.25	95.57%	
114	Heritage Hills Golf Course	9,604.62	334,306.03	345,000.00	96.90%	9,604.62	334,306.03	345,000.00	96.90%	
115	Parks and Recreation	221,627.29	1,720,731.99	1,849,358.68	93.04%	221,607.34	1,720,731.99	1,849,358.68	93.04%	
116	Park Sales Tax	156,222.63	1,526,301.59	1,235,750.00	123.51%	127,948.38	1,078,143.44	1,232,058.68	87.51%	
120	Airport	1,607,570.88	2,452,658.25	6,718,363.61	36.51%	1,216,715.39	2,424,235.86	6,718,363.61	36.08%	
125	Perpetual Care Cemetery Sales	3,500.00	24,025.00	20,000.00	120.13%	30,000.00	30,000.00	20,000.00	150.00%	
126	Perpetual Care Cemetery Investment	30,019.88	30,339.45	24,750.00	122.58%	339.45	339.45	4,750.00	7.15%	
140	Veterans Memorial Flag Project	301.77	7,109.27	4,450.00	159.76%	1,020.65	3,178.15	3,500.00	90.80%	
300	Utilities Collection	703,825.90	6,361,750.02	5,901,662.80	107.80%	689,552.51	6,347,348.67	5,901,662.80	107.55%	
301	Utilities Operation and Maintenance	534,259.24	3,892,553.22	4,314,196.79	90.23%	534,259.24	3,892,553.22	4,314,196.79	90.23%	
302	Utilities Replacement	4,125.00	49,500.00	49,000.00	101.02%	0.00	44,379.00	45,000.00	98.62%	
303	Utilities Operating Reserve	80.02	794,124.33	469,817.91	169.03%	248,913.83	899,413.94	374,206.14	240.35%	
304	Capital Improvement Trust	145,068.23	1,420,202.04	1,140,750.00	124.50%	127,236.37	2,506,619.68	1,942,141.24	129.06%	
307	Sugar Creek Lake Fund	252.34	2,197.72	1,400.00	156.98%	0.00	0.00	0.00	0.00%	
314	Route JJ Sewer Extension Fund	0.00	38,707.29	318,069.33	12.17%	2,847.50	50,579.11	318,069.33	15.90%	
350	EDA Grant Projects Fund	0.00	0.00	80,000.00	0.00%	25,664.34	73,250.59	80,000.00	91.56%	
377	2004B SRF Bonds Debt Service	43,194.47	518,556.42	528,800.60	98.06%	38,191.09	465,689.61	471,818.75	98.70%	
378	2006A SRF Bonds Debt Service	36,927.91	443,448.22	457,353.72	96.96%	27,567.47	342,223.80	403,412.50	84.83%	
379	2004C Bond Debt Service	29,713.89	356,578.59	359,070.00	99.31%	26,550.18	326,215.13	327,200.00	99.70%	
380	2008A Bonds Debt Service	15,135.33	181,638.23	182,146.24	99.72%	0.00	159,211.18	165,769.30	96.04%	
381	ESP Projects Debt Service	31,842.23	400,745.58	350,000.00	114.50%	0.00	301,726.68	350,000.00	86.21%	
400	911 Emergency Telephone	26,912.59	661,498.95	582,050.00	113.65%	33,071.17	466,020.85	566,908.93	82.20%	
406	Inmate Security Fund	50.56	713.89	1,300.00	54.91%	0.00	0.00	0.00	0.00%	
600	Transportation Trust	154,564.37	3,506,083.01	3,012,350.00	116.39%	98,667.26	3,360,271.77	3,519,600.00	95.47%	
601	Street Improvement	37,355.86	640,826.59	640,000.00	100.13%	24,980.28	691,329.10	855,850.00	80.78%	
903	Ameren MO Solar Rebates	0.00		0.00	0.00%	0.00	0.00	0.00	0.00%	

City of Moberly Budget Comparison Report - June 2021

#9.


		Percentage of Year Completed								100.00%
		Revenues				Expenditures				
Fund #	Fund Name	Month	Year to Date	Total Budget	% of Budget	Month	Year to Date	Total Budget	% of Budget	
904	Hometown Strong Fund	0.00	290,000.00	0.00	0.00%	0.00	0.00	0.00	0.00%	
905	Retail Consulting Fund	0.46	5,007.39	0.00	0.00%	0.00	0.00	0.00	0.00%	
908	Railcar Preservation Fund	0.03	0.41	0.00	0.00%	0.00	0.00	0.00	0.00%	
909	Lucille Manor CDBG Reimbursement	3,813.17	22,974.58	24,825.20	92.55%	0.00	0.00	0.00	0.00%	
911	Downtown CID Sales Tax	7,077.01	59,250.12	56,500.00	104.87%	0.00	35,868.28	56,000.00	64.05%	
912	Downtown CID Property Tax	14.01	225,539.62	271,000.00	83.22%	9,629.40	95,765.10	269,500.00	35.53%	
914	Downtown NID Cost of Issuance	0.00	46,000.00	0.00	0.00%	0.00	0.00	0.00	0.00%	
915	Downtown NID Street Projects	0.00	137,005.59	0.00	0.00%	0.00	0.00	0.00	0.00%	
916	Downtown NID Sewer Projects	0.00	1,516,994.41	0.00	0.00%	0.00	0.00	0.00	0.00%	
918	Downtown NID Debt Service	14,323.84	128,914.56	70,000.00	184.16%	0.00	64,457.30	70,000.00	92.08%	
995	Health Trust	128,771.13	1,780,791.86	0.00	0.00%	82,680.20	1,621,743.20	0.00	0.00%	
TOTALS		4,625,929.92	39,158,353.04	38,383,265.82	102.02%	4,472,879.01	36,609,937.31	39,557,217.94	92.55%	

**City of Moberly
One Percent (1%) General Fund Sales Tax Analysis**

#9.

	2018 - 2019				2019-2020				2020-2021				2021-2022			
			Prior year comparison				Prior year comparison				Prior year comparison				Prior year comparison	
	% of total	Amount	Monthly Change	YTD Change	% of total	Amount	Monthly Change	YTD Change	% of total	Amount	Monthly Change	YTD Change	% of total	Amount	Monthly Change	YTD Change
July	9.73%	\$241,703	-5.45%	-5.45%	7.97%	\$199,862	-17.31%	-17.31%	9.09%	\$250,141	25.16%	25.16%	100.00%	\$247,325	-1.13%	-1.13%
August	7.53%	\$187,109	21.72%	4.75%	8.43%	\$211,324	12.94%	-4.11%	7.66%	\$210,787	-0.25%	12.10%	0.00%		-100.00%	
September	9.89%	\$245,772	7.02%	5.57%	9.47%	\$237,294	-3.45%	-3.87%	9.64%	\$265,191	11.76%	11.97%	0.00%		-100.00%	
October	7.45%	\$185,111	-8.96%	2.06%	7.95%	\$199,259	7.64%	-1.39%	8.03%	\$221,103	10.96%	11.73%	0.00%		-100.00%	
November	6.53%	\$162,241	34.26%	6.10%	6.90%	\$172,873	6.55%	-0.13%	6.63%	\$182,491	5.56%	10.69%	0.00%		-100.00%	
December	8.91%	\$221,406	-23.98%	-0.88%	8.55%	\$214,218	-3.25%	-0.68%	8.59%	\$236,514	10.41%	10.64%	0.00%		-100.00%	
January	8.35%	\$207,481	18.27%	1.47%	8.46%	\$212,117	2.23%	-0.27%	7.68%	\$211,290	-0.39%	9.02%	0.00%		-100.00%	
February	8.58%	\$213,170	3.32%	1.70%	8.70%	\$217,948	2.24%	0.05%	7.90%	\$217,419	-0.24%	7.81%	0.00%		-100.00%	
March	8.15%	\$202,638	-2.26%	1.25%	8.29%	\$207,716	2.51%	0.32%	8.57%	\$235,865	13.55%	8.45%	0.00%		-100.00%	
April	8.46%	\$210,267	0.72%	1.20%	7.98%	\$200,097	-4.84%	-0.20%	7.09%	\$195,208	-2.44%	7.40%	0.00%		-100.00%	
May	7.70%	\$191,296	13.53%	2.14%	7.73%	\$193,621	1.22%	-0.08%	8.00%	\$220,208	13.73%	7.94%	0.00%		-100.00%	
June	8.73%	\$217,056	-4.78%	1.49%	9.57%	\$239,953	10.55%	0.85%	11.12%	\$305,934	27.50%	9.81%	0.00%		-100.00%	
Total	100.00%	\$2,485,248			100.00%	\$2,506,282			100.00%	\$2,752,151			100.00%	\$247,325		

Annual Comparison by Month




**City of Moberly
One-Half Percent (1/2%) Parks Fund Sales Tax Analysis**

#9.

	2018-2019				2019-2020				2020-2021				2021-2022			
			Prior year comparison				Prior year comparison				Prior year comparison				Prior year comparison	
	% of total	Amount	Monthly Change	YTD Change	% of total	Amount	Monthly Change	YTD Change	% of total	Amount	Monthly Change	YTD Change	% of total	Amount	Monthly Change	YTD Change
July	9.83%	\$116,214	-4.54%	-4.54%	8.11%	\$96,995	-16.54%	-16.54%	9.23%	\$121,689	25.46%	25.46%	100.00%	\$119,791	-1.56%	-1.56%
August	7.51%	\$88,797	15.53%	3.22%	8.47%	\$101,403	14.20%	-3.23%	7.73%	\$102,013	0.60%	12.75%	0.00%		-100.00%	
September	9.91%	\$117,181	10.81%	5.86%	9.53%	\$113,985	-2.73%	-3.04%	9.67%	\$127,495	11.85%	12.42%	0.00%		-100.00%	
October	7.44%	\$88,033	-9.24%	2.21%	7.96%	\$95,207	8.15%	-0.64%	7.99%	\$105,403	10.71%	12.02%	0.00%		-100.00%	
November	6.45%	\$76,256	26.13%	5.34%	6.85%	\$81,925	7.43%	0.62%	6.61%	\$87,256	6.51%	11.10%	0.00%		-100.00%	
December	7.46%	\$88,175	-37.56%	-4.70%	8.65%	\$103,534	17.42%	3.20%	8.70%	\$114,709	10.79%	11.05%	0.00%		-100.00%	
January	10.15%	\$120,083	46.93%	1.46%	8.53%	\$102,043	-15.02%	0.05%	7.66%	\$101,008	-1.01%	9.28%	0.00%		-100.00%	
February	8.49%	\$100,374	2.44%	1.58%	8.64%	\$103,390	3.00%	0.42%	7.87%	\$103,792	0.39%	8.13%	0.00%		-100.00%	
March	8.05%	\$95,191	-7.45%	0.53%	8.21%	\$98,246	3.21%	0.72%	8.44%	\$111,392	13.38%	8.70%	0.00%		-100.00%	
April	8.27%	\$97,855	5.53%	1.01%	7.83%	\$93,739	-4.21%	0.23%	6.90%	\$91,057	-2.86%	7.61%	0.00%		-100.00%	
May	7.57%	\$89,491	13.37%	1.93%	7.59%	\$90,851	1.52%	0.34%	8.21%	\$108,243	19.14%	8.58%	0.00%		-100.00%	
June	8.87%	\$104,956	-4.21%	1.35%	9.63%	\$115,289	9.85%	1.18%	11.00%	\$145,068	25.83%	10.24%	0.00%		-100.00%	
Total	100.00%	\$1,182,605			100.00%	\$1,196,607			100.00%	\$1,319,125			100.00%	\$119,791		

Annual Comparison by Month




**City of Moberly
One-Half Percent (1/2%) Capital Improvement Fund Sales Tax Analysis**

#9.

	2018 - 2019				2019-2020				2020-2021				2021-2022			
			Prior year comparison				Prior year comparison				Prior year comparison				Prior year comparison	
	% of total	Amount	Monthly Change	YTD Change	% of total	Amount	Monthly Change	YTD Change	% of total	Amount	Monthly Change	YTD Change	% of total	Amount	Monthly Change	YTD Change
July	9.83%	\$116,214	-4.54%	-4.54%	8.11%	\$96,995	-16.54%	-16.54%	9.23%	\$121,689	25.46%	25.46%	100.00%	\$119,791	-1.56%	-1.56%
August	7.51%	\$88,797	15.53%	3.22%	8.47%	\$101,403	14.20%	-3.23%	7.73%	\$102,013	0.60%	12.75%	0.00%		-100.00%	
September	9.91%	\$117,181	10.81%	5.86%	9.53%	\$113,985	-2.73%	-3.04%	9.67%	\$127,495	11.85%	12.42%	0.00%		-100.00%	
October	7.44%	\$88,034	-9.24%	2.21%	7.96%	\$95,207	8.15%	-0.64%	7.99%	\$105,403	10.71%	12.02%	0.00%		-100.00%	
November	6.45%	\$76,256	26.13%	5.34%	6.85%	\$81,925	7.43%	0.62%	6.61%	\$87,256	6.51%	11.10%	0.00%		-100.00%	
December	9.16%	\$108,332	-23.29%	-1.36%	8.65%	\$103,535	-4.43%	-0.30%	8.70%	\$114,709	10.79%	11.05%	0.00%		-100.00%	
January	8.46%	\$100,082	22.45%	1.48%	8.53%	\$102,043	1.96%	0.03%	7.66%	\$101,008	-1.01%	9.28%	0.00%		-100.00%	
February	8.48%	\$100,336	2.40%	1.60%	8.64%	\$103,390	3.04%	0.41%	7.87%	\$103,792	0.39%	8.13%	0.00%		-100.00%	
March	8.05%	\$95,187	-7.45%	0.55%	8.21%	\$98,246	3.21%	0.71%	8.44%	\$111,392	13.38%	8.70%	0.00%		-100.00%	
April	8.27%	\$97,822	5.49%	1.01%	7.83%	\$93,739	-4.17%	0.23%	6.90%	\$91,057	-2.86%	7.61%	0.00%		-100.00%	
May	7.57%	\$89,491	13.37%	1.94%	7.59%	\$90,851	1.52%	0.33%	8.21%	\$108,243	19.14%	8.58%	0.00%		-100.00%	
June	8.87%	\$104,956	-4.21%	1.36%	9.63%	\$115,289	9.85%	1.18%	11.00%	\$145,068	25.83%	10.24%	0.00%		-100.00%	
Total	100.00%	\$1,182,688			100.00%	\$1,196,609			100.00%	\$1,319,126			100.00%	\$119,791		

Annual Comparison by Month




**City of Moberly
One-Half Percent (1/2%) Transportation Trust Fund Sales Tax Analysis**

#9.

	2018 - 2019				2019-2020				2020-2021				2021-2022			
			Prior year comparison				Prior year comparison				Prior year comparison				Prior year comparison	
	% of total	Amount	Monthly Change	YTD Change	% of total	Amount	Monthly Change	YTD Change	% of total	Amount	Monthly Change	YTD Change	% of total	Amount	Monthly Change	YTD Change
July	9.83%	\$116,244	-4.52%	-4.52%	8.10%	\$96,995	-16.56%	-16.56%	9.22%	\$121,689	25.46%	25.46%	100.00%	\$119,797	-1.55%	-1.55%
August	7.51%	\$88,797	15.53%	3.24%	8.48%	\$101,512	14.32%	-3.19%	7.73%	\$102,013	0.49%	12.69%	0.00%		-100.00%	
September	9.91%	\$117,272	10.87%	5.89%	9.52%	\$113,985	-2.80%	-3.05%	9.66%	\$127,495	11.85%	12.39%	0.00%		-100.00%	
October	7.44%	\$88,027	-9.27%	2.22%	7.95%	\$95,208	8.16%	-0.64%	7.99%	\$105,470	10.78%	12.01%	0.00%		-100.00%	
November	6.45%	\$76,256	26.13%	5.35%	6.84%	\$81,932	7.44%	0.62%	6.61%	\$87,256	6.50%	11.09%	0.00%		-100.00%	
December	9.16%	\$108,332	-23.29%	-1.35%	8.65%	\$103,535	-4.43%	-0.30%	8.70%	\$114,833	10.91%	11.06%	0.00%		-100.00%	
January	8.47%	\$100,216	22.56%	1.50%	8.52%	\$102,043	1.82%	0.01%	7.66%	\$101,008	-1.01%	9.29%	0.00%		-100.00%	
February	8.48%	\$100,336	2.40%	1.62%	8.64%	\$103,390	3.04%	0.39%	7.87%	\$103,792	0.39%	8.13%	0.00%		-100.00%	
March	8.06%	\$95,299	-7.36%	0.57%	8.23%	\$98,515	3.37%	0.71%	8.45%	\$111,437	13.12%	8.68%	0.00%		-100.00%	
April	8.27%	\$97,822	5.49%	1.04%	7.83%	\$93,736	-4.18%	0.23%	6.90%	\$91,057	-2.86%	7.59%	0.00%		-100.00%	
May	7.56%	\$89,491	13.37%	1.96%	7.59%	\$90,851	1.52%	0.33%	8.20%	\$108,243	19.14%	8.56%	0.00%		-100.00%	
June	8.87%	\$104,998	-4.17%	1.38%	9.64%	\$115,360	9.87%	1.18%	11.00%	\$145,123	25.80%	10.22%	0.00%		-100.00%	
Total	100.00%	\$1,183,089			100.00%	\$1,197,062			100.00%	\$1,319,415			100.00%	\$119,797		

Annual Comparison by Month




**City of Moberly
Two & One-Half Percent (2-1/2%) Use Tax Analysis**

#9.

	2018 - 2019				2019 - 2020				2020-2021				2021-2022			
			Prior year comparison				Prior year comparison				Prior year comparison				Prior year comparison	
	% of total	Amount	Monthly Change	YTD Change	% of total	Amount	Monthly Change	YTD Change	% of total	Amount	Monthly Change	YTD Change	% of total	Amount	Monthly Change	YTD Change
July	8.87%	\$46,494	33.98%	33.98%	8.54%	\$50,367	8.33%	8.33%	7.04%	\$46,392	-7.89%	-7.89%	100.00%	\$37,521	-19.12%	-19.12%
August	9.91%	\$51,962	76.73%	53.59%	7.45%	\$43,915	-15.49%	-4.24%	9.29%	\$61,192	39.34%	14.11%	0.00%		-100.00%	
September	5.27%	\$27,621	-60.92%	-6.46%	8.95%	\$52,752	90.99%	16.62%	7.23%	\$47,622	-9.73%	5.56%	0.00%		-100.00%	
October	5.31%	\$27,818	99.55%	3.47%	4.02%	\$23,669	-14.91%	10.92%	7.96%	\$52,453	121.61%	21.65%	0.00%		-100.00%	
November	10.40%	\$54,492	99.30%	18.35%	6.93%	\$40,852	-25.03%	1.52%	8.86%	\$58,373	42.89%	25.75%	0.00%		-100.00%	
December	7.55%	\$39,562	-9.57%	12.80%	8.52%	\$50,213	26.92%	5.57%	7.26%	\$47,833	-4.74%	19.90%	0.00%		-100.00%	
January	8.79%	\$46,064	17.37%	13.49%	4.56%	\$26,900	-41.60%	-1.82%	6.31%	\$41,573	54.55%	23.13%	0.00%		-100.00%	
February	10.18%	\$53,342	-37.08%	1.02%	8.59%	\$50,625	-5.09%	-2.32%	12.03%	\$79,275	56.59%	28.12%	0.00%		-100.00%	
March	11.25%	\$58,982	0.52%	0.95%	8.04%	\$47,395	-19.65%	-4.84%	9.99%	\$65,840	38.92%	29.45%	0.00%		-100.00%	
April	6.95%	\$36,407	6.51%	1.38%	9.09%	\$53,605	47.24%	-0.55%	8.34%	\$54,952	2.51%	26.17%	0.00%		-100.00%	
May	6.07%	\$31,803	-17.39%	-0.14%	12.93%	\$76,249	139.75%	8.85%	7.24%	\$47,731	-37.40%	16.78%	0.00%		-100.00%	
June	9.47%	\$49,646	4.21%	0.26%	12.37%	\$72,946	46.93%	12.46%	8.44%	\$55,587	-23.80%	11.76%	0.00%		-100.00%	
Total	100.00%	\$524,193			100.00%	\$589,488			100.00%	\$658,823			100.00%	\$37,521		

Annual Comparison by Month




**City of Moberly
One Percent (1%) Downtown Community Improvement District Sales & Use Tax Analysis**

#9.

	2018 - 2019				2019-2020				2020-2021				2021-2022			
			Prior year comparison				Prior year comparison				Prior year comparison				Prior year comparison	
	% of total	Amount	Monthly Change	YTD Change	% of total	Amount	Monthly Change	YTD Change	% of total	Amount	Monthly Change	YTD Change	% of total	Amount	Monthly Change	YTD Change
July	10.68%	499691.00%	NA	NA	7.16%	\$3,885	-22.25%	-22.25%	5.96%	\$3,526	-9.24%	-9.24%	100.00%	\$6,772	92.03%	92.03%
August	6.42%	300510.00%	NA	NA	11.67%	\$6,335	110.82%	27.72%	9.16%	\$5,425	-14.37%	-24.35%	0.00%		-100.00%	
September	7.78%	363988.00%	NA	NA	10.70%	\$5,807	59.53%	37.67%	10.13%	\$5,999	3.32%	-54.71%	0.00%		-100.00%	
October	7.79%	364700.00%	NA	NA	6.39%	\$3,466	-4.97%	27.50%	6.35%	\$3,757	8.39%	-63.80%	0.00%		-100.00%	
November	6.96%	325536.00%	NA	NA	5.75%	\$3,118	-4.21%	21.93%	5.38%	\$3,184	2.09%	-69.07%	0.00%		-100.00%	
December	8.29%	\$3,879	20.72%	20.72%	11.83%	\$6,421	65.55%	29.48%	10.07%	\$5,963	-7.14%	-75.69%	0.00%		-100.00%	
January	8.20%	\$3,838	18.14%	19.42%	7.10%	\$3,854	0.40%	25.23%	7.25%	\$4,292	11.36%	-78.93%	0.00%		-100.00%	
February	12.79%	\$5,984	3.69%	12.00%	7.26%	\$3,938	-34.19%	14.20%	8.06%	\$4,771	21.14%	-81.66%	0.00%		-100.00%	
March	8.64%	\$4,043	-8.74%	6.48%	9.75%	\$5,293	30.90%	16.06%	7.74%	\$4,583	-13.42%	-83.68%	0.00%		-100.00%	
April	6.70%	\$3,136	19.03%	8.20%	6.98%	\$3,787	20.74%	16.44%	11.44%	\$6,772	78.83%	-85.97%	0.00%		-100.00%	
May	6.85%	\$3,207	23.58%	10.02%	8.50%	\$4,615	43.88%	18.50%	6.51%	\$3,853	-16.50%	-87.01%	0.00%		-100.00%	
June	8.91%	\$4,169	-22.83%	3.52%	6.93%	\$3,761	-9.77%	15.98%	11.95%	\$7,075	88.10%	-88.56%	0.00%		-100.00%	
Total	100.00%	\$46,801			100.00%	\$54,280			100.00%	\$59,199			100.00%	\$6,772		

Annual Comparison by Month



**City of Moberly Health Plan Trust
Comparative Profit & Loss Statement
June 2021**

<u>Income</u>	<u>July 2020 - June 2021</u>	<u>July 2019 - June 2020</u>	<u>\$ Change</u>	<u>% Change</u>
4900 Miscellaneous	12,203.34	11,009.79	1,193.55	10.84%
4901 Interest Income	229.89	13,340.55	(13,110.66)	-98.28%
4950 Employer Contributions	1,395,329.05	1,351,028.37	44,300.68	3.28%
4951 Employee Contributions	260,305.00	250,336.32	9,968.68	3.98%
4952 Employee Cobra Payments	9,243.53	8,923.72	319.81	3.58%
4953 Reinsurance Refunds	98,038.05	172,444.99	(74,406.94)	-43.15%
4954 Employee Buy-up Premiums	<u>5,443.00</u>	<u>0.00</u>	<u>5,443.00</u>	<u>0.00%</u>
Total Income	1,780,791.86	1,807,083.74	(26,291.88)	-1.45%
 <u>Expenditures</u>				
5406 Contracted Services	1,911.00	1,240.00	671.00	54.11%
5806 Miscellaneous	3,000.00	0.00	3,000.00	100.00%
5817 Bank Fees	1,140.00	857.25	282.75	32.98%
5850 Health Claims Paid	820,295.90	1,190,389.08	(370,093.18)	-31.09%
5851 Pharmaceuticals	287,003.45	314,105.47	(27,102.02)	-8.63%
5852 Reinsurance Premiums	355,761.95	329,187.85	26,574.10	8.07%
5853 Life Insurance Premiums	24,513.73	28,780.94	(4,267.21)	-14.83%
5854 Medical Claims Admin Fees	48,454.62	19,821.24	28,633.38	144.46%
5855 Dental Claims Admin Fees	5,242.25	4,904.25	338.00	6.89%
5857 Dental Claims Paid	74,030.30	69,208.11	4,822.19	6.97%
5858 HSA Account Fees	<u>390.00</u>	<u>0.00</u>	<u>390.00</u>	<u>100.00%</u>
Total Expenditures	<u>1,621,743.20</u>	<u>1,958,494.19</u>	<u>(336,750.99)</u>	<u>-17.19%</u>
 Net Income (Loss)	 <u>159,048.66</u>	 <u>(151,410.45)</u>	 <u>310,459.11</u>	 <u>-205.04%</u>

**City of Moberly Health Plan Trust
Comparative Balance Sheet
June 30, 2021**

<u>ASSETS</u>	<u>June 30, 2021</u>	<u>June 30, 2020</u>	<u>\$ Change</u>	<u>% Change</u>
Current Assets				
1000 Cash	<u>519,861.25</u>	<u>360,812.59</u>	<u>159,048.66</u>	<u>44.08%</u>
Total Current Assets	<u>519,861.25</u>	<u>360,812.59</u>	<u>159,048.66</u>	<u>44.08%</u>
Other Assets				
1300 Investments	<u>0.00</u>	<u>0.00</u>	<u>0.00</u>	<u>100.00%</u>
Total Other Assets	<u>0.00</u>	<u>0.00</u>	<u>0.00</u>	<u>100.00%</u>
TOTAL ASSETS	<u>519,861.25</u>	<u>360,812.59</u>	<u>159,048.66</u>	<u>44.08%</u>
 <u>LIABILITIES & EQUITY</u>				
Equity				
3000 Unreserved Fund Balance	<u>360,812.59</u>	<u>512,223.04</u>	<u>(151,410.45)</u>	<u>-29.56%</u>
Net Income (Loss)	<u>159,048.66</u>	<u>(151,410.45)</u>	<u>310,459.11</u>	<u>-205.04%</u>
Total Equity	<u>519,861.25</u>	<u>360,812.59</u>	<u>159,048.66</u>	<u>44.08%</u>
TOTAL LIABILITIES & EQUITY	<u>519,861.25</u>	<u>360,812.59</u>	<u>159,048.66</u>	<u>44.08%</u>



City of

Police Department

Troy Link
Chief of Police
264th Session FBI Academy

300 N Clark Street
Moberly, MO 65270
Phone: 660-263-0346
Fax: 660-263-8540

**Division of Criminal Investigation
Monthly Report
June 2021**

1. Sexual Abuse: MS, 38 year old, WM, Victim: AH, 12 year old, WF, Disposition: Reports sent to RCPA.
2. Delivery of a Controlled Substance: Suspect; NF, W/M, 36 yoa, Victim; State of Missouri, Disposition: Reports sent to RCPA
3. Resisting Arrest by Fleeing, Creating Substantial Risk: Suspect; NF, W/M, 36 yoa, Victim; State of Missouri, Disposition: Reports sent to RCPA
4. DWS/R 3rd: Suspect; NF, W/M, 36 yoa, Victim; State of Missouri, Disposition: Reports sent to RCPA
5. Warrant Arrest (Felony FTA): Suspect; CJ, W/M, 31 yoa, Victim; State of Missouri, Disposition: Reports sent to RCPA
6. Warrant Arrest (Felony FTA): Suspect; CJ, W/M, 31 yoa, Victim; State of Missouri, Disposition: Reports sent to RCPA
7. Warrant Arrest (Poss Cont. Sub): Suspect; CJ, W/M, 31 yoa, Victim; State of Missouri, Disposition: Reports sent to RCPA
8. Possession of a Controlled Substance Except 35 Grams or Less of Marijuana: Suspect; CJ, W/M, 31 yoa, Victim; State of Missouri, Disposition: Reports sent to RCPA
9. Domestic Assault 2nd: Suspect; SH, W/F, 30 yoa, Victim; XB, B/M, 2 yoa, Disposition: Reports sent to RCPA
10. Abuse and Neglect of a Child: Suspect; SH, W/F, 30 yoa, Victim; XB, B/M, 2 yoa, Disposition: Reports sent to RCPA
11. Endangering the Welfare of a Child 1st: Suspect; SH, W/F, 30 yoa, Victim; XB, B/M, 2 yoa, Disposition: Reports sent to RCPA
12. Endangering the Welfare of a Child 1st: Suspect; SH, W/F, 30 yoa, Victim; XB, B/M, 2 yoa, Disposition: Reports sent to RCPA
13. Endangering the Welfare of a Child 1st: Suspect; SH, W/F, 30 yoa, Victim; XB, B/M, 2 yoa, Disposition: Reports sent to RCPA

14. Failure to Register as Sex Offender: Suspect: WA, W/M, 32 yoa; Victim: State of MO. Reports sent to RCPA.

Cases Cleared.....14
Interviews.....78
Interrogations.....3
Reports Written.....79

Special Assignments

Monthly Report

- Secured residence for patrol while they applied for a search warrant
- Assisted with the execution of a drug search warrant, 7 grams of meth and paraphernalia located
- Attended week long Basic SWAT course
- Responded to Juvenile court
- Responded to associate court for preliminary hearings
- Attempted to located wanted subject for Abuse of a Child/Endangering warrants
- Firearms qualifications
- Peace disturbance involving a gun
- Traffic stop with warning
- Knock and talk attempting to locate a wanted person
- Checked areas and residences known for drug activity
- Conducted stops on subjects leaving residences known for drug activity
- Provided courtesy ride
- Investigated over dose death
- Neighborhood canvas
- Interviewed witnesses in reference to overdose death
- Contacted MIAC in reference to overdose death
- Attended autopsy
- Sent facebook preservation request
- Called in for child abuse investigation
- Responded to Women’s and Children’s hospital to view 22 month old victim
- Interviewed witnesses to child abuse
- Located and arrested child abuse suspect, interviewed, booked.
- Watched interviews
- Attended virtual active shooter training
- Assisted dispatch
- Assisted Patrol
- Responded to a call for service of a child in the roadway



City of

Police Department

Troy Link
Chief of Police
264th Session FBI Academy

300 N Clark Street
Moberly, MO 65270
Phone: 660-263-0346
Fax: 660-263-8540

Contacted by Monroe County Children’s Division in reference to sexual assault
Contacted Hannibal Advocacy Center in reference to forensic interview
Contacted sexual assault victim’s mother in reference to incident
Contacted by victims grandmother in reference sexual assault
Contacted Rocky Ford PD in Colorado in reference to well-being of victim
Contacted Rocky Ford PD Sergeant in reference to forensic interview of victim
Completed Paycom for detective unit.
Approved numerous reports for Detective Unit.
Tagged numerous body camera videos.
Liquor License Application: Xpress Liquors & Smokes.
Liquor License Application: Xpress Liquors & Smokes.
Liquor License Application: 7th Heaven.
Liquor License Application: Walgreens.
Liquor License Application: Felicia’s Restaurant.
Liquor License Application: Bean.
Liquor License Application: Walmart Supercenter.
MIRMA Online Training: Workers Compensation: Preventing Sprain and Strain Injury.
MIRMA Online Training: Sexual Harassment in the Workplace.
Liquor License Application: Shady Tuesdays Bar and Grill.
Liquor License Application: Pizza Works.
Liquor License Application: Get It N Go Express South.
Liquor License Application: D’Abolengo.
Assisted with Child Molestation/ Child Abuse investigation.
Called MSHP Lab to check on status of submitted evidence.
MIRMA Online Training: Preventing Slips, Trips, and Falls.
Attended Defensive Tactics Training.
Assisted with Bank Robbery Investigation in Cooper County.
Qualification with firearms at MPD range.
Liquor License Application: Lula’s.
Liquor License Application: Lucky’s Last Resort.
Liquor License Application: 7th Heaven Discount Store.
Liquor License Application: Fiesta Bar & Grill.
Assisted with Peace Disturbance.

Assisted with Resisting Arrest and Possession of Controlled Substance investigation.
Liquor License Application: Get It N Go Express.
Liquor License Application: Bud's Place.
Assisted with warrant and Possession of Controlled Substance arrest.
Assisted with Death Investigation.
Assisted with Burglary Investigation.
Completed MSHP Lab Analysis Request form for Child Abuse Investigation.
Liquor License Application: Vertigo Event Services.
Attended Supervisor's Meeting
Contacted suspect of sexual abuse at Moberly Police Department
Contacted suspect of sexual assaults wife in reference to allegations
Contacted siblings of victim in reference to sexual assault allegations
Contacted by CPD Detective in reference to obtaining admittance to sexual assault
Typed Reports

Recovered Property

Respectfully Submitted,
Tracey Hayes
Commander

07/01/21
11:35

Moberly Police Department
Total CAD Calls Received, by Nature of Call

Page: 343
1

Nature of Call	Total Calls Received	% of Total
Abandoned Vehicle	3	0.33
Accident/Motor Vehicle	39	4.28
Adult Abuse	1	0.11
Alarm Call	18	1.97
Animal Bite	1	0.11
Animal Complaint	25	2.74
Assault	5	0.55
Assist Other Agency	27	2.96
Assist Public/Employee	68	7.46
Building Check	215	23.57
Burglary	4	0.44
City Ordinance Violation	14	1.54
Damage Property	4	0.44
Death Investigation	1	0.11
Document Delivery/Pickup	1	0.11
Domestic Abuse	5	0.55
DWI	1	0.11
E911 Check	5	0.55
Field Contact	21	2.30
Fire Call	2	0.22
Fire Health Safety Check	1	0.11
Found Property/Contraband	12	1.32
Fraud	3	0.33
Funeral Escort	3	0.33
Harassment	6	0.66
Health Safety	6	0.66
Intoxicated Person	1	0.11
Keeping the Peace	3	0.33
Missing Person	1	0.11
Motor Vehicle Theft	4	0.44
Parking Violation	15	1.64
Peace Disturbance	76	8.33
Safety Hazard/Violation	1	0.11
Sex Offenses	2	0.22
Special Assignment	3	0.33
Stealing	31	3.40
Suicide/Suicide Attempt	1	0.11
Suspicious Activity	46	5.04
Suspicious Person	11	1.21
Suspicious Vehicle	17	1.86
Traffic Complaint	163	17.87
Trespass/Refusing to Leave	6	0.66
Warrant Arrest	16	1.75
Try to Contact/Well-Being	24	2.63
Total Calls:		912

Report Includes:

- All dates between `00:00:01 06/01/21` and `23:59:59 06/30/21`
- All nature of incidents
- All cities matching `MOB`
- All types
- All priorities
- All agencies matching `1`

07/01/21
11:35

Moberly Police Department
Total CAD Calls Received, by Nature of Call

343
Page: 2

*** End of Report \SpillmanServer\app\tmp\reportTmp_aspilman\r

Moberly Fire Department June Monthly Report 2021



City of Moberly Fire Department

Emergency Dial 911
Station #1 660-269-8705 EXT 2035
Fax# 660-263-0596
E-mail ryand@moberlyfd.com
Station #2 660-263-4121

310 N. Clark
Moberly, MO 65270-1520
Fire Chief
Don Ryan

To: Mayor and City Council
From: Don Ryan, Fire Chief
Date: July 8, 2021
Re: June Monthly Council Report:

- Last month the fire department responded to 110 incidents (29 different types) this included: **7 fire related calls, 51 EMS Calls, 32 hazardous conditions, 8 service calls, 9 good intent calls, 4 false alarms & false calls, and 9 fire inspections.**
- We are always working with local, Regional, and State agencies on the COVID 19 crisis, civil unrest, and severe weather issues that face the regional and state.
- Vehicle maintenance: There were some minor repairs to multiple vehicles.
- Equipment/station maintenance: Bathroom/Shower project at Station 1 is almost completed. There are a few cosmetic type of work to be done.
- Station 2 remodeling project (door between apparatus bay and sleeping quarters, carpet, paint, and trim work) will be beginning very soon.
- The Department is continuing with the hydrant location mapping project with the Water Department. This will bring the mapping of all hydrants up-to-date.
- The Department has completed approximately ½ of the hydrant testing for the year and continues to make good progress.
- The crews met with the building inspection personnel to discuss issues related to making sure both sides are on the same page regarding building inspections. They quickly began their inspections the same week.
- The Department completed 494.5 training hours on Air Packs, Pumper Operations, Aerial Operations, Code Inspections, Recruit, and Health and Wellness.
- Emergency Management/Fire Chief: The EMPG paperwork for partial reimbursement of the Fire Chief salary was completed and submitted. The grant had to be re-submitted with corrections made by the Council of Governments. This was done and the grant should be going forward with no additional changes noted and funds reimbursed on an on-going basis.
- The RHSOC grant for 8 new SCBA air packs and 12 new SCBA bottles has been delivered and training was provided by Feld Fire. The equipment was inventoried and logged into our system for tracking and maintenance in the future. The Fire Chief sent a Thank You letter to the Mark Twain Regional Council of Governments.

Notice for July 2021

- The bathroom/shower project for Station 1 is scheduled to be completed by the time this report reaches everyone..
- Chief Ryan was the guest speaker for the Rotary Club Luncheon meeting on June 3rd.
- Members of the department participated in the City-Wide cleanup day held on June 8th.

- The Department held an entrance exam (written test and physical agility test) for potential new recruits on June 25th. Oral interviews were conducted on June 29th. Interview panel consisted of Marva Viley, Chief Ryan, Captain Davidson, Union President Ross Dutton and Firefighter Anthony Brake. We had five candidates go through the process and successfully completed all components of the testing.
- Chief Ryan attended the meeting at the 4th Street Theatre with Senator Blunt on June 30th.
- In July the Moberly Fire Department will continue to do hydrant testing and business inspections throughout the city.
- We have offered the firefighter vacancy position to Slater Stone and he accepted. Slater is from Paris, Missouri and he will start on July 13th.
- Chief Ryan will begin the process of putting together an Assessment Center for the promotional process needed to fill all of the officer positions on the department. He will also be holding an Engineers test if needed.
- Chief Ryan will be covering the City Manager's scheduled radio slot on July 14th.
- The Department will be going through their annual physicals in two phases (July 19th – lab work and July 29th – in person physicals) with SiteMed. This is the second year of a two year contract with the company.




Emergency: Dial 911
Station #1: 660-269-8705 Ext: 2035
Fax: 600-263-0596
Station #2: 660-263-4121

City of Moberly Fire Department

310 N. Clark
Moberly, MO 65270-1520

Incident Reports By Incident Type, Summary



Incident Type	Total Incidents	Percent
111 - Building fire	2	1.80%
1513 - Yard Waste/ Refuse Fire	4	3.60%
1514 - Recreational Fire	1	0.90%
311 - Medical assist, assist EMS crew	4	3.60%
3112 - Lift Assistance	11	9.91%
3113 - Standby, No care provided	3	2.70%
321 - EMS call, excluding vehicle accident with injury	29	26.13%
322 - Motor vehicle accident with injuries	3	2.70%
353 - Removal of victim(s) from stalled elevator	1	0.90%
411 - Gasoline or other flammable liquid spill	1	0.90%
412 - Gas leak (natural gas or LPG)	5	4.50%
444 - Power line down	1	0.90%

Incident Type	Total Incidents	Percent
445 - Arcing, shorted electrical equipment	1	0.90%
463 - Vehicle accident, general cleanup	1	0.90%
5001 - Gas Appliance Inspection	19	17.12%
5005 - CFO Inspection	2	1.80%
522 - Water or steam leak	1	0.90%
5311 - Report of odor with nothing found	5	4.50%
551 - Assist police or other governmental agency	3	2.70%
553 - Public service	2	1.80%
600 - Good intent call, other	1	0.90%
611 - Dispatched & canceled en route	3	2.70%
622 - No incident found on arrival at dispatch address	3	2.70%
652 - Steam, vapor, fog or dust thought to be smoke	1	0.90%
700 - False alarm or false call, other	1	0.90%
735 - Alarm system sounded due to malfunction	1	0.90%
743 - Smoke detector activation, no fire - unintentional	1	0.90%
745 - Alarm system activation, no fire - unintentional	1	0.90%

Total Number of Incidents: 111

Total Number of Incident Types: 28




Emergency: Dial 911
Station #1: 660-269-8705 Ext: 2035
Fax: 600-263-0596
Station #2: 660-263-4121

City of Moberly Fire Department

310 N. Clark
Moberly, MO 65270-1520

Incident Reports by Incident Type Series, Detailed



Incident Type: 1 - Fire

Incident #	Exp #	Alarm Date/Time	Address
2100400	0	6/7/2021 2:22:27 PM	1000 E McKinsey, Moberly, MO 65270
2100407	0	6/9/2021 1:54:00 AM	423 McKinley AVE, Moberly, MO 65270
2100420	0	6/11/2021 9:25:00 PM	321 E Logan ST E, Moberly, MO 65270
2100421	0	6/11/2021 11:46:00 PM	400 E HWY 24 HWY E, Moberly, MO 65270
2100435	0	6/17/2021 12:07:06 AM	1023 MYRA, Moberly, MO 65270
2100444	0	6/18/2021 11:39:03 AM	1303 QUINN, Moberly, MO 65270
2100483	0	6/26/2021 1:15:00 PM	1114 Myra ST, Moberly, MO 65270
			Total Incidents: 7

Incident Type: 3 - Rescue & Emergency Medical Service Incident

Incident #	Exp #	Alarm Date/Time	Address
2100384	0	6/1/2021 11:56:14 AM	1226 CONCANNON, Moberly, MO 65270
2100386	0	6/1/2021 11:18:37 PM	401 MOREHEAD, Moberly, MO 65270
2100389	0	6/2/2021 10:33:53 PM	530 E Rollins ST, Moberly, MO 65270
2100390	0	6/3/2021 4:19:09 AM	1507 Bertley ST 505 ST, Moberly, MO 65270
2100393	0	6/3/2021 3:34:45 PM	1711 MORLEY, Moberly, MO 65270
2100403	0	6/8/2021 11:51:49 AM	800 SINNOCK, Moberly, MO 65270
2100404	0	6/8/2021 6:36:19 PM	100 MCKEOWN PKY, Moberly, MO 65270
2100406	0	6/8/2021 9:31:00 PM	700 FARROR, Moberly, MO 65270
2100410	0	6/9/2021 12:55:37 PM	1020 W 24 HWY, Moberly, MO 65270
2100411	0	6/9/2021 3:44:37 PM	800 HARRISON, Moberly, MO 65270
2100414	0	6/10/2021 11:28:41 AM	800 SINNOCK, Moberly, MO 65270

2100417 0 6/10/2021 1:15:07 800 SINNOCK, Moberly, MO 65270
PM

2100419 0 6/11/2021 12:52:00 1801 W OUTER, Room 108 RD W, Moberly, MO 65270
PM

2100422 0 6/12/2021 6:58:48 1121 LOWRY, Moberly, MO 65270
PM

2100423 0 6/12/2021 9:37:35 1007 MYRA, Moberly, MO 65270
PM

2100425 0 6/13/2021 9:35:43 502 FRANKLIN, Moberly, MO 65270
PM

2100426 0 6/14/2021 2:15:00 N Morley ST & N Taylor ST, Moberly, MO
PM

2100427 0 6/14/2021 9:47:00 715 Covey CT, Moberly, MO 65270
PM

2100433 0 6/16/2021 7:44:22 915 SHELBY, Moberly, MO 65270
AM

2100434 0 6/16/2021 11:29:50 115 Rothwell Park, Moberly, MO 65270
PM

2100437 0 6/17/2021 3:00:32 305 Horsley ST, Moberly, MO 65270
PM

2100439 0 6/17/2021 10:45:51 2105 SILVA, Moberly, MO 65270
PM

2100441 0 6/18/2021 9:25:39 703 7 BRIDGES, Moberly, MO 65270
AM

2100445 0 6/19/2021 1:24:55 310 END, Moberly, MO 65270
AM

2100446 0 6/19/2021 3:27:00 800 Sinnock AVE #47, Moberly, MO 65270
AM

2100447 0 6/19/2021 4:56:00 800 SINNOCK #47, Moberly, MO 65270
AM

2100448 0 6/19/2021 2:13:37 612 COATES, Moberly, MO 65270
PM

2100449 0 6/19/2021 4:10:19 hwy 63 / hwy m, Moberly, MO 65270
PM

2100453 0 6/20/2021 12:47:47 800 SINNOCK #47, Moberly, MO 65270
PM

2100454 0 6/20/2021 7:30:10 800 SINNOCK #47, Moberly, MO 65270
PM

2100456 0 6/21/2021 9:08:28 800 SINNOCK, Moberly, MO 65270
AM

2100458 0 6/21/2021 6:52:14 504 MOREHEAD, Moberly, MO 65270
PM

2100460 0 6/22/2021 6:54:35 310 College #1, Moberly, MO 65270
AM

2100463 0 6/22/2021 1:09:05 1217 SHEPHERDS, Moberly, MO 65270
PM

2100465	0	6/22/2021 11:16:23	505 1/2 W REED, Moberly, MO 65270 PM
2100466	0	6/23/2021 12:34:26	220 220 Taylor, Moberly, MO 65270 AM
2100467	0	6/23/2021 5:47:33	920 5TH ST, Moberly, MO 65270 AM
2100469	0	6/23/2021 4:02:00	605 Briarwood ST, Moberly, MO 65270 PM
2100470	0	6/23/2021 11:50:00	1230 Quinn ST, Moberly, MO 65270 PM
2100471	0	6/24/2021 8:36:18	800 SINNOCK #33, Moberly, MO 65270 AM
2100474	0	6/24/2021 3:58:04	MORLEY, Moberly, MO 65270 PM
2100476	0	6/24/2021 4:12:16	703 CLARK, Moberly, MO 65270 PM
2100475	0	6/24/2021 4:19:21	101 McKeown, Moberly, MO 65270 PM
2100478	0	6/25/2021 4:33:56	1009 HIGHWAY 24, Moberly, MO 65270 PM
2100479	0	6/25/2021 6:00:04	404 FRANKLIN, Moberly, MO 65270 PM
2100485	0	6/26/2021 6:48:00	E Highway 24 & N Highway 63, Moberly, MO PM
2100486	0	6/26/2021 7:34:00	205 Farror ST, Moberly, MO 65270 PM
2100489	0	6/28/2021 8:41:37	1000 WILLIAMS, Moberly, MO 65270 PM
2100490	0	6/28/2021 10:15:59	814 PROMENADE, Moberly, MO 65270 PM
2100491	0	6/30/2021 1:34:00	1000 S Williams ST S, Moberly, MO 65270 AM
2100493	0	6/30/2021 5:03:12	625 TAYLOR, Moberly, MO 65270 PM

Total Incidents: 51

Incident Type: 4 - Hazardous Condition (No Fire)

Incident #	Exp #	Alarm Date/Time	Address
2100392	0	6/3/2021 2:38:00	100 Jamar ST #2, Moberly, MO 65270 PM
2100398	0	6/7/2021 9:33:31	669 MORLEY, Moberly, MO 65270 AM
2100409	0	6/9/2021 9:42:37	904 VINCIL, Moberly, MO 65270 AM

2100429	0	6/15/2021 5:37:00	490 Woodland AVE, Moberly, MO 65270 AM
2100438	0	6/17/2021 4:15:00	408 W Reed ST, Moberly, MO 65270 AM
2100450	0	6/19/2021 9:43:41	612 COATES, Moberly, MO 65270 PM
2100468	0	6/23/2021 9:01:37	1315 HIGHWAY 24, Moberly, MO 65270 AM
2100481	0	6/26/2021 7:02:00	315 Emerson ST, Moberly, MO 65270 AM
2100484	0	6/26/2021 5:27:00	N Morley ST & Union AVE, Moberly, MO PM

Total Incidents: 9

Incident Type: 5 - Service Call

Incident #	Exp #	Alarm Date/Time	Address
2100383	0	6/1/2021 9:42:00	1100 LOGAN, Moberly, MO 65270 AM
2100385	0	6/1/2021 1:00:00	132 Elizabeth ST, Moberly, MO 65270 PM
2100387	0	6/1/2021 11:28:27	105 HAGOOD, Moberly, MO 65270 PM
2100388	0	6/2/2021 7:03:43	1301 E Hwy 24 HWY, Moberly, MO 65270 PM
2100391	0	6/3/2021 9:15:00	145 Bedford ST, Moberly, MO 65270 AM
2100396	0	6/4/2021 6:59:18	501 E Carpenter ST, Moberly, MO 65270 PM
2100401	0	6/7/2021 3:10:35	300 MORLEY, Moberly, MO 65270 PM
2100408	0	6/9/2021 8:00:00	812 McKinley AVE, Moberly, MO 65270 AM
2100413	0	6/10/2021 11:00:00	138 S Tannehill ST, Moberly, MO 65270 AM
2100415	0	6/10/2021 12:00:00	523 S Clark ST, Moberly, MO 65270 PM
2100416	0	6/10/2021 12:30:00	138 S Tannehill, Moberly, MO 65270 PM
2100418	0	6/11/2021 9:21:00	812 McKinley AVE #B, Moberly, MO 65270 AM
2100428	0	6/14/2021 10:31:00	415 Garfield ST, Moberly, MO 65270 PM
2100430	0	6/15/2021 10:30:00	315 S Fourth ST, Moberly, MO 65270 AM

2100431	0	6/15/2021 11:15:00	711 Gratz Brown, Moberly, MO 65270 AM
2100436	0	6/17/2021 9:20:00	212 Epperson ST, Moberly, MO 65270 AM
2100440	0	6/18/2021 9:00:00	600 E US 24 HWY, Moberly, MO 65270 AM
2100442	0	6/18/2021 9:45:00	530 Bertley ST, Moberly, MO 65270 AM
2100443	0	6/18/2021 10:00:00	853 W Coates, Moberly, MO 65270 AM
2100451	0	6/19/2021 9:58:00	Rollins, Moberly, MO 65270 PM
2100452	0	6/19/2021 10:18:43	CLARK, Moberly, MO 65270 PM
2100455	0	6/20/2021 9:45:00	Gratz Brown ST & E McKinsey ST, Moberly, MO PM
2100457	0	6/21/2021 10:00:00	608 Franklin ST, Moberly, MO 65270 AM
2100459	0	6/21/2021 7:54:03	425 MADISON, Moberly, MO 65270 PM
2100462	0	6/22/2021 7:59:00	519 W Reed ST, Moberly, MO 65270 AM
2100461	0	6/22/2021 10:30:00	608 Franklin ST, Moberly, MO 65270 AM
2100464	0	6/22/2021 9:11:57	507 END, Moberly, MO 65270 PM
2100472	0	6/24/2021 9:00:00	930 Bertley, Moberly, MO 65270 AM
2100473	0	6/24/2021 3:00:00	224 W Hinton, Moberly, MO 65270 PM
2100477	0	6/25/2021 1:12:36	626 FISK, Moberly, MO 65270 PM
2100487	0	6/27/2021 10:25:00	520 Franklin ST, Moberly, MO 65270 AM
2100488	0	6/28/2021 9:45:41	623 Adams AVE, Moberly, MO 65270 AM

Total Incidents: 32

Incident Type: 6 - Good Intent Call

Incident #	Exp #	Alarm Date/Time	Address
2100397	0	6/6/2021 5:36:42	1201 Concannon ST W, Moberly, MO 65270 PM
2100402	0	6/7/2021 3:58:23	100 McKeown PKY, Moberly, MO 65270 PM

2100405	0	6/8/2021 8:34:58 PM	810 SINNOCK, Moberly, MO 65270
2100412	0	6/9/2021 11:51:38 PM	CONCANNON, Moberly, MO 65270
2100424	0	6/13/2021 3:04:05 PM	414 MONROE, Moberly, MO 65270
2100480	0	6/25/2021 7:21:01 PM	1961 HIRST, Moberly, MO 65270
2100482	0	6/26/2021 8:01:00 AM	906 Myra ST, Moberly, MO 65270
2100492	0	6/30/2021 4:25:12 PM	Vincent Ter, Moberly, MO 65270

Total Incidents: 8

Incident Type: 7 - False Alarm & False Call

Incident #	Exp #	Alarm Date/Time	Address
2100394	0	6/4/2021 5:15:17 AM	612 W Coates ST, Moberly, MO 65270
2100395	0	6/4/2021 9:43:28 AM	1019 SINNOCK, Moberly, MO 65270
2100399	0	6/7/2021 10:37:41 AM	100 Mckwen, Moberly, MO 65270
2100432	0	6/16/2021 3:28:02 AM	612 COATES, Moberly, MO 65270

Total Incidents: 4

Total Number of Distict Incidents: 111

Total Number of Distict Incident Types: 28

Report Filter Settings

Report File Name: Incident Reports by Incident Major Type, Detailed

Filter Name: Last Month

Filter Expression: [AlarmDateTime] is between '6/1/2021 12:00:00 AM' and '6/30/2021 11:59:59 PM'




City of Moberly Fire Department

Emergency: Dial 911
Station #1: 660-269-8705 Ext: 2035
Fax: 600-263-0596
Station #2: 660-263-4121

310 N. Clark
Moberly, MO 65270-1520

Incident Reports by Time of Day, Detailed



12:00 am

Incident #	Exp #	Alarm Date	Incident Type
2100435	0	6/17/2021	1513 - Yard Waste/ Refuse Fire
2100466	0	6/23/2021	321 - EMS call, excluding vehicle accident with injury
Total Number of Incidents:			2

1:00 am

Incident #	Exp #	Alarm Date	Incident Type
2100407	0	6/9/2021	1513 - Yard Waste/ Refuse Fire
2100445	0	6/19/2021	311 - Medical assist, assist EMS crew
2100491	0	6/30/2021	3112 - Lift Assistance
Total Number of Incidents:			3

3:00 am

Incident #	Exp #	Alarm Date	Incident Type
2100432	0	6/16/2021	745 - Alarm system activation, no fire - unintentional

2100446 0 6/19/2021 3112 - Lift Assistance

Total Number of Incidents: 2

4:00 am

Incident #	Exp #	Alarm Date	Incident Type
2100390	0	6/3/2021	3113 - Standby, No care provided
2100438	0	6/17/2021	412 - Gas leak (natural gas or LPG)
2100447	0	6/19/2021	3112 - Lift Assistance

Total Number of Incidents: 3

5:00 am

Incident #	Exp #	Alarm Date	Incident Type
2100394	0	6/4/2021	743 - Smoke detector activation, no fire - unintentional
2100429	0	6/15/2021	412 - Gas leak (natural gas or LPG)
2100467	0	6/23/2021	321 - EMS call, excluding vehicle accident with injury

Total Number of Incidents: 3

6:00 am

Incident #	Exp #	Alarm Date	Incident Type
2100460	0	6/22/2021	321 - EMS call, excluding vehicle accident with injury

Total Number of Incidents: 1

7:00 am

Incident #	Exp #	Alarm Date	Incident Type
2100433	0	6/16/2021	321 - EMS call, excluding vehicle accident with injury
2100462	0	6/22/2021	5005 - CFO Inspection
2100481	0	6/26/2021	444 - Power line down

Total Number of Incidents: 3

8:00 am

Incident #	Exp #	Alarm Date	Incident Type
-------------------	--------------	-------------------	----------------------

2100408	0	6/9/2021	5001 - Gas Appliance Inspection
2100471	0	6/24/2021	3112 - Lift Assistance
2100482	0	6/26/2021	611 - Dispatched & canceled en route

Total Number of Incidents: 3

9:00 am

Incident #	Exp #	Alarm Date	Incident Type
2100383	0	6/1/2021	5001 - Gas Appliance Inspection
2100391	0	6/3/2021	5001 - Gas Appliance Inspection
2100395	0	6/4/2021	700 - False alarm or false call, other
2100398	0	6/7/2021	412 - Gas leak (natural gas or LPG)
2100409	0	6/9/2021	412 - Gas leak (natural gas or LPG)
2100418	0	6/11/2021	5001 - Gas Appliance Inspection
2100436	0	6/17/2021	5001 - Gas Appliance Inspection
2100440	0	6/18/2021	5005 - CFO Inspection
2100441	0	6/18/2021	3112 - Lift Assistance
2100442	0	6/18/2021	5001 - Gas Appliance Inspection
2100456	0	6/21/2021	3112 - Lift Assistance
2100468	0	6/23/2021	411 - Gasoline or other flammable liquid spill
2100472	0	6/24/2021	5001 - Gas Appliance Inspection
2100488	0	6/28/2021	5001 - Gas Appliance Inspection

Total Number of Incidents: 14

10:00 am

Incident #	Exp #	Alarm Date	Incident Type
2100399	0	6/7/2021	735 - Alarm system sounded due to malfunction
2100430	0	6/15/2021	5001 - Gas Appliance Inspection
2100443	0	6/18/2021	5001 - Gas Appliance Inspection
2100457	0	6/21/2021	5001 - Gas Appliance Inspection
2100461	0	6/22/2021	5001 - Gas Appliance Inspection
2100487	0	6/27/2021	5311 - Report of odor with nothing found

Total Number of Incidents: 6

11:00 am

Incident #	Exp #	Alarm Date	Incident Type
2100384	0	6/1/2021	321 - EMS call, excluding vehicle accident with injury
2100403	0	6/8/2021	3112 - Lift Assistance
2100413	0	6/10/2021	5001 - Gas Appliance Inspection
2100414	0	6/10/2021	3113 - Standby, No care provided
2100431	0	6/15/2021	5001 - Gas Appliance Inspection
2100444	0	6/18/2021	111 - Building fire

Total Number of Incidents: 6

12:00 pm

Incident #	Exp #	Alarm Date	Incident Type
2100410	0	6/9/2021	321 - EMS call, excluding vehicle accident with injury
2100415	0	6/10/2021	5001 - Gas Appliance Inspection
2100416	0	6/10/2021	5001 - Gas Appliance Inspection
2100419	0	6/11/2021	321 - EMS call, excluding vehicle accident with injury
2100453	0	6/20/2021	311 - Medical assist, assist EMS crew

Total Number of Incidents: 5

1:00 pm

Incident #	Exp #	Alarm Date	Incident Type
2100385	0	6/1/2021	5001 - Gas Appliance Inspection
2100417	0	6/10/2021	3112 - Lift Assistance
2100463	0	6/22/2021	321 - EMS call, excluding vehicle accident with injury
2100477	0	6/25/2021	5001 - Gas Appliance Inspection
2100483	0	6/26/2021	111 - Building fire

Total Number of Incidents: 5

2:00 pm

Incident #	Exp #	Alarm Date	Incident Type
-------------------	--------------	-------------------	----------------------

2100392	0	6/3/2021	412 - Gas leak (natural gas or LPG)
2100400	0	6/7/2021	1513 - Yard Waste/ Refuse Fire
2100426	0	6/14/2021	322 - Motor vehicle accident with injuries
2100448	0	6/19/2021	321 - EMS call, excluding vehicle accident with injury

Total Number of Incidents: 4

3:00 pm

Incident #	Exp #	Alarm Date	Incident Type
2100393	0	6/3/2021	321 - EMS call, excluding vehicle accident with injury
2100401	0	6/7/2021	5311 - Report of odor with nothing found
2100402	0	6/7/2021	611 - Dispatched & canceled en route
2100411	0	6/9/2021	321 - EMS call, excluding vehicle accident with injury
2100424	0	6/13/2021	622 - No incident found on arrival at dispatch address
2100437	0	6/17/2021	321 - EMS call, excluding vehicle accident with injury
2100473	0	6/24/2021	5001 - Gas Appliance Inspection
2100474	0	6/24/2021	322 - Motor vehicle accident with injuries

Total Number of Incidents: 8

4:00 pm

Incident #	Exp #	Alarm Date	Incident Type
2100449	0	6/19/2021	3113 - Standby, No care provided
2100469	0	6/23/2021	321 - EMS call, excluding vehicle accident with injury
2100476	0	6/24/2021	321 - EMS call, excluding vehicle accident with injury
2100475	0	6/24/2021	321 - EMS call, excluding vehicle accident with injury
2100478	0	6/25/2021	311 - Medical assist, assist EMS crew
2100492	0	6/30/2021	622 - No incident found on arrival at dispatch address

Total Number of Incidents: 6

5:00 pm

Incident #	Exp #	Alarm Date	Incident Type
2100397	0	6/6/2021	600 - Good intent call, other

2100484	0	6/26/2021	463 - Vehicle accident, general cleanup
2100493	0	6/30/2021	3112 - Lift Assistance

Total Number of Incidents: 3

6:00 pm

Incident #	Exp #	Alarm Date	Incident Type
2100396	0	6/4/2021	5311 - Report of odor with nothing found
2100404	0	6/8/2021	321 - EMS call, excluding vehicle accident with injury
2100422	0	6/12/2021	321 - EMS call, excluding vehicle accident with injury
2100458	0	6/21/2021	321 - EMS call, excluding vehicle accident with injury
2100479	0	6/25/2021	321 - EMS call, excluding vehicle accident with injury
2100485	0	6/26/2021	322 - Motor vehicle accident with injuries

Total Number of Incidents: 6

7:00 pm

Incident #	Exp #	Alarm Date	Incident Type
2100388	0	6/2/2021	522 - Water or steam leak
2100454	0	6/20/2021	3112 - Lift Assistance
2100459	0	6/21/2021	5311 - Report of odor with nothing found
2100480	0	6/25/2021	622 - No incident found on arrival at dispatch address
2100486	0	6/26/2021	353 - Removal of victim(s) from stalled elevator

Total Number of Incidents: 5

8:00 pm

Incident #	Exp #	Alarm Date	Incident Type
2100405	0	6/8/2021	652 - Steam, vapor, fog or dust thought to be smoke
2100489	0	6/28/2021	321 - EMS call, excluding vehicle accident with injury

Total Number of Incidents: 2

9:00 pm

Incident #	Exp #	Alarm Date	Incident Type
-------------------	--------------	-------------------	----------------------

2100406	0	6/8/2021	321 - EMS call, excluding vehicle accident with injury
2100420	0	6/11/2021	1514 - Recreational Fire
2100423	0	6/12/2021	321 - EMS call, excluding vehicle accident with injury
2100425	0	6/13/2021	321 - EMS call, excluding vehicle accident with injury
2100427	0	6/14/2021	321 - EMS call, excluding vehicle accident with injury
2100450	0	6/19/2021	445 - Arcing, shorted electrical equipment
2100451	0	6/19/2021	551 - Assist police or other governmental agency
2100455	0	6/20/2021	553 - Public service
2100464	0	6/22/2021	553 - Public service

Total Number of Incidents: 9

10:00 pm

Incident #	Exp #	Alarm Date	Incident Type
2100389	0	6/2/2021	321 - EMS call, excluding vehicle accident with injury
2100428	0	6/14/2021	5311 - Report of odor with nothing found
2100439	0	6/17/2021	3112 - Lift Assistance
2100452	0	6/19/2021	551 - Assist police or other governmental agency
2100490	0	6/28/2021	321 - EMS call, excluding vehicle accident with injury

Total Number of Incidents: 5

11:00 pm

Incident #	Exp #	Alarm Date	Incident Type
2100386	0	6/1/2021	311 - Medical assist, assist EMS crew
2100387	0	6/1/2021	551 - Assist police or other governmental agency
2100412	0	6/9/2021	611 - Dispatched & canceled en route
2100421	0	6/11/2021	1513 - Yard Waste/ Refuse Fire
2100434	0	6/16/2021	321 - EMS call, excluding vehicle accident with injury
2100465	0	6/22/2021	321 - EMS call, excluding vehicle accident with injury
2100470	0	6/23/2021	321 - EMS call, excluding vehicle accident with injury

Total Number of Incidents: 7

Report Filter Settings

Report Name: Incident Reports by Time of Day, Detailed

Filter Name: last month

Filter Expression: [AlarmDateTime] is between '6/1/2021 12:00:00 AM' and '6/30/2021 11:59:59 PM'



Emergency: Dial 911
Station #1: 660-269-8705 Ext: 2035
Fax: 600-263-0596
Station #2: 660-263-4121

City of Moberly Fire Department

310 N. Clark
Moberly, MO 65270-1520

Incident Reports by Apparatus, Summary

Apparatus:	Total Number of Incidents Responded to:
300 Pickup	53
2007 Chevy	
302 Saber	41
304 Contender	17
305 Contender	23
310 P/U	3
POV	1

Total Number of Incidents: 110

Report Filter Settings

Report Name: Incident Reports by Apparatus, Summary

Filter Name: Last Month

Filter Expression: [AlarmDateTime] is between '6/1/2021 12:00:00 AM' and '6/30/2021 11:59:59 PM'



City of Moberly Fire Department

Emergency: Dial 911
Station #1: 660-269-8705 Ext: 2035
Fax: 600-263-0596
Station #2: 660-263-4121

310 N. Clark
Moberly, MO 65270-1520

Hydrant Flow Tests by Hydrant Number

Location: **Color:**
District: **Township:** **Year:**
Next Test Date: **Make:**

FLOW TEST SUMMARY		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
06/30/2021		1091	828	50	20	25	750
06/03/2021		2492	1953	55	35	45	993
06/03/2021		3680	2793	50	40	45	1061

Hydrant Number: 3w076

Location: Burkhart W., Moberly, MO **Color:** Green
District: WARD THREE **Township:** **Year:**
Next Test Date: 05/11/2021 **Make:** American Darlling

FLOW TEST SUMMARY		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
06/03/2021		2793	2243	60	40	50	1061

Hydrant Number: 3w076A

Location: Burkhart & Brinkerhoff ST

Color: Orange

District: WARD THREE **Township:**

Year:

Next Test Date: 06/04/2022

Make: American Darling

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose						
06/03/2021		1854	1452	55	30	40	919

Hydrant Number: 3w077

Location: Burkhart W., Moberly, MO

Color: Green

District: WARD THREE **Township:**

Year:

Next Test Date: 06/03/2022

Make: American Darling

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose						
06/03/2021		3680	2793	50	40	45	1061

Hydrant Number: 3w078

Location: Fisk, Moberly, MO

Color: Orange

District: WARD THREE **Township:**

Year:

Next Test Date: 06/03/2022

Make: Mueller

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose						
06/03/2021		1284	1006	55	25	30	839

Hydrant Number: 3w079

Location: Maple Dr, Moberly, MO

Color: Orange

District: WARD THREE **Township:**

Year:

Next Test Date: 06/03/2022

Make: American Darlling

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose						
06/03/2021		3624	2839	55	35	50	993

Hydrant Number: 3W079 A

Location: Riegle & High ST

Color: Orange

District: WARD THREE **Township:**

Year:

Next Test Date: 06/03/2022

Make: American Darlling

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose						
06/03/2021		2492	1953	55	35	45	993

Hydrant Number: 3W080

Location: 1207 Fisk, Moberly, MO

Color: Red

District: WARD THREE **Township:**

Year:

Next Test Date: 06/03/2022

Make: Mueller

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose						
06/03/2021		586	470	60	10	10	531

Hydrant Number: 3W081

Location: 219 Sunset DR, Moberly, MO
District: WARD THREE **Township:**
Next Test Date: 06/03/2022

Color: Green
Year:
Make: Mueller

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose						
06/03/2021		1778	1458	65	40	40	1061

Hydrant Number: 3W082

Location: Park AVE, Moberly, MO
District: WARD THREE **Township:**
Next Test Date: 06/03/2022

Color: Orange
Year:
Make: Mueller

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose						
06/03/2021		2163	1695	55	35	42	993

Hydrant Number: 3W083

Location: 1221 Woody, Moberly, MO
District: WARD THREE **Township:**
Next Test Date: 06/04/2022

Color: Orange
Year:
Make:

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose						
06/04/2021		581	476	65	10	10	531

Hydrant Number: 3W084

Location: Woody, Moberly, MO

Color: Orange

District: WARD THREE

Township:

Year:

Next Test Date: 06/04/2022

Make:

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose						
06/04/2021		915	750	65	20	20	750

Hydrant Number: 3W085

Location: 324 Circle DR, Moberly, MO 65270

Color: Orange

District: WARD THREE

Township:

Year:

Next Test Date: 06/04/2022

Make:

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose						
06/04/2021		989	836	75	20	30	750

Hydrant Number: 3W087

Location: Greenhills--2nd plug, Moberly, MO

Color: Orange

District: WARD THREE

Township:

Year:

Next Test Date: 06/09/2022

Make:

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose						
06/09/2021		796	681	80	15	25	650

Hydrant Number: 3W088

Location: Corinth DR, Moberly, MO

Color: Orange

District: WARD THREE Township:
Next Test Date: 06/09/2022

Year:
Make:

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose						
06/09/2021		953	794	70	20	25	750

Hydrant Number: 3W089

Location: 309 Greenbrier, Moberly, MO Color: Orange
District: WARD THREE Township: Year:
Next Test Date: 06/09/2022 Make:

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose						
06/09/2021		900	750	70	20	20	750

Hydrant Number: 3W090

Location: 505 Greenbrier, Moberly, MO Color: Orange
District: WARD THREE Township: Year:
Next Test Date: 06/09/2022 Make:

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose						
06/09/2021		900	750	70	20	20	750

Hydrant Number: 3W091

Location: 602 Greenbrier, Moberly, MO Color: Orange
District: WARD THREE Township: Year:

Next Test Date: 06/09/2022

Make:

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose						
06/09/2021		1953	1628	70	35	50	993

Hydrant Number: 3W092

Location: 711 Greenbrier, Moberly, MO

Color: Orange

District: WARD THREE Township:

Year:

Next Test Date: 06/09/2022

Make:

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose						
06/09/2021		934	750	60	20	20	750

Hydrant Number: 3w093

Location: Brierwood DR, Moberly, MO

Color: Orange

District: WARD THREE Township:

Year:

Next Test Date: 06/09/2022

Make:

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose						
06/09/2021		934	750	60	20	20	750

Hydrant Number: 3w094

Location: 614 Brierwood RD, Moberly, MO

Color: Orange

District: WARD THREE Township:

Year:

Next Test Date: 06/09/2022

Make:

FLOW TEST SUMMARY

Test Date	Test Purpose	Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
06/09/2021		809	650	60	15	20	650

Hydrant Number: 3w095

Location: 706 Brierwood RD, Moberly, MO **Color:** Orange
District: WARD THREE **Township:** **Year:**
Next Test Date: 06/09/2022 **Make:**

FLOW TEST SUMMARY

Test Date	Test Purpose	Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
06/09/2021		934	750	60	20	20	750

Hydrant Number: 3w096

Location: 1606 Parkwood at end, Moberly, MO **Color:** Green
District: WARD THREE **Township:** **Year:**
Next Test Date: 06/09/2022 **Make:**

FLOW TEST SUMMARY

Test Date	Test Purpose	Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
06/09/2021		1004	807	60	20	25	750

Hydrant Number: 3w097

Location: Park Ave---600 BLK, Moberly, MO **Color:** Green
District: WARD THREE **Township:** **Year:**
Next Test Date: 06/09/2022 **Make:**

FLOW TEST SUMMARY

Flow at	Flow at	Static	Pitot	Actual Residual	Calculated
---------	---------	--------	-------	-----------------	------------

Test Date	Test Purpose	0 PSI	20 PSI	Pressure	Pressure	Pressure	Flow
06/09/2021		2243	1802	60	40	45	1061

Hydrant Number: 3w098

Location: 7 Westwood, Moberly, MO **Color:** Green
District: WARD THREE **Township:** **Year:**
Next Test Date: 06/09/2022 **Make:**

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose	0 PSI	20 PSI	Pressure	Pressure	Pressure	Flow
06/09/2021		1220	980	60	25	30	839

Hydrant Number: 3w099

Location: Park AVE & 7 Bridges RD, Moberly, MO **Color:** Green
District: WARD THREE **Township:** **Year:**
Next Test Date: 06/09/2022 **Make:**

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose	0 PSI	20 PSI	Pressure	Pressure	Pressure	Flow
06/09/2021		2962	2380	60	45	50	1126

Hydrant Number: 3w100

Location: Park AVE & Beuth PL, Moberly, MO **Color:** Blue
District: WARD THREE **Township:** **Year:**
Next Test Date: 06/09/2022 **Make:**

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose	0 PSI	20 PSI	Pressure	Pressure	Pressure	Flow

06/09/2021 3694 3225 90 70 75 1404

Hydrant Number: 3W135

Location: Benson, Moberly, MO **Color:** Red
District: WARD THREE **Township:** **Year:**
Next Test Date: 06/14/2022 **Make:** Mueller

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose						
06/14/2021		591	463	55	10	10	531

Hydrant Number: 3W136

Location: Fisk, Moberly, MO **Color:** Orange
District: WARD THREE **Township:** **Year:**
Next Test Date: 06/14/2022 **Make:** American Darlling

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose						
06/14/2021		856	650	50	15	20	650

Hydrant Number: 3W148

Location: Fifth S., Moberly, MO **Color:** Red
District: WARD THREE **Township:** **Year:**
Next Test Date: 05/19/2021 **Make:** Mueller

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose						
06/15/2021		856	650	50	15	20	650

Hydrant Number: 3W149

Location: Epperson, Moberly, MO **Color:** Orange
District: WARD THREE **Township:** **Year:**
Next Test Date: 05/19/2021 **Make:** American Darling

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose						
06/15/2021		1220	980	60	25	30	839

Hydrant Number: 3W150

Location: Logan W., Moberly, MO **Color:** Orange
District: WARD THREE **Township:** **Year:**
Next Test Date: 05/19/2020 **Make:** American Darling

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose						
06/15/2021		1475	1185	60	30	35	919

Hydrant Number: 3W151

Location: Fifth S., Moberly, MO **Color:** Red
District: WARD THREE **Township:** **Year:**
Next Test Date: 05/19/2021 **Make:**

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose						
06/15/2021		423	321	50	5	10	375

Hydrant Number: 3W152

Location: Lee, Moberly, MO **Color:** Red
District: WARD THREE **Township:** **Year:**
Next Test Date: 05/19/2021 **Make:** American Darling

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose						
06/15/2021		599	454	50	10	10	531

Hydrant Number: 3W153

Location: Fifth S., Moberly, MO **Color:** Orange
District: WARD THREE **Township:** **Year:**
Next Test Date: 06/17/2022 **Make:**

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose						
06/17/2021		699	531	50	10	20	531

Hydrant Number: 3W154

Location: Fifth S., Moberly, MO **Color:** Red
District: WARD THREE **Township:** **Year:**
Next Test Date: 06/17/2022 **Make:** Mueller

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose						
06/17/2021		699	531	50	10	20	531

Hydrant Number: 3w155

Location: Epperson, Moberly, MO

Color: Red

District: WARD THREE **Township:**

Year:

Next Test Date: 06/17/2022

Make: Mueller

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
06/17/2021		643	488	50	10	15	531

Hydrant Number: 3w156

Location: Carpenter, Moberly, MO

Color: Red

District: WARD THREE **Township:**

Year:

Next Test Date: 06/17/2022

Make: Mueller

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
06/17/2021		599	454	50	10	10	531

Hydrant Number: 3w157

Location: Lions Pa Beuth RD, Moberly, MO

Color: Blue

District: WARD THREE **Township:**

Year:

Next Test Date: 06/17/2022

Make: Mueller

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
06/17/2021		3348	2968	100	70	80	1404

Hydrant Number: 3w158

Location: 822 Beuth RD, Moberly, MO

Color: Blue

District: WARD THREE **Township:**

Year:

Next Test Date: 06/17/2022

Make: Mueller

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose						
06/17/2021		3995	3420	80	60	70	1300

Hydrant Number: 3w159

Location: 714 Beuth RD, Moberly, MO

Color: Blue

District: WARD THREE **Township:**

Year:

Next Test Date: 06/17/2022

Make: Mueller

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose						
06/17/2021		3995	3420	80	60	70	1300

Hydrant Number: 3w160

Location: 620 Beuth RD, Moberly, MO

Color: Red

District: WARD THREE **Township:**

Year:

Next Test Date: 06/17/2022

Make: Mueller

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose						
06/17/2021		3122	2508	60	50	50	1186

Hydrant Number: 3W161

Location: Sixth S., Moberly, MO

Color: Orange

District: WARD THREE
Next Test Date: 06/17/2022

Township:

Year:
Make: Mueller

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose						
06/17/2021		3680	2793	50	40	45	1061

Hydrant Number: 3w162

Location: Sixth S., Moberly, MO
District: WARD THREE
Next Test Date: 06/17/2022

Township:

Color: Orange
Year:
Make: Mueller

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose						
06/17/2021		809	650	60	15	20	650

Hydrant Number: 3w163

Location: Epperson, Moberly, MO
District: WARD THREE
Next Test Date: 06/17/2022

Township:

Color: Red
Year:
Make: American Darling

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose						
06/17/2021		620	498	60	10	15	531

Hydrant Number: 3w164

Location: Gilman, Moberly, MO
District: WARD THREE

Township:

Color: Red
Year:

Next Test Date: 06/17/2022

Make: Mueller

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose						
06/17/2021		599	454	50	10	10	531

Hydrant Number: 3w165

Location: Gilman & Flower LN

Color: Red

District: WARD THREE

Township:

Year:

Next Test Date: 06/17/2022

Make: American Darlling

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose						
06/17/2021		620	426	40	10	10	531

Hydrant Number: 3w166

Location: Flower LN---S. End, Moberly, MO

Color: Red

District: WARD THREE

Township:

Year:

Next Test Date: 05/21/2021

Make: American Darlling

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose						
06/18/2021		0	0	60	0	0	

Hydrant Number: 3W167

Location: 820 Gilman 820, Moberly, MO

Color: Red

District: WARD THREE

Township:

Year:

Next Test Date: 05/21/2021

Make: Mueller

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose						
06/18/2021		0	0	60	0	0	0

Hydrant Number: 3W171

Location: Fourth S., Moberly, MO

Color: Red

District: WARD THREE Township:

Year:

Next Test Date: 07/24/2020

Make:

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose						
06/18/2021		562	426	50	10	5	531

Hydrant Number: 3W172

Location: Fourth S., Moberly, MO

Color: Red

District: WARD THREE Township:

Year:

Next Test Date: 07/24/2020

Make:

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose						
06/18/2021		375	285	50	5	0	375

Hydrant Number: 3W173

Location: Fourth S., Moberly, MO

Color: Orange

District: WARD THREE Township:

Year:

Next Test Date: 07/24/2020

Make:

FLOW TEST SUMMARY

Test Date	Test Purpose	Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
06/18/2021		945	717	50	15	25	650

Hydrant Number: 3W174

Location: Fourth S., Moberly, MO **Color:** Red
District: WARD THREE **Township:** **Year:**
Next Test Date: 09/18/2020 **Make:**

FLOW TEST SUMMARY

Test Date	Test Purpose	Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
06/18/2021		562	426	50	10	5	531

Hydrant Number: 3W176

Location: S. Fourth St. & W McKinsey ST **Color:** Orange
District: WARD THREE **Township:** **Year:**
Next Test Date: 07/24/2020 **Make:**

FLOW TEST SUMMARY

Test Date	Test Purpose	Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
06/18/2021		1890	1376	45	25	35	839

Hydrant Number: 3W176A

Location: 922 S Williams ST, Moberly, MO **Color:** Green
District: WARD THREE **Township:** **Year:**
Next Test Date: 07/24/2020 **Make:**

FLOW TEST SUMMARY

Flow at	Flow at	Static	Pitot	Actual Residual	Calculated
---------	---------	--------	-------	-----------------	------------

Test Date	Test Purpose	0 PSI	20 PSI	Pressure	Pressure	Pressure	Flow
06/18/2021		1336	1014	50	30	25	919

Hydrant Number: 3W177

Location: 830 S Williams ST, Moberly, MO **Color:** Green
District: WARD THREE **Township:** **Year:**
Next Test Date: 07/24/2020 **Make:**

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose						
06/18/2021		3442	2612	50	35	45	993

Hydrant Number: 3W177A

Location: 730 S Williams ST, Moberly, MO **Color:** Orange
District: WARD THREE **Township:** **Year:**
Next Test Date: 07/24/2019 **Make:**

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose						
06/18/2021		3010	2192	45	30	40	919

Hydrant Number: 3W177b

Location: S Williams ST & Gilman ST, Moberly, MO **Color:** Green
District: WARD THREE **Township:** **Year:**
Next Test Date: 07/24/2020 **Make:**

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose						

06/18/2021 3187 2418 50 30 45 919

Hydrant Number: 3W178

Location: 600 S. Willims St., Moberly, MO **Color:** Orange
District: WARD THREE **Township:** **Year:**
Next Test Date: 07/24/2020 **Make:**

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose						
06/18/2021		3010	2192	45	30	40	919

Hydrant Number: 3W179

Location: 502 S Williams ST, Moberly, MO **Color:** Green
District: WARD THREE **Township:** **Year:**
Next Test Date: 09/18/2019 **Make:**

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose						
06/18/2021		2367	1797	50	35	40	993

Hydrant Number: 3W181

Location: 300 S Williams ST, Moberly, MO 65270 **Color:** Orange
District: WARD THREE **Township:** **Year:**
Next Test Date: 06/22/2022 **Make:** us pipe

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose						
06/22/2021		2367	1797	50	35	40	993

Hydrant Number: 3W182

Location: S Williams ST & W Burkhart ST, Moberly, MO **Color:** Green
District: WARD THREE **Township:** **Year:**
Next Test Date: 06/22/2022 **Make:**

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose						
06/22/2021		2192	1663	50	30	40	919

Hydrant Number: 3W186

Location: **Color:** Orange
District: WARD THREE **Township:** **Year:**
Next Test Date: 06/22/2022 **Make:** American Darlling

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose						
06/22/2021		423	321	50	5	10	375

Hydrant Number: 3W187

Location: S Clark ST & W Logan ST, Moberly, MO **Color:** Red
District: WARD THREE **Township:** **Year:**
Next Test Date: 06/22/2022 **Make:**

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose						
06/22/2021		423	321	50	5	10	375

Hydrant Number: 3W188

Location: 500 S Clark ST, Moberly, MO 65270
District: WARD THREE **Township:**
Next Test Date: 06/22/2022

Color: Red
Year:
Make: American Darlling

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose						
06/22/2021		0	0	45	0	0	0

Hydrant Number: 3W189

Location: S. Clark St. (SW corner) & W Carpenter ST, Moberly, MO
District: WARD THREE **Township:**
Next Test Date: 06/22/2022

Color: Red
Year:
Make: Mueller

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose						
06/22/2021		599	454	50	10	10	531

Hydrant Number: 3W190

Location: S. Clark St. (NE corner), Moberly, MO 65270
District: WARD THREE **Township:**
Next Test Date: 06/22/2022

Color: Red
Year:
Make: Mueller

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose						
06/22/2021		608	442	45	10	10	531

Hydrant Number: 3W191

Location: S Sturgeon ST & W Carpenter ST, Moberly, MO
District: WARD THREE **Township:**
Next Test Date: 06/22/2022

Color: Red
Year:
Make: American Darling

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose						
06/22/2021		0	0	50	0	0	0

Hydrant Number: 3W192

Location: S Clark ST & Gilman ST, Moberly, MO
District: WARD THREE **Township:**
Next Test Date: 06/22/2022

Color: Red
Year:
Make: American Darling

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose						
06/22/2021		0	0	50	0	2	0

Hydrant Number: 3w193

Location: S Clark ST & Wicker ST, Moberly, MO
District: WARD THREE **Township:**
Next Test Date: 06/22/2022

Color: Red
Year:
Make: American Darling

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose						
06/22/2021		397	301	50	5	5	375

Hydrant Number: 3W194

Location: 900 S Clark ST, Moberly, MO 65270
District: WARD THREE **Township:**
Next Test Date: 06/22/2022

Color: Red
Year:
Make: us pipe

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose						
06/22/2021		2367	1797	50	35	40	993

Hydrant Number: 3w195

Location: Sturgeon, Moberly, MO 65270
District: WARD THREE **Township:**
Next Test Date: 06/22/2022

Color: Green
Year:
Make:

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose						
06/22/2021		2192	1663	50	30	40	919

Hydrant Number: 3w196

Location: Sturgeon St., Moberly, MO 65270
District: WARD THREE **Township:**
Next Test Date: 06/22/2022

Color: Green
Year:
Make: us pipe

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose						
06/22/2021				0	0	0	

Hydrant Number: 3w197

Location: Gilman at Everlast, Moberly, MO 65270

Color: Green

District: WARD THREE Township:
Next Test Date: 06/22/2022

Year:
Make: Mueller

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose						
06/22/2021		2367	1797	50	35	40	993

Hydrant Number: 3w198

Location: 908 Shelby DR, Moberly, MO 65270
District: WARD THREE Township:
Next Test Date: 06/22/2022

Color: Orange
Year:
Make: Mueller

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose						
06/22/2021		1438	1091	50	20	35	750

Hydrant Number: 3w199

Location: Marmaduke Ct--S. end, Moberly, MO
District: WARD THREE Township:
Next Test Date: 06/23/2022

Color: Green
Year:
Make: Mueller

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose						
06/23/2021		1902	1443	50	35	35	993

Hydrant Number: 3W200

Location: CLARK & GRANT, Moberly, MO
District: WARD THREE Township:

Color: Red
Year:

Next Test Date: 06/23/2022

Make:

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose						
06/23/2021		599	454	50	10	10	531

Hydrant Number: 3w201

Location: Shelby DR & Cockrell DR, Moberly, MO

Color: Orange

District: WARD THREE Township:

Year:

Next Test Date: 06/23/2022

Make: Mueller

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose						
06/23/2021		2192	1663	50	30	40	919

Hydrant Number: 3w202

Location: 1029 Williams S., Moberly, MO

Color: Orange

District: WARD THREE Township:

Year:

Next Test Date: 06/23/2022

Make: Mueller

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose						
06/23/2021				0	0	0	

Hydrant Number: 3w203

Location: Williams & Cockrell Dr. SE, Moberly, MO

Color: Green

District: WARD THREE Township:

Year:

Next Test Date: 06/23/2022

Make: Mueller

FLOW TEST SUMMARY

Test Date	Test Purpose	Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
06/23/2021		2367	1797	50	35	40	993

Hydrant Number: 3w204

Location: Lowery Ct--S. end, Moberly, MO **Color:** Green
District: WARD THREE **Township:** **Year:**
Next Test Date: 06/23/2022 **Make:** Mueller

FLOW TEST SUMMARY

Test Date	Test Purpose	Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
06/23/2021		2192	1663	50	30	40	919

Hydrant Number: 3w206

Location: 1111 Williams S., Moberly, MO **Color:** Green
District: WARD THREE **Township:** **Year:**
Next Test Date: 06/23/2022 **Make:**

FLOW TEST SUMMARY

Test Date	Test Purpose	Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
06/23/2021		1507	1144	50	30	30	919

Hydrant Number: 3w207

Location: Fourth S., Moberly, MO **Color:** Orange
District: WARD THREE **Township:** **Year:**
Next Test Date: 06/23/2022 **Make:**

FLOW TEST SUMMARY

Flow at	Flow at	Static	Pitot	Actual Residual	Calculated
---------	---------	--------	-------	-----------------	------------

140

Test Date	Test Purpose	0 PSI	20 PSI	Pressure	Pressure	Pressure	Flow
06/23/2021		1376	1044	50	25	30	839

Hydrant Number: 3w208

Location: Fourth S., Moberly, MO **Color:** Orange
District: WARD THREE **Township:** **Year:**
Next Test Date: 06/23/2022 **Make:**

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose						
06/23/2021		989	750	50	20	20	750

Hydrant Number: 3w209

Location: Fifth S., Moberly, MO **Color:** Orange
District: WARD THREE **Township:** **Year:**
Next Test Date: 06/23/2022 **Make:**

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose						
06/23/2021		1091	828	50	20	25	750

Hydrant Number: 3w210

Location: Longview, Moberly, MO **Color:** Orange
District: WARD THREE **Township:** **Year:**
Next Test Date: 06/23/2022 **Make:**

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose						

06/23/2021 2367 1797 50 35 40 993

Hydrant Number: 3W211

Location: Tara Park--400 blk, Moberly, MO **Color:** Orange
District: WARD THREE **Township:** **Year:**
Next Test Date: 06/23/2022 **Make:** Mueller

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose						
06/23/2021		788	598	50	15	15	650

Hydrant Number: 3W212

Location: Shumate--500 blk, Moberly, MO **Color:** Red
District: WARD THREE **Township:** **Year:**
Next Test Date: 06/23/2022 **Make:** American Darlling

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose						
06/23/2021		599	454	50	10	10	531

Hydrant Number: 3W213

Location: Epperson, Moberly, MO **Color:** Orange
District: WARD THREE **Township:** **Year:**
Next Test Date: 06/23/2022 **Make:** Mueller

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose						
06/23/2021		989	750	50	20	20	750

Hydrant Number: 3W214

Location: Harvest LN, Moberly, MO **Color:** Orange
District: WARD THREE **Township:** **Year:**
Next Test Date: 06/23/2022 **Make:** Mueller

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose						
06/23/2021		1091	828	50	20	25	750

Hydrant Number: 3W216

Location: 1391 Harvest LN --2nd plug S, Moberly, MO **Color:** Orange
District: WARD THREE **Township:** **Year:**
Next Test Date: 06/23/2022 **Make:** Mueller

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose						
06/23/2021		989	750	50	20	20	750

Hydrant Number: 3w217

Location: 1425 Harvest LN--3rd plug S, Moberly, MO **Color:** Orange
District: WARD THREE **Township:** **Year:**
Next Test Date: 06/23/2022 **Make:** Mueller

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose						
06/23/2021		1004	807	60	20	25	750

Hydrant Number: 3w218

Location: 1465 Harvest LN--4th plug S, Moberly, MO

Color: Orange

District: WARD THREE **Township:**

Year:

Next Test Date: 06/23/2022

Make: Mueller

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose						
06/23/2021		934	750	60	20	20	750

Hydrant Number: 3w219

Location: Overland LN & Homestead DR, Moberly, MO

Color: Orange

District: WARD THREE **Township:**

Year:

Next Test Date: 06/23/2022

Make: Mueller

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose						
06/23/2021		1220	926	50	25	25	839

Hydrant Number: 3w220

Location: 1361 Overland--1st plug S, Moberly, MO

Color: Orange

District: WARD THREE **Township:**

Year:

Next Test Date: 06/23/2022

Make: Mueller

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose						
06/23/2021		934	750	60	20	20	750

Hydrant Number: 3w222

Location: 1325 Heritage--1st plug S, Moberly, MO
District: WARD THREE **Township:**
Next Test Date: 09/25/2020

Color: Orange
Year:
Make: Mueller

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose						
06/30/2021		1004	807	60	20	25	750

Hydrant Number: 3w223

Location: 1237 Conestoga--1st plug S, Moberly, MO
District: WARD THREE **Township:**
Next Test Date: 06/16/2021

Color: Orange
Year:
Make: Mueller

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose						
06/30/2021		1346	1081	60	25	35	839

Hydrant Number: 3W224

Location: 1331 Conestoga--2nd plug S, Moberly, MO
District: WARD THREE **Township:**
Next Test Date: 06/16/2021

Color: Orange
Year:
Make: Mueller

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose						
06/30/2021		1178	996	75	25	35	839

Hydrant Number: 3w225

Location: Conestoga--bottom of hill, Moberly, MO

Color: Orange

District: WARD THREE
Next Test Date: 09/25/2020

Township:

Year:
Make: Mueller

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose						
06/30/2021		1501	1321	95	40	45	1061

Hydrant Number: 3W226

Location: Conestoga, Moberly, MO

Color: Orange

District: WARD THREE
Next Test Date: 06/16/2021

Township:

Year:
Make: Mueller

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose						
06/30/2021		934	750	60	20	20	750

Hydrant Number: 3W227

Location: 1448 Conestoga--west end, Moberly, MO

Color: Orange

District: WARD THREE
Next Test Date: 06/16/2021

Township:

Year:
Make: Mueller

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose						
06/30/2021		934	750	60	20	20	750

Hydrant Number: 3W228

Location: 1466 Trails End--south end, Moberly, MO

Color: Orange

District: WARD THREE

Township:

Year:

Next Test Date: 06/16/2021

Make: Mueller

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose						
06/30/2021		809	650	60	15	20	650

Hydrant Number: 3w229

Location: Homestead--800 blk, Moberly, MO

Color: Orange

District: WARD THREE Township:

Year:

Next Test Date: 06/16/2021

Make: Mueller

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose						
06/30/2021		1149	900	55	20	30	750

Hydrant Number: 3w230

Location: Timberline, Moberly, MO

Color: Green

District: WARD THREE Township:

Year:

Next Test Date: 06/16/2021

Make: Mueller

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose						
06/30/2021		1091	877	60	20	30	750

Hydrant Number: 4W048A

Location: Bond & Oak Terr, Moberly, MO 65270

Color: Orange

District: WARD ONE Township:

Year:

Next Test Date: 06/01/2022

Make: American Darlling

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose						
06/01/2021		2086	1634	55	38	40	1034

Hydrant Number: 4W049

Location: Bond ST, Moberly, MO 65270 **Color:** Orange
District: WARD FOUR **Township:** **Year:**
Next Test Date: 06/01/2022 **Make:** American Darling

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose						
06/01/2021		3194	2619	65	48	55	1163

Hydrant Number: 4W050

Location: Franklin Street W, Moberly, MO 65270 **Color:** Red
District: WARD FOUR **Township:** **Year:**
Next Test Date: 06/01/2022 **Make:** Mueller

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose						
06/01/2021		772	605	55	15	15	650

Hydrant Number: 4W051

Location: Franklin Street W, Moberly, MO 65270 **Color:** Red
District: WARD FOUR **Township:** **Year:**
Next Test Date: 06/01/2022 **Make:** Mueller

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose						
06/01/2021		727	563	53	12	18	581

Hydrant Number: 4W052

Location: Franklin Street W, Moberly, MO 65270 **Color:** Red
District: WARD FOUR **Township:** **Year:**
Next Test Date: 06/01/2022 **Make:** American Darling

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose						
06/01/2021		643	488	50	10	15	531

Hydrant Number: 4W053

Location: 1000 Franklin Street W, Moberly, MO 65270 **Color:** Red
District: WARD FOUR **Township:** **Year:**
Next Test Date: 06/01/2022 **Make:** Mueller

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose						
06/01/2021		611	501	65	10	15	531

Hydrant Number: 4W054

Location: Franklin Street W, Moberly, MO 65270 **Color:** Orange
District: WARD FOUR **Township:** **Year:**
Next Test Date: 06/01/2022 **Make:** Mueller

<i>FLOW TEST SUMMARY</i>		Flow at	Flow at	Static	Actual Residual	Calculated
--------------------------	--	---------	---------	--------	-----------------	------------

Test Date	Test Purpose	at 0 PSI	at 20 PSI	Static Pressure	Pitot Pressure	Residual Pressure	Calculated Flow
06/01/2021		692	568	65	12	18	581

Hydrant Number: 4W056

Location: 200 Holman, Moberly, MO 65270 **Color:** Orange
District: WARD FOUR **Township:** **Year:**
Next Test Date: 06/01/2022 **Make:** American Darlling

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose	0 PSI	20 PSI	Pressure	Pressure	Pressure	Flow
06/01/2021		1797	1443	60	35	40	993

Hydrant Number: 4W057

Location: West End, Moberly, MO 65270 **Color:** Red
District: WARD FOUR **Township:** **Year:**
Next Test Date: 06/01/2022 **Make:** Mueller

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose	0 PSI	20 PSI	Pressure	Pressure	Pressure	Flow
06/01/2021		395	309	55	5	5	375

Hydrant Number: 4W058

Location: 1002 West End PL, Moberly, MO 65270 **Color:** Red
District: WARD FOUR **Township:** **Year:**
Next Test Date: 06/01/2022 **Make:** Mueller

<i>FLOW TEST SUMMARY</i>		Flow at	Flow at	Static	Pitot	Actual Residual	Calculated
Test Date	Test Purpose	at	at	Pressure	Pressure	Pressure	Flow

Test Date	Test Purpose	0 PSI	20 PSI	Pressure	Pressure	Pressure	Flow
06/01/2021		242	194	60	2	2	237

Hydrant Number: 4W059

Location: 1026 West End Place, Moberly, MO 65270 **Color:** Orange
District: WARD FOUR **Township:** **Year:**
Next Test Date: 06/01/2022 **Make:** Mueller

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose						
06/01/2021		169	136	60	1	1	168

Hydrant Number: 4W060

Location: 1045 West End PL, Moberly, MO 65270 **Color:** Red
District: WARD FOUR **Township:** **Year:**
Next Test Date: 06/01/2022 **Make:** Mueller

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose						
06/01/2021		389	329	75	5	5	375

Hydrant Number: 4w062

Location: Coates Street W, Moberly, MO 65270 **Color:** Red
District: WARD FOUR **Township:** **Year:**
Next Test Date: 06/01/2022 **Make:** Mueller

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose						

06/01/2021 535 406 50 8 10 475

Hydrant Number: 4w063

Location: 800 Coates Street W, Moberly, MO 65270 **Color:** Red
District: WARD FOUR **Township:** **Year:**
Next Test Date: 06/01/2022 **Make:**

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose						
06/01/2021		801	628	55	14	20	628

Hydrant Number: 4w064

Location: Coates Street W, Moberly, MO 65270 **Color:** Red
District: WARD FOUR **Township:** **Year:**
Next Test Date: 06/01/2022 **Make:** Mueller

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose						
06/01/2021		724	581	60	12	20	581

Hydrant Number: 4w065

Location: Coates Street W, Moberly, MO 65270 **Color:** Red
District: WARD FOUR **Township:** **Year:**
Next Test Date: 06/01/2022 **Make:** American Darlling

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose						
06/01/2021		554	445	60	8	15	475

Location: Reed Street W, Moberly, MO 65270
District: WARD FOUR **Township:**
Next Test Date: 06/01/2022

Color: Orange
Year:
Make: Mueller

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose						
06/01/2021		1065	888	70	25	25	839

Hydrant Number: 4w070

Location: Reed Street W, Moberly, MO 65270
District: WARD FOUR **Township:**
Next Test Date: 06/01/2022

Color: Orange
Year:
Make: American Darling

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose						
06/01/2021		2558	2190	80	52	60	1210

Hydrant Number: 4w071

Location: Reed Street W, Moberly, MO 65270
District: WARD FOUR **Township:**
Next Test Date: 06/01/2022

Color: Green
Year:
Make: Mueller

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose						
06/01/2021		2558	2190	80	52	60	1210

Hydrant Number: 4w072

Location: Rollins Street W, Moberly, MO 65270
District: WARD FOUR **Township:**
Next Test Date: 06/01/2022

Color: Orange
Year:
Make: American Darling

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose						
06/01/2021		755	581	52	12	20	581

Hydrant Number: 4w073

Location: Rollins Street W, Moberly, MO 65270
District: WARD FOUR **Township:**
Next Test Date: 06/01/2022

Color: Orange
Year:
Make: Mueller

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose						
06/01/2021		1041	816	55	20	25	750

Hydrant Number: 4w074

Location: Rollins Street W, Moberly, MO 65270
District: WARD FOUR **Township:**
Next Test Date: 06/01/2022

Color: Orange
Year:
Make: Mueller

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose						
06/01/2021		1041	816	55	20	25	750

Hydrant Number: 4w075

Location: Rollins Street W, Moberly, MO 65270

Color: Green

District: WARD FOUR
Next Test Date: 06/01/2022

Township:

Year:
Make: Mueller

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose						
06/01/2021		975	800	65	20	25	750

Hydrant Number: 4W101

Location: Myra Street, Moberly, MO
District: WARD TWO
Next Test Date: 06/09/2022

Township:

Color: Green
Year:
Make:

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose						
06/09/2021		1761	1336	50	30	35	919

Hydrant Number: 4W102

Location: Myra Street, Moberly, MO
District: WARD FOUR
Next Test Date: 06/09/2022

Township:

Color: Red
Year:
Make:

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose						
06/09/2021		699	531	50	10	20	531

Hydrant Number: 4W103

Location: Concannon ST, Moberly, MO
District: WARD FOUR

Township:

Color: Green
Year:

Next Test Date: 05/12/2021

Make:

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose						
06/12/2021		2033	1543	50	40	35	1061

Hydrant Number: 4W104

Location: Concannon ST, Moberly, MO

Color: Orange

District: WARD FOUR Township:

Year:

Next Test Date: 05/12/2021

Make:

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose						
06/12/2021		1507	1144	50	30	30	919

Hydrant Number: 4W105

Location: Concannon ST, Moberly, MO

Color: Orange

District: WARD FOUR Township:

Year:

Next Test Date: 05/07/2006

Make:

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose						
06/12/2021		1607	1220	50	25	35	839

Hydrant Number: 4W106

Location: Franklin & Hagood, Moberly, MO

Color: Red

District: Township:

Year:

Next Test Date: 05/12/2021

Make:

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose						
06/12/2021		643	488	50	10	15	531

Hydrant Number: 4W107

Location: West End, Moberly, MO **Color:** Red
District: WARD FOUR **Township:** **Year:**
Next Test Date: 07/01/2021 **Make:**

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose						
06/12/2021		643	488	50	10	15	531

Hydrant Number: 4W108

Location: Franklin Street W, Moberly, MO **Color:** Orange
District: WARD FOUR **Township:** **Year:**
Next Test Date: 05/15/2021 **Make:**

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose						
06/12/2021		1628	1236	50	35	30	993

Hydrant Number: 4W109

Location: Franklin Street W, Moberly, MO **Color:** Orange
District: WARD FOUR **Township:** **Year:**
Next Test Date: 05/15/2021 **Make:**

<i>FLOW TEST SUMMARY</i>		Flow at	Flow at	Static	Pitot	Actual Residual	Calculated
--------------------------	--	---------	---------	--------	-------	-----------------	------------

Test Date	Test Purpose	0 PSI	20 PSI	Pressure	Pressure	Pressure	Flow
06/12/2021		636	403	35	10	10	531

Hydrant Number: 4W110

Location: Franklin Street W, Moberly, MO **Color:** Orange
District: WARD FOUR **Township:** **Year:**
Next Test Date: 05/15/2021 **Make:**

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose	0 PSI	20 PSI	Pressure	Pressure	Pressure	Flow
06/12/2021		788	598	50	15	15	650

Hydrant Number: 4W111

Location: Franklin Street W, Moberly, MO **Color:** Orange
District: WARD FOUR **Township:** **Year:**
Next Test Date: 05/15/2021 **Make:**

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose	0 PSI	20 PSI	Pressure	Pressure	Pressure	Flow
06/12/2021		788	598	50	15	15	650

Hydrant Number: 4W113

Location: Coates Street W, Moberly, MO **Color:** Orange
District: WARD FOUR **Township:** **Year:**
Next Test Date: 05/15/2021 **Make:**

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose	0 PSI	20 PSI	Pressure	Pressure	Pressure	Flow

06/12/2021 945 717 50 15 25 650

Hydrant Number: 4W114

Location: 500 Coates Street W, Moberly, MO **Color:** Orange
District: WARD FOUR **Township:** **Year:**
Next Test Date: 05/15/2021 **Make:**

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose						
06/12/2021		1507	1144	50	30	30	919

Hydrant Number: 4W115

Location: Coates Street W, Moberly, MO **Color:** Orange
District: WARD FOUR **Township:** **Year:**
Next Test Date: 05/15/2021 **Make:**

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose						
06/12/2021		1105	839	50	25	20	839

Hydrant Number: 4w116

Location: Coates Street W, Moberly, MO **Color:** Orange
District: WARD FOUR **Township:** **Year:**
Next Test Date: 05/15/2021 **Make:**

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose						
06/12/2021		1105	839	50	25	20	839

Hydrant Number: 4w117

Location: 200 blk Fourth Street N, Moberly, MO **Color:** Green
District: WARD FOUR **Township:** **Year:**
Next Test Date: 05/15/2021 **Make:** American Darlling

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose						
06/12/2021		1105	839	50	25	20	839

Hydrant Number: 4w118

Location: Coates Street W, Moberly, MO **Color:** Green
District: WARD FOUR **Township:** **Year:**
Next Test Date: 05/15/2021 **Make:** Mueller

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose						
06/12/2021		989	750	50	20	20	750

Hydrant Number: 4w121

Location: Coates Street W, Moberly, MO **Color:** Red
District: WARD FOUR **Township:** **Year:**
Next Test Date: 05/15/2021 **Make:** American Darlling

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose						
06/12/2021		599	454	50	10	10	531

Hydrant Number: 4w122

Location: Reed Street W & Johnson ST, Moberly, MO **Color:** Orange
District: WARD FOUR **Township:** **Year:**
Next Test Date: 12/03/2019 **Make:** Mueller

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose						
06/12/2021		856	650	50	15	20	650

Hydrant Number: 4W123

Location: Reed Street W, Moberly, MO **Color:** Orange
District: WARD FOUR **Township:** **Year:**
Next Test Date: 12/03/2019 **Make:** American Darlling

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose						
06/12/2021		1211	919	50	30	20	919

Hydrant Number: 4W124

Location: Reed Street W & N 5th ST, Moberly, MO **Color:** Orange
District: WARD FOUR **Township:** **Year:**
Next Test Date: 12/03/2019 **Make:** Mueller

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose						
06/12/2021		620	426	40	10	10	531

Hydrant Number: 4W126

Location: Reed Street W, Moberly, MO **Color:** Orange
District: WARD FOUR **Township:** **Year:**
Next Test Date: 12/03/2019 **Make:** Mueller

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose						
06/12/2021		1376	1044	50	25	30	839

Hydrant Number: 4W127

Location: 312 Reed Street W, Moberly, MO **Color:** Green
District: WARD FOUR **Township:** **Year:**
Next Test Date: 12/03/2019 **Make:** American Darling

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose						
06/12/2021		1091	828	50	20	25	750

Hydrant Number: 4W128

Location: Reed Street W, Moberly, MO **Color:** Orange
District: WARD FOUR **Township:** **Year:**
Next Test Date: 12/03/2019 **Make:** American Darling

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose						
06/12/2021		699	531	50	10	20	531

Hydrant Number: 4W129

Location: Reed Street W, Moberly, MO **Color:** Orange
District: WARD FOUR **Township:** **Year:**
Next Test Date: 12/03/2019 **Make:** Mueller

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose						
06/12/2021		856	650	50	15	20	650

Hydrant Number: 4W130

Location: Reed Street W, Moberly, MO **Color:** Orange
District: WARD FOUR **Township:** **Year:**
Next Test Date: 12/03/2019 **Make:** American Darling

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose						
06/12/2021		1376	1044	50	25	30	839

Hydrant Number: 4W131

Location: Reed Street W, Moberly, MO **Color:** Orange
District: WARD FOUR **Township:** **Year:**
Next Test Date: 12/03/2019 **Make:** Mueller

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose						
06/12/2021		1091	828	50	20	25	750

Hydrant Number: 4w132

Location: Reed Street W, Moberly, MO **Color:** Orange
District: WARD FOUR **Township:** **Year:**
Next Test Date: 12/03/2019 **Make:** Mueller

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose						
06/12/2021		1231	934	50	20	30	750

Hydrant Number: 4W133

Location: Rollins Street W & Thompson ST, Moberly, MO **Color:** Orange
District: WARD FOUR **Township:** **Year:**
Next Test Date: 06/14/2022 **Make:** Mueller

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose						
06/14/2021		1091	828	50	20	25	750

Hydrant Number: 4W134

Location: Rollins Street W & Hagood ST, Moberly, MO **Color:** Red
District: WARD FOUR **Township:** **Year:**
Next Test Date: 06/14/2022 **Make:** Mueller

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose						
06/14/2021		2367	1797	50	35	40	993

Hydrant Number: 4w169

Location: W Rollins ST, Moberly, MO **Color:** Red

District: WARD FOUR
Next Test Date: 05/21/2021

Township:

Year:
Make:

<i>FLOW TEST SUMMARY</i>		Flow at 0 PSI	Flow at 20 PSI	Static Pressure	Pitot Pressure	Actual Residual Pressure	Calculated Flow
Test Date	Test Purpose						
06/18/2021		938	712	50	18	20	712

Report Filter Settings

Report Name: Hydrant Flow Tests by Test Date
Filter Name: Last Month
Filter Expression: [TestDate] is between '6/1/2021 12:00:00 AM' and '6/30/2021 11:59:59 PM'



Monthly Report

June 2021

	2021		2020	
Parks	Thompson Campground	223	Daily(190) Monthly(8)Overflow(2) Tent(23)	153
	Misc Thompson Campground	\$20	Dump Station(3)	\$0
	Miscellaneous Park Fees	\$877.00	Train Shirts(\$20) Surplus Sale(\$2) Memorial Bench(\$850) Chalk(\$5)	\$1,731.00
	Overnight Fishing Passes	\$0		3
	Paddleboat Rental	-		-
	Canoe Storage	\$20.00		\$0.00
	Archery Range	-		-
	Overlook & Plaza	0		1
	Midway	1	Randolph County Rodeo(1 res. 2 days)	0
	Agricultural Barns	-		-
	Equestrian Area/ Rodeo Ground	4	Randolph County Rodeo(1 res. 2 days) Internal: 4-H Equestrian Meetings(3)	0
	James Youth Center	8	Funeral Dinner(1) Birthday Party(2) Family Reunion(2) Boys Scouts Meeting(1) 4-H Bacon Curing(1) 4-H Goat Meeting(1)	0
	Lodge	8	Rotary Meeting(1) Graduation Party(1) Family Reunion(1) Celebration of Life(1) Life Line Screening(1) FD Regional Coordinator's Meeting(1) Wedding(2 res. For 2 days each)	7
	Lion's Beuth Park	0		6
	Fox Park (entire)	-		-
	Tannehill Park	-		-
Depot Park	1	Railroad Days(1 res. For 8 days)	1	
	2021		2020	
irts (Please note Games/Schedules are fluent due to weather)	Red 1	19	MML 14U Games(18) Tim Price Tournament(1 res. 2 days)	Games
	Red 2	-		-
	Blue 1	Games	Optimist Games(3 Nights/Week)	0
	Blue 2	Games	Optimist Games(3 Nights/Week)	Games
	Blue 3	-		-
	Green 1	3+Games	Tim Price Tournament(1 res. 2 days) Optimist Games(5 Nights/Week) Internal: Tournament Prep(1) MPRD Softball Games(16-8U Games & 22-10U Games) Tim Price Tournament(1 res. 2 days)	15+Games
	Green 2	40	Internal: Tournament Prep(1) MPRD Softball Games(19-12U Games & 28 Competitive Games)	Games
	Green 3	49	Tim Price Tournament(1 res. 2 days) Internal: Tournament Prep(1)	Games
	Green 4	22	MML 10U Games(20 days of games) Tim Price Tournament(1 res. 2 days) Internal: Tournament Prep(1)	Games
	Green 5	22	MML 12U Games(20 days of games) Tim Price Tournament(1 res. 2 days) Internal: Tournament Prep(1)	0
	Green 6	22	MML 8U (167 scheduled) Playoffs	Games

Fields/Courts	2021	2020		
	Groeber	11	Ball Practices(11)	24
	Meinert	5	Ball Practices(5)	1
	Patrick	9	Ball Practices(7) Tim Price Tournament(1 res. 2 days)	1
	Fox Field	7	Internal: Tournament Prep(1) Ball Practices(7)	13
	Fox Park Pickleball/ Tennis Courts	8	Internal: Pickleball Lessons(8 days)	4
	Batting Cages	2	Batting Practice(2)	10
	Shelter 1 Tennis Courts	13	Tennis Lessons(13 days)	12
	Wilhite Tennis Courts	-		-
		2021	2020	

Shelters	2021	2020		
	Shelter 1	4	Birthday Party(1) Family Reunion(1) Company Picnic(1) Father's Day Gathering(1)	4
	Shelter 3	2	Private Event(1) Family Gathering(1)	1
	Shelter 5	4	Randolph County Rodeo(1 res. 2 days) Family Reunion(2) Birthday Party(1)	1
	Fox Park Shelter	4	Birthday Party(1) Family Gathering(1) Private Rentals(2)	3
	Klein Shelter	2	Family Gathering(1) Wedding Reception(1)	1
	Lake Pavilion	5	Fathering Gathering(2) Funeral Dinner(1) Birthday Day(1) Internal: Storm Water Clean Up Lunch(1)	2
	Riley Pavilion	2	Randolph County Rodeo(1 res. 2 days) Dog Show(1)	0
	Meditation Garden and Legacy Overlook	-		-
	Depot Park Shelter	1	Railroad Days(1 res. For 8 days)	0
	2021	2020		

Auditorium	2021	2020	
	Entire Facility	6	Primose Teen Challenge Banquet(1) Railroad Days(1 res. For 8 days) Summer Library Performances-Mad Science(1) Jury Selection(1) Swift Prepared Foods Job Fair(1) Internal: Asbestos Removal(1 res. For 7 days)
	2021	2020	

Aquatic Center	2021	2020		
	Entire Facility	4	Birthday Party(1) Church Party(1) Summer School Party(1) Private Party(1)	0
	Party Area	5	Birthday Party(5)	0
	2021	2020		

Recreation	2021	2020	
	Kyaking Class		Partnered with Conservation Department
Fishing Clinic		Partnered with Conservation Department	25

Director – Troy Bock

- The 4th of July saw what was likely the largest crowd. The complex parking was full at approximately 8:30pm – an hour prior to the fireworks – and the Rothwell Park asphalt parking was full and staff parked people under the Riley Pavilion for overflow. The 2/3 of Blue 1 and Blue 2 football fields in front of the stage were full with the usual green space for comfort between families. There were as many people sitting near their cars (about 1 in 5 cars had a large group or family sitting around it) and approximately 1,000 are estimated to have watched from Rothwell Park. Others watched from nearby county roads, gravel roads, or the lot north of the highway across from the aquatic center entrance. We were only able to capture data on a small fraction of people, but we had visitors from metro to metro and Kirksville to Springfield with the majority coming from within a 60 mile radius. We had out of state visitors from at least Texas, Tennessee, New York, Connecticut, Pennsylvania, Minnesota, and Kentucky. At least 9 hotel rooms (3 documented at Comfort Inn and 6 according to Super 8) were documented to have been booked related to this event and the campground was full.
- We requested qualifications from firms on the splash pad, seeking a firm to design the splash pad, bid out the project, and provide for construction management to ensure the best overall value and a quality project with the design firm serving as the City’s advocate from start to finish. We anticipate bringing the results of our scoring to Park Board and Council late summer. Construction is planned for spring.
- I worked with companies to develop new promo/souvenir items from miniature train t-shirts to magnets highlighting our attractions that tend to drive outside traffic to town. We sell them for just above our cost as the greatest value is in advertising as folks and their families/friends see them displayed in the coming years.
- Dirk and I met with Conservation at the Rothwell boat ramp. We are hoping to obtain funding to redo both boat ramps and build a concrete trail from the Rothwell boat ramp to the new boat dock.
- Dirk and I met with Conservation’s regional forester about the possibility of funding for a tree identification sign project which will help provide folks with some outdoor education that has been missing for at least a generation and provide an activity for classroom field trips as we have several visits each year.
- Dirk and I met with a representative from Bartlett and West to review the future Kiwanis Park project to get a more detailed site plan showing amenities to scale including the parking.
- RFQ responses were received for the splash pad at Tannehill Park. We requested responses for a design, bid, build process to ensure a bid process and have a firm that will act as an advocate for the City throughout the process including construction oversight.

Administration – Leslie Keeney

- Processed bills and timesheets for the department.
- Assisted in resolving various league issues.
- Began tracking revenue for seasonal operations, i.e., pool revenue and concession revenue.
- Assisted in hiring Kathleen Nejedly and switching Todd to the Facility Management position.
- Oversaw day to day operations of Parks and Recreation Office.

Dirk Miller – Park Superintendent

- Prepped for the 4th of July event.
- Getting prepped for the County Fair and a Tractor Pull

- Performed various maintenance throughout the Park System.
- Opened Optimist bathroom.
- Received a new Grapple attachment for our Bobcat Skid loader. It made quick order already on gathering and loading a large dead Oak tree.
- Met with potential contractors for bids to re-paint the Pool this fall.
- Reviewed proposals from three contractors for the new splashpad.
- Met with J.W. on an electrical project to hook-up two new lights near the ticket house across from James Youth Center.

Jacob Buntten-Athletic Complex Supervisor/Sports Manager

Athletic Complex:

- 7th Annual Glory Softball Classic was held on June 5th and 6th. 33 teams from throughout the state participated.
- Prep work for the 4th of July Extravaganza began.

Sports:

- Nightly league play continued with games being held five nights a week and Legion baseball on weekends.

Amanda White – Recreation Supervisor

Concessions:

- Things are going smooth as we have a great batch of kids this year and learning fast.

Aquatics:

- Proudly received first 5-star audit. This is a huge accomplishment as it took a lot of training and hard work to make it happen. I could not be prouder.
- Instituted a new program called “Lifeguard for a Day” to entice kids to become a lifeguard one day.
- Partnered with the Randolph County Health Dept. for Sink and Snack to get kids eating healthier and hope to help them make conscious choices in the food they eat. This is in the form of a game that people will enjoy.

Events:

- Pickleball and Tennis had good, full classes. Jenna is helping with Little Dixie Regional Library for Art in the Park.
- Magic City 4th of July Extravaganza went great! A few food vendors proudly sold out.
- Beginner Kayaking lessons were full; considering another in the fall.

Director of Utilities Monthly Report
June 2021 (Presented at the July meeting)

Director's Summary

Energy Solutions Professionals Project: There are approximately 12 meters left to be installed before project completion.

Caselle Software: The implementation of the software is progressing; The implementation team from Caselle is mapping the data so it fits with the Caselle program.

Route JJ Sewer Extension: Jacobs staff is working with the three property owners who will be connected to the sewer extension. Siting for the pump stations and routing for the individual force mains is complete. Survey work is underway; more than 18,000 linear feet of survey needs to be done.

EDA Infrastructure Grant: Project update meetings are now held bi-weekly with Jacobs Engineering to track progress and make sure items are addressed timely. The stormwater project for the Industrial Park is not a Jacobs project. The five (5) projects include and the status of each is:

- **Morley St. Pump Station Retrofit** – Survey work has been completed, continuing on design.
- **North Morley Water Main Loop** – Survey is complete, but Jacobs had concern that surveyors picked up all utilities within the congested right-of-way on Highway 24. A re-survey for utilities was ordered. A meeting will be held with MoDOT once we get a better picture of alternatives and complications in the path of the water main replacement.
- **Sturgeon and Rollins Water Main Replacement** – Survey has begun on the project.
- **Downtown Sewer Rehab** – Working on RFQ for CCTV work and preparing maps of area to be CCTV'd.
- **Downtown CSO Storage Facility** – Survey is complete. Geotech work is complete. The model of the downtown CSO system is undergoing quality assurance checks and should be delivered to the City within the month.

Swift Foods: Start up activities are beginning; we do not have a date yet for full production.

Sugar Creek Lake Dam Grout Project: The Lake is still full due to continual rainfall. It is anticipated that it will be late-summer before the Lake level drops sufficiently to resume the final grouting.

SRF Applications: Complete the due diligence questionnaire and submit it to DNR for review. Staff is working with Todd Goffoy of Piper Jaffray and the City's Auditors on the DDQ.

Taylor Street CSO Project: The lime has been applied at the airport site and at the hay field belonging to Shane Kribbs. Began mixing Taylor CSO and started injecting biosolids at the airport site. This project is not 100% complete due to on-going rains.

Utility Dept. Staffing: The Department is not fully staffed at this time.


Dept. Summary:

Drinking water produced: 33.510 MG (1.117MG/Day)
 Wastewater Treated: 58.736 MG (1.958 MG/Day)
 Wastewater from Combined Sewer Overflows: 59.07 MGM
 Total precipitation for June 9.37 inches

Billing activity: 24,399,572 gallons of water in the amount of \$217,449.03 and 22,193,357 gallons of sewage in the amount of \$312,735.00

The Water Office processed 349 work orders, including 85 turn-ons and 98 turn-offs. 80 landlord letters were sent for properties on the shut off list.

Month	Water Produced	City Usage/ Unbilled	Water Leaks	Hydrant Flush	D&C Maint	Metered/Billed	Accounted	Unaccounted
June-2021	33,510,283	700,670	2,585,372	0	21,000	24,399,572	27,706,614	5,803,669



Distribution and Collection Department and Customer Service

- There were 13 water leaks
- Replaced 8 valves
- Poured 13.75 yards of concrete to patch utility cuts in roadways and sidewalks
- Completed 237 Missouri one call tickets for locating water and sewer lines
- A total of 14 lead service lines have been replaced in 2021
- There were 18 Sewer calls

Wastewater Treatment Facility

- Treated 58.736 MGM an average of 1.958 MGD.
- Transferred 1,383,750 gallons of sludge from the SBR's to the digesters.
- 9.37 inches of rain fell over an 8-day period.
- Taylor CSO (outfall 002) discharged an estimated 20.8 MGM on 6/25/21 – 6/28/21 due to rain events.
- Rollins CSO (outfall 003) discharged 21.043 MGM on 6/25/21 -6/30/21 due to rain events.
- Seven Bridges Rd CSO (outfall 004) discharged 17.232 MGM on 6/21/21, 6/22/21, 6/24/21 – 6/30/21 due to rain events.
- Holman Rd CSO (outfall 005) discharged 0.001735 MGM on 6/28/21 – 6/30/21 due to rain events.
- Collected and delivered monthly WWTP samples and delivered them to Inovatia labs.
- Conducted employee evaluations.
- Met with DMC on several occasions to discuss the cyber security assessment.
- Collected a grab sample from Cardinal Health to finish up industrial pretreatment needs.
- Oros Environmental applied lime to the airport crop fields and a hay field for Shane Kribbs. They also began mixing and removing biosolids from Taylor CSO (outfall 002), the biosolids were applied on the crop fields around the airport. This project is still not 100% complete due to ongoing heavy rains that have flooded the basin making it impossible to complete this project at this time.
- Ike attended training via MRWA
- Ran the generator for 1 hour on 6/18/21 at WWTP for the Ameren response program.
- Mowed grass at all WWTP and pump station sites.
- Pump #2 at Darwood station failed (seal fail), this pump was pulled and taken to Fairbanks Morse Pump Group for inspection and repair estimate.
- Completed and Submitted WWTP EDMR to MDNR via MOGEM website.
- Adjusted the high-level float at Taylor CSO to better determine discharge durations.

Water Plant

- Treated and pumped 33,510,283 gals of water to the distribution system. This is a daily average of 1,117,009 gals per day.
- Performed 3,778 in house tests on the water throughout the treatment process.
- Collected and shipped distribution samples, for DNR compliance, to include the following- 19 Bacteriological samples, Total Organic Carbons, Disinfection By-Products, Inorganic Compounds, Volatile Organic Compounds and Nitrates.
- Performed corrective repairs on one of the ultrasonic algae control devices due battery failure.

- Performed corrective maintenance to the alum feed system due to a boot failure.
- Completed corrective maintenance to Raw water pump #4 potassium injector.
- Performed monthly preventative maintenance on the Free and Total Chlorine analyzers.
- Began the annual drain down and cleaning/maintenance of Up flow clarifier#1

Water Quality Coordinator

- Accepted 2607.1 lbs hazardous waste into the Household Hazardous Waste Facility
- Stabilized and disposed of 935.7 lbs non-reusable materials
- Distributed 1256.5 lbs of recycled material to Moberly residents for reuse
- Managed Open Household Hazardous Waste Day on June 12th
- Cleaned and organized Household Hazardous Waste Facility
- Wrapped batteries for recycling
- Hosted city cleanup on June 8th with 72 attendees
- Hosted Breakfast Education Meeting with Chamber of Commerce
- Reached out to Stream Team about future events in Moberly
- Contacted street barn about High School cleanup
- Performed water quality monitoring of Rothwell Lake and Waterworks Lake
- Finished 2nd Quarter outfall inspections
- Performed regular construction inspections
- Performed Land Disturbance Inspections for all Land Disturbance sites
- Attended Planning Committee meetings
- Met with Code Enforcement to discuss distribution of Land Disturbance permits
- Met Mike Krumm at Cobblestone Creek to discuss closing Land Disturbance Permit
- Renewed membership with WEF/MWEA



JULY REPORT 2021

SOCIAL MEDIA STATS


LIKES/FOLLOWS

Month	Facebook	Instagram	Twitter
May	5,348	981	484
June	5,427	995	477
July	5,527	1,005	478


TOP POSTS FOR JULY

Moberly Gus Macker Promo Video
33 likes

Moberly Correctional Center video Post
Reached 3,471 people & shared 24 times




Aquatic Center/Camping Ad




Medium	Date Ad Ran	Reach	Impressions	Likes	Comments	Shares	Amount Spent
Facebook/Instagram	May 27- June 30	78,894	171,954	65	1	23	\$300

Upcoming Events Ad



Medium	Date Ad Ran	Reach	Impressions	Likes	Comments	Shares	Amount Spent
Facebook/Instagram	May 26- June 30	83,083	171,297	3	15	15	\$300

Depot District Ad




Medium	Date Ad Ran	Reach	Impressions	Likes	Comments	Shares	Amount Spent
Facebook/Instagram	June 1 - June 30	118,749	174,954	20	1	4	\$300

Distillery Ad



Medium	Date Ad Ran	Reach	Impressions	Likes	Comments	Shares	Amount Spent
Facebook/Instagram	June 1- June 30	64,148	137,934	3	15	4	\$300

Dining Ad



Medium	Date Ad Ran	Reach	Impressions	Likes	Comments	Shares	Amount Spent
Facebook/Instagram	June 24- June 30	127,551	204,982	43	0	2	\$611

- Working with designer to create fall and winter ads for Moberly
- Finalizing Quarter 4 Reimbursement to the Missouri Division of Tourism

2021 AD SPEND


Media	2019	2020	2021
Digital	\$10,644.12	\$8,530.54	\$5,549.00
Show me strong digital	0	\$2,989.99	
print	\$800.00	\$1,200.00	\$1,200.00
Radio	0	\$4,998.00	
SEM	\$1,332.93	\$3,465.62	\$1,422.01
Billboard	0	\$2,000.00	
Commercials			\$7,224.00
Total:	\$12,777.05	\$23,184.15	\$15,375.01

○ Note that the majority of this is reimbursed

OWNED COMMUNICATION ASSETS

#9.

	Jan	Feb	March	April	May	June
Website Views	1,724	1,240	3,462	5,529	6,505	7,402



- Updated tourism website to reflect updates/changes
- Continued adding 2021 events to the community calendar
- Created graphics, videos and all other social media posts

CAMPGROUND STAYS

Report is one month behind due to ongoing rentals for the current month.

	Jan	Feb	March	April	May	June
Daily Rentals	22	37	72	120	111	190
Monthly Rentals	11	11	11	8	10	8
Tent Stays					16	23
Total:	33	48	83	128	121	223

179

ADDITIONAL ITEMS

#9.



- Attended Southeast Tourism Society's Marketing College
- Communicated with partners on additional events & assisting with marketing
- Restocked hotel lobbies
- 4th of July Extravaganza had an estimated 9 hotel rooms.
- 75 visitors were apart of the drone racing tournament during the 4th of July
- Car Cruises have continued to be a huge draw in the Depot District.

PLANNED ACTIVITIES



- Had a site visit with Gus and Patty of Gus Macker here in Moberly
- Continued promoting an AirBnb marketing plan
- Continued gathering data for the tourism survey
- Continued working on Homecoming Weekend Festival

MONTHLY BILLING

Item # Description	Jan	Feb	March	April	May	June	July
102.000.521: Advertising	\$1,500	\$1,500	\$1,500	\$1,500	\$1,500	\$1,500	\$1,500
102.000.540: Contract Labor	\$5,000	\$5,000	\$5,000	\$5,000	\$5,000	\$5,000	\$5,000
102.000.541: Administrative Fees	\$583	\$583	\$583	\$583	\$583	\$583	\$583
102.000.550: Consultant Contract	\$417	\$417	\$417	\$417	\$417	\$417	\$417
Total:	\$7,083						

City of Moberly City Council Agenda Summary

Agenda Number: _____ #10.

Department: Public Works

Date: July 19, 2021

Agenda Item: Applications for Airport Advisory Board.

Summary: Two (2) terms (Graves Sandford and Steve Botkins) for the Airport Advisory Board will expire in July. We have re-advertised and received two (2) applications from John Brillhart and Robert Creed which are attached.

Recommended

Action: Appoint two (2) persons to the Airport Advisory Board.

Fund Name: N/A

Account Number: N/A

Available Budget \$: N/A

ATTACHMENTS:		Roll Call	Aye	Nay
___ Memo	___ Council Minutes	Mayor		
___ Staff Report	___ Proposed Ordinance	M___ S___ Jeffrey	___	___
___ Correspondence	___ Proposed Resolution			
___ Bid Tabulation	___ Attorney's Report	Council Member		
___ P/C Recommendation	___ Petition	M___ S___ Brubaker	___	___
___ P/C Minutes	___ Contract	M___ S___ Kimmons	___	___
___ Application	___ Budget Amendment	M___ S___ Davis	___	___
___ Citizen	___ Legal Notice	M___ S___ Kyser	___	___
___ Consultant Report	<u>x</u> <u>Other Appointment</u>		Passed	Failed



Board/Commission Application Form

Individuals serving on boards or commissions play an important role in advising the City Council on matters of interest to our community and its future. For the most part, Board and Commission members must be residents of City of Moberly. When a vacancy occurs, an announcement of that vacancy will be posted. The City Council will review all applications. The appointment will be made at a formal City Council meeting. Appointees serve as unpaid volunteers.

This application is a public document and as such it or the information it contains may be reproduced and distributed. This application will remain active for two years and you will automatically be considered for any vacancy occurring during that time.

Name of Board or Commission: Airport Board Date: 6/22/21
Your Name: Robert L. Creed Street Address:
Phone number(s): (evening) 660-651-0371 (day) Same
Email: r/creed62@hotmail.com

Do you live within the corporate limits of City of Moberly? Yes (No)
How long have you been a resident of City of Moberly?
Occupation: Retired/self-employed Employer:

Optional Questions (use back of application if necessary)

What experience and/or skills do you have that might especially qualify you to serve on this board or commission?

Commercial Pilot since 1984, involved in local EAA chapter, regular user of airport.

What particular contributions do you feel you can make to this board or commission?

30 years as a city public safety employee.

I will attend meetings in accordance with the adopted policies of City of Moberly, Missouri. If at any time my business or professional interests conflict with the interests of the Commission, I will not participate in such deliberations. References may be secured from the following individuals:

- 1. Greg Hodge Phone:
2. Mark Nicoles Phone:
3. Tom Sanders Phone:

Robert L. Creed
Signature of Applicant

*Additional Information may be attached to this form.



Board/Commission Application Form

Individuals serving on boards or commissions play an important role in advising the City Council on matters of interest to our community and its future. For the most part, Board and Commission members must be residents of City of Moberly. When a vacancy occurs, an announcement of that vacancy will be posted. The City Council will review all applications. The appointment will be made at a formal City Council meeting. Appointees serve as unpaid volunteers.

This application is a public document and as such it or the information it contains may be reproduced and distributed. This application will remain active for two years and you will automatically be considered for any vacancy occurring during that time.

Name of Board or Commission: Airport Advisory Board Date: 7/1/2021
 Your Name: John G. Brillhart Street Address: 2796 County Road 2580
 Phone number(s): (evening) 660-456-7401 (day) 573-823-1887
 Email: jbrillhart@outlook.com

Do you live within the corporate limits of City of Moberly? Yes / No

How long have you been a resident of City of Moberly? _____

Occupation: Retired Employer: _____

Optional Questions (use back of application if necessary)

What experience and/or skills do you have that might especially qualify you to serve on this board or commission?

I have been a private pilot (instrument rated) for 31
years, currently own an aircraft (will be hangared at Omer
Bradley Airport), and have been a partner in several other
aircraft.

What particular contributions do you feel you can make to this board or commission?

Prior and current member of several boards, business
background, education (B.S. and M.B.A.).

I will attend meetings in accordance with the adopted policies of City of Moberly, Missouri. If at any time my business or professional interests conflict with the interests of the Commission, I will not participate in such deliberations. References may be secured from the following individuals:

1. Roy Miller Phone: 660-651-5329
2. Kevin Barnett Phone: 573-355-0425
3. Judy Orscheln Phone: _____

John G. Brillhart
 Signature of Applicant

*Additional Information may be attached to this form.

Return to: City of Moberly, 101 West Reed Street, Moberly, MO 65270

City of Moberly City Council Agenda Summary

Agenda Number: #11.
 Department: City Clerk
 Date: July 19, 2021

Agenda Item: Consideration For Approval Of A Renewal Liquor Application.

Summary: **Loyal Order Of The Moose #776**, 2050 North Morley Street, Moberly, MO, submitted by Joshua Lewis.

Recommended

Action: Please approve this application.

ATTACHMENTS:		Role Call	Aye	Nay
<input type="checkbox"/> Memo	<input type="checkbox"/> Council Minutes	Mayor		
<input type="checkbox"/> Staff Report	<input type="checkbox"/> Proposed Ordinance	M__ S__ Jeffrey	___	___
<input type="checkbox"/> Correspondence	<input type="checkbox"/> Proposed Resolution			
<input type="checkbox"/> Bid Tabulation	<input type="checkbox"/> Attorney's Report	Council Member		
<input type="checkbox"/> P/C Recommendation	<input type="checkbox"/> Petition	M__ S__ Brubaker	___	___
<input type="checkbox"/> P/C Minutes	<input type="checkbox"/> Contract	M__ S__ Kimmons	___	___
<input type="checkbox"/> Application	<input type="checkbox"/> Budget Amendment	M__ S__ Davis	___	___
<input type="checkbox"/> Citizen	<input type="checkbox"/> Legal Notice	M__ S__ Kyser	___	___
<input type="checkbox"/> Consultant Report	<input checked="" type="checkbox"/> Other _____		Passed	Failed

Moberly, MO



- Legend**
- Roads
 - Corporate Limit
 - Parcel
 - Original Lot
 - Stream
 - Subdivision
 - Lots
 - South Ridge Lot Line
 - City Easement

1 in. = 104ft.



Notes

207.0 0 103.48 207.0 Feet

This Cadastral Map is for informational purposes only. It does not purport to represent a property boundary survey of the parcels shown and shall not be used for conveyances or the establishment of property boundaries.
THIS MAP IS NOT TO BE USED FOR NAVIGATION