NOTICE OF OPEN MEETING A G E N D A SPECIAL COUNCIL MEETING City of Moberly City Council Room – Moberly City Hall 101 West Reed Street November 29, 2023 12:00 PM

Posted:

<u>Pledge of Allegiance</u> <u>Roll Call</u> <u>Approval of Agenda</u> <u>Ordinances & Resolutions</u>

 A Resolution Of The City Of Moberly, Missouri, Authorizing The Moberly Fire Department To Make A Grant Application Through The State Of Missouri For Rope Rescue Equipment.
 Adjournment

The public is invited to attend the Council meeting. Representatives of the news media may obtain copies of this notice by contacting the City Clerk. If a special accommodation is needed as addressed by the Americans with Disabilities Act, please contact the City Clerk twenty-four (24) hours in advance of the meeting.

Agenda Item:	A Resolution Of The City Of Moberly, Missouri, Authorizing The Moberly Fire Department To Make A Grant Application Through The State Of Missouri For Rope Rescue Equipment.
Summary:	The grant application would be to purchase replacement rope rescue equipment. This equipment will be to bring our rope rescue equipment within the recommended "life expectancy" by NFPA standards. The cost estimate of the new equipment would be approximately \$40,000.00 with no match requirements from the City.
Recommended Action:	Approve the resolution.
Fund Name:	
Account Number:	
Available Budget \$:	

ACHMENTS:		Roll Call	Aye	Nay
_ Memo _ Staff Report Correspondence	Council Minutes Proposed Ordinance X Proposed Resolution	Mayor MS Jeffrey		
Bid Tabulation	Attorney's Report	Council Member		
P/C Recommendation	Petition	M S Brubaker		
P/C Minutes	Contract	M S Kimmons		
Application	Budget Amendment	M S Kyser		
Citizen	Legal Notice	M S Lucas		
Consultant Report	Other		Passed	Failed

A RESOLUTION OF THE CITY OF MOBERLY, MISSOURI, AUTHORIZING THE MOBERLY FIRE DEPARTMENT TO MAKE A GRANT APPLICATION THROUGH THE STATE OF MISSOURI FOR ROPE RESCUE EQUIPMENT.

WHEREAS, the Moberly Fire Department seeks authority to make a no-match grant application through the Emergency Management Performance Mini-Grant program; and

WHEREAS, the grant application will seek to purchase replacement rope rescue equipment to meet "life expectancy" NFPA standards at an approximate cost of \$40,000.00; and

WHEREAS, City Staff recommends the Council grant authority to prepare and submit the grant application.

NOW, THEREFORE, BE IT RESOLVED this 29th day of November, 2023, by the City Council for the City of Moberly, Missouri, that City Staff is to prepare and submit the application for grant funding described herein and further that the City Manager is hereby authorized to take such other and further action necessary to accomplish the purpose of this Resolution.

Presiding Officer at Meeting

ATTEST:

Shannon Hance, MRCC, City Clerk



#1.

Shop > Equipment > Rescue > Rope Rescue > 1/2" ACCESS Lifeline x 150'



"1/2"" ACCESS Lifeline x 150'

YOUR PRICE: \$159.99

+ Shipping

1 in stock

ADD TO CART

Overview

The Newest Rescue Technology Life Safety Rope

Designed with the rescuer in mind, the RescueTECH ACCESSRescue Kernmantle gives the best combination of all rope characteristics. We spent 20 years helping other manufacturers create and update their ropes. RescueTECH introduces its own ACCESS Lifeline for Rope Rescue. Now, we have used our knowledge to create a rope design than gives the best combination of all desired characteristics. By building the ropes from ground up, we are able to provide a super-strong rope with low stretch and excellent flexibility and knotability. Our ropes actually handle better after 6 months of use than some new ropes from other manufactures. We specifically address the issue of sheath slippage when constructing all of our top quality Rescue Ropes. All ropes of the same diameter will perform identically, making multi-rope systems much easier to control. Certified by the Underwriters Laboratories to NFPA 1983. Available in 10 color combination. This rope can be purchased in the standard spool length or per foot for custom lengths.

Colors: White (Red Stripe)

ConfigurationsStandard Spool Lengths50'NFPA Tensile Strength10,000 lbf. (46 kN)WLL667 lbs. (303 kg)NFPA RatingGeneral UseNFPA 10% Elongation6.8 %Elongation at failure21%

WELCOME TO THE NEW BANNERFIRE.COM! ARE YOU A 4 JRNING CUSTOMER? YOUR ACCOUNT IS STILL ACTIVE.

C

Shop > Equipment > Rescue > Rope Rescue > 1/2" ACCESS Lifeline x 150'



"1/2"" ACCESS Lifeline x 150'

YOUR PRICE: \$193.99

+ Shipping

1 in stock

ADD TO CART

Overview

Designed with the rescuer in mind, the RescueTECH ACCESS Rescue Kernmantle gives the best combination of all rope characteristics. We spent 20 years helping other manufacturers create and update their ropes. RescueTECH introduces its own ACCESS Lifeline for Rope Rescue. Now, we have used our knowledge to create a rope design than gives the best combination of all desired characteristics. By building the ropes from ground up, we are able to provide a super-strong rope with low stretch and excellent flexibility and knotability. Our ropes actually handle better after 6 months of use than some new ropes from other manufactures. We specifically address the issue of sheath slippage when constructing all of our top quality Rescue Ropes. All ropes of the same diameter will perform identically, making multi-rope systems much easier to control. Certified by the Underwriters Laboratories to NFPA 1983. Available in 10 color combination. This rope can be purchased in the standard spool length or per foot for custom lengths.

Color: Lime Green (Blue Stripe)

CONFIGURATIONS

STANDARD SPOOL LENGTHS 150'				
NFPA TENSILE STRENGTH 10,000 lbf. (46 k				
WLL	667 lbs. (303 kg)			
NFPA RATING	General Use			
NFPA 10% ELONGATION	6.8 %			
ELONGATION AT FAILURE	21%			
WEIGHT / 100 FT.	7.0 lbs.			

WELCOME TO THE NEW BANNERFIRE.COM! ARE YOU A 5 IRNING CUSTOMER? YOUR ACCOUNT IS STILL ACTIVE.

Q Search for Gear, Boots, Tools, etc.



"1/2"" ACCESS Lifeline x 150'

YOUR PRICE: \$249.99

+ Shipping

Shipping speed: 15 business days

1 in stock



ADD TO CART

Overview

Designed with the rescuer in mind, the RescueTECH ACCESS Rescue Kernmantle gives the best combination of all rope characteristics. We spent 20 years helping other manufacturers create and update their ropes. RescueTECH introduces its own ACCESS Lifeline for Rope Rescue. Now, we have used our knowledge to create a rope design than gives the best combination of all desired characteristics. By building the ropes from ground up, we are able to provide a super-strong rope with low stretch and excellent flexibility and knotability. Our ropes actually handle better after 6 months of use than some new ropes from other manufactures. We specifically address the issue of sheath slippage when constructing all of our top quality Rescue Ropes. All ropes of the same diameter will perform identically, making multi-rope systems much easier to control. Certified by the Underwriters Laboratories to NFPA 1983. Available in 10 color combination. This rope can be purchased in the standard spool length or per foot for custom lengths.

CONFIGURATIONS


STANDARD SPOOL LENGTHS 150'

NFPA TENSILE STRENGTH	10,000 lbf. (46 kN)
WLL	667 lbs. (303 kg)
NFPA RATING	General Use
NFPA 10% ELONGATION	6.8 %
ELONGATION AT FAILURE	21%
WEIGHT / 100 FT.	7.0 lbs.

WELCOME TO THE NEW BANNERFIRE.COM! ARE YOU A 6 JRNING CUSTOMER? YOUR ACCOUNT IS STILL ACTIVE. ACTIVATE YOUR ACCOUNT ON OUR NEW SITE >



Shop > Equipment > Rescue > Rope Rescue > 1/2" ACCESS Lifeline x 150' , Blue



"1/2"" ACCESS Lifeline x 150'

YOUR PRICE: \$193.99

+ Shipping

1 in stock

1

ADD TO CART

Overview

Designed with the rescuer in mind, the RescueTECH ACCESS Rescue Kernmantle gives the best combination of all rope characteristics. We spent 20 years helping other manufacturers create and update their ropes. RescueTECH introduces its own ACCESS Lifeline for Rope Rescue. Now, we have used our knowledge to create a rope design than gives the best combination of all desired characteristics. By building the ropes from ground up, we are able to provide a super-strong rope with low stretch and excellent flexibility and knotability. Our ropes actually handle better after 6 months of use than some new ropes from other manufactures. We specifically address the issue of sheath slippage when constructing all of our top quality Rescue Ropes. All ropes of the same diameter will perform identically, making multi-rope systems much easier to control. Certified by the Underwriters Laboratories to NFPA 1983. Available in 10 color combination. This rope can be purchased in the standard spool length or per foot for custom lengths.

Colors: Blue (Yellow Stripe)

CONFIGURATIONS

 NFPA TENSILE STRENGTH 10,000 lbf. (46 kN)

 WLL
 667 lbs. (303 kg)

 NFPA RATING
 General Use

 NFPA 10% ELONGATION
 6.8 %

 ELONGATION AT FAILURE
 21%

 WEIGHT / 100 FT.
 7.0 lbs.

WELCOME TO THE NEW BANNERFIRE.COM! ARE YOU A 7 JRNING CUSTOMER? YOUR ACCOUNT IS STILL ACTIVE.





1/2" ACCESS Lifeline x 200' / 60M (LG/BL)

YOUR PRICE: \$258.99

+ Shipping

Shipping speed: 62 business days

1 in stock



ADD TO CART

Overview

Designed with the rescuer in mind, the RescueTECH ACCESS Rescue Kernmantle gives the best combination of all rope characteristics. We spent 20 years helping other manufacturers create and update their ropes. RescueTECH introduces its own ACCESS Lifeline for Rope Rescue. Now, we have used our knowledge to create a rope design than gives the best combination of all desired characteristics. By building the ropes from ground up, we are able to provide a super-strong rope with low stretch and excellent flexibility and knotability. Our ropes actually handle better after 6 months of use than some new ropes from other manufactures. We specifically address the issue of sheath slippage when constructing all of our top quality Rescue Ropes. All ropes of the same diameter will perform identically, making multi-rope systems much easier to control. Certified by the Underwriters Laboratories to NFPA 1983. Available in 10 color combination. This rope can be purchased in the standard spool length or per foot for custom lengths.

Color: Lime Green (Blue Stripe)

CONFIGURATIONS STANDARD SPOOL LENGTHS 200'

NFPA TENSILE STRENGTH	10,000 lbf. (46 kN)
WLL	667 lbs. (303 kg)
NFPA RATING	General Use
NFPA 10% ELONGATION	6.8 %
ELONGATION AT FAILURE	21%
WEIGHT / 100 FT.	7.0 lbs.

WELCOME TO THE NEW BANNERFIRE.COM! ARE YOU A 8

ACTIVATE YOUR ACCOUNT ON OUR NEW SITE >

JRNING CUSTOMER? YOUR ACCOUNT IS STILL ACTIVE.

#1.



ρ

Shop > Equipment > Rescue > Rope Rescue > 1/2" ACCESS Lifeline x 200' / 60M (WH/BL)



1/2" ACCESS Lifeline x 200' / 60M (WH/BL)

YOUR PRICE: \$276.99

+ Shipping

Shipping speed: 9 business days ()

1 in stock

- (1)

ADD TO CART

Overview

The Newest Rescue Technology Life Safety Rope

Designed with the rescuer in mind, the RescueTECH ACCESSRescue Kernmantle gives the best combination of all rope characteristics. We spent 20 years helping other manufacturers create and update their ropes. RescueTECH introduces its own ACCESS Lifeline for Rope Rescue. Now, we have used our knowledge to create a rope design than gives the best combination of all desired characteristics. By building the ropes from ground up, we are able to provide a super-strong rope with low stretch and excellent flexibility and knotability. Our ropes actually handle better after 6 months of use than some new ropes from other manufactures. We specifically address the issue of sheath slippage when constructing all of our top quality Rescue Ropes. All ropes of the same diameter will perform identically, making multi-rope systems much easier to control. Certified by the Underwriters Laboratories to NFPA 1983. Available in 10 color combination. This rope can be purchased in the standard spool length or per foot for custom lengths.

Colors: White (Blue Stripe)

ConfigurationsStandard Spool Lengths 200'NFPA Tensile Strength10,000 lbf. (46 kN)WLL667 lbs. (303 kg)NFPA RatingGeneral Use

WELCOME TO THE NEW BANNERFIRE.COM! ARE YOU A 9 JRNING CUSTOMER? YOUR ACCOUNT IS STILL ACTIVE.

ACTIVATE YOUR ACCOUNT ON OUR NEW SITE >

Q Search for Gear, Boots, Tools, etc.



"1/2"" ACCESS Lifeline x 200'

YOUR PRICE: \$286.99

+ Shipping

Shipping speed: 62 business days ()



ADD TO CART

Overview

Designed with the rescuer in mind, the RescueTECH ACCESS Rescue Kernmantle gives the best combination of all rope characteristics. We spent 20 years helping other manufacturers create and update their ropes. RescueTECH introduces its own ACCESS Lifeline for Rope Rescue. Now, we have used our knowledge to create a rope design than gives the best combination of all desired characteristics. By building the ropes from ground up, we are able to provide a super-strong rope with low stretch and excellent flexibility and knotability. Our ropes actually handle better after 6 months of use than some new ropes from other manufactures. We specifically address the issue of sheath slippage when constructing all of our top quality Rescue Ropes. All ropes of the same diameter will perform identically, making multi-rope systems much easier to control. Certified by the Underwriters Laboratories to NFPA 1983. Available in 10 color combination. This rope can be purchased in the standard spool length or per foot for custom lengths.


CONFIGURATIONS

STANDARD SPOOL LENGTHS 200'			
NFPA TENSILE STRENGTH	10,000 lbf. (46 kN)		
WLL	667 lbs. (303 kg)		
NFPA RATING	General Use		
NFPA 10% ELONGATION	6.8 %		
ELONGATION AT FAILURE	21%		
WEIGHT / 100 FT.	7.0 lbs.		

WELCOME TO THE NEW BANNERFIRE.COM! ARE YOU / 10 RNING CUSTOMER? YOUR ACCOUNT IS STILL ACTIVE. ACTIVATE YOUR ACCOUNT ON OUR NEW SITE >



Shop > Equipment > Rescue > Rope Rescue > 1/2" ACCESS Lifeline x 200' / 60M (BKS)



1/2" ACCESS Lifeline x 200' / 60M (BKS)

YOUR PRICE: \$258.99

+ Shipping

Shipping speed: 40 business days 1

1 in stock

ADD TO CART

Overview

Designed with the rescuer in mind, the RescueTECH ACCESS Rescue Kernmantle gives the best combination of all rope characteristics. We spent 20 years helping other manufacturers create and update their ropes. RescueTECH introduces its own ACCESS Lifeline for Rope Rescue. Now, we have used our knowledge to create a rope design that gives the best combination of all desired characteristics. By building the ropes from the ground up, we are able to provide a super-strong rope with low stretch and excellent flexibility and knot ability. Our ropes actually handle better after 6 months of use than some new ropes from other manufactures. We specifically address the issue of sheath slippage when constructing all of our top-quality Rescue Ropes. All ropes of the same diameter will perform identically, making multi-rope systems much easier to control. Certified by the Underwriters Laboratories to NFPA 1983. Available in 10 color combination. This rope can be purchased in the standard spool length or per foot for custom lengths.


Color: Black

CONFIGURATIONS	
STANDARD SPOOL LENGTH	S 200'
NFPA TENSILE STRENGTH	10,000 lbf. (46 kN)
WLL	667 lbs. (303 kg)
NFPA RATING	General Use
NFPA 10% ELONGATION	6.8 %
ELONGATION AT FAILURE	21%
WEIGHT / 100 FT.	7.0 lbs.

WELCOME TO THE NEW BANNERFIRE.COM! ARE YOU

RNING CUSTOMER? YOUR ACCOUNT IS STILL ACTIVE.

11



Rock Exotica P53D Omni-Block Double Swivel Pulley

Rock Exotica's PS3D Omni-Block features a double sheave that allows you to install and remove rope while remaining connected to the anchorage point. The side plate locks into place with a two-stage double-catch safety mechanism. Omni-Blocks combine a pulley, swivel, and carabiner into one piece of equipment to offer shorter rigging. This double pulley has a 2" sheave diameter and can hold rope up to 1/2" in diameter.

Features:

- Install and remove rope while still connected to the anchor.
- · Sideplate locks with two-stage, double-catch safety mechanism.
- Integrated swivel allows the pulley to orient while reducing gain.
- · Connect, install, and remove rope with one hand.
- CNC machined for optimal weight & strength.

Specifications:

- MBS: 40 kN
- WLL: 10 kN
- Weight: 20.9oz
- Sheave Diameter: 2.0"
- Sheave Material: Aluminum
- Max Rope Diameter: 1/2" (13mm)
- Certification: CE/UIAA

Rock Exotica Omni-Block Chart

ROCK	EXOTICA	OMNI-	-BLOCKS

DESCRIPTION	SHEAVE	MATERIAL	COLOR	WEIGHT	MBS	WLL	MAX ROPE	CERTIFICATION
P54 - Omni-Block 1.1" Single	1.1" (28 mm)	Aluminum	Standard	5.1 oz (145 gm)	23 kN	5 kN	0.5" (13 mm)	CE / UIAA
P54-B - Omni-Block 1.1" Single	1.1" (28 mm)	Aluminum	Black	5.1 oz (145 gm)	23 kN	5 kN	0.5" (13 mm)	CE / UIAA
251 - Omni-Block 1.5" Single	1.5" (38 mm)	Aluminum	Standard	9.2 oz (260 gm)	36 kN	8 kN	0.5" (13 mm)	CE / UIAA
251-B - Omni-Block 1.5" Single	1.5" (38 mm)	Aluminum	Black	9.2 oz (260 gm)	36 kN	8 kN	0.5" (13 mm)	CE / UIAA
251 SH-B - Omni-Block 1.5" Single	1.5" (38 mm)	Aluminum	Black	10.7 oz (303 gm)	36 kN	8 kN	0.5" (13 mm)	CE / UIAA
251 D - Omni-Block 1.5" Double	1.5" (38 mm)	Aluminum	Standard	14.5 oz (411 gm)	36 kN	8 kN	0.5" (13 mm)	CE / UIAA
251 D-B - Omni-Block 1.5" Double	1.5" (38 mm)	Aluminum	Black	14.5 oz (411 gm)	36 kN	8 kN	0.5" (13 mm)	CE / UIAA
53 - Omni-Block 2.0" Single	2.0" (51 mm)	Aluminum	Standard	12.3 oz (348 gm)	36 kN	8 kN	0.5" (13 mm)	CE / UIAA
53-B - Omni-Block 2.0" Single	2.0" (51 mm)	Aluminum	Black	12.3 oz (348 gm)	36 kN	8 kN	0.5" (13 mm)	CE / UIAA
53 D - Omni-Block 2.0" Double	2.0" (51 mm)	Aluminum	Standard	12 548 gm)	40 kN	8 kN	0.5" (13 mm)	CE / UIAA
53 D-B - Omni-Block 2.0" Double	2.0" (51 mm)	Aluminum	Black	12 548 gm)	40 kN	8 kN	0.5" (13 mm)	CE / UIAA

Help

YOU HAVE NO

#1.

CAR



Home > Rope > Rope Devices > Rock Exotica P55 Omni-Block Swivel Pulley



Model#: P55

Rock Exotica P55 Omni-Block Swivel Pulley

100

☆☆☆☆ Write a review 📮 Ask a question

\$224.99

THIS ITEM SHIPS FOR FREE!

QUICK SHIP Get it by Nov 27

12 - 1 + Add to cart

Description

Rock Exotica P55 Omni-Block Swivel Pulley

The Omni-Block combines a pulley with a swivel to offer tremendous advantages. The P55 offers an increased MBS of 80 kN for extra strength. Omni-Block pulleys allow you to connect, install, and remove rope with one hand, all while remaining connected to the anchor.

Specifications:

- Weight: 1.9 lbs (850 gm)
- . MBS: 80kN
- WLL: 20 kN
- Max Rope Diameter: 0.5" (13 mm)
- Sheave Diameter: 2.6" (66 mm) Certification: CE pending
- Color: Orange (P55) or Black (P55-B)

Click here to see the Material Handling MHP55

Specs

Reviews

Other top rated products

100 ZRC Cold Galvanizing Co...

公计公计公(0)

公公公公公 0 Reviews



ងឯងផង(0)

Ask A Question



公公公公公(0)

1.4 200 - 5 and the state

Sqwincher Sqweeze Pop.

*****(7)

13



Ø

3M Prot

会会会

Milwaukee Type 2 Vente... ☆☆☆☆☆(0)

V

>


1/2

Help

YOU HAVE NO ITEMS IN

#1.

CAR



Help

Showing 1-16 of 17 results

Sort by popularity





\$680.00



CMC ROPE & EQUIPMENT BAG

\$160.00-\$210.00





CMC MULTI-LOOP STRAPS

\$25.00-\$40.00

15

CMC PROSERIES® LITTER HARNESS

\$330.00



CMC ASCENDER

\$103.00





CMC MPD™ (MULTI-PURPOSE DEVICE)

\$800.00



CMC AZTEK PROSERIES® SYSTEM

\$489.00

16

Search for Gear, Boots, Tools, etc.

Q

Shop > Equipment > Rescue > Rope Rescue > "RescueTECH Multi-Unit Edge Ro

"RescueTECH Multi-Unit Edge Ro

YOUR PRICE: \$240.00

+ Shipping



Overview

An edge protection device from RescueTECHFeaturing an alloy aluminum frame and rollers, this unit may be used as a single unit or paired with other units to provide large-area protection. Units may be linked with the included quick links or using a flat webbing to provide long-range protection. Low Profile design.

Part #DescriptionDimensions611113Medium, 3 units26.50 × 5.75

Reviews

Let us know what you think ...





#1.

Shop > Equipment > Rescue > Rope Rescue > "Pear Scaffold Hook-ANSI, Twis



"Pear Scaffold Hook-ANSI, Twis

YOUR PRICE: \$44.99

+ Shipping

Shipping speed: 9 business days ()

1 in st ADD TO CART

Overview

An extra-large hook with an extra-large side swing gate. Comes with field installable "Captive Bar". NFPA Rating: General Use.

 Config.

 Strength
 7,869 lbf. (35 kN)


 Dimensions
 8.8 × 4.7" (221.8 × 118.4mm)

 Gate Opening 2.187" (55.1mm)


Reviews

Let us know what you think ...

Leave a Review	Ask a Question	Post a Video	Post a Photo
How would you rate this product?	* (required)		
WELCOME TO THE NEW BANNER	FIRE.COM! ARE YOU / 18 RN	ING CUSTOMER? YOUR ACC	COUNT IS STILL ACTIVE.
	ACTIVATE YOUR ACCOUNT	ON OUR NEW SITE >	



1/2



1/1


Help



21

1/2

Help





安古安古古(0)



合合合合合(0)

1/2

U

3M Prot

合合合

拉拉拉拉拉(0)



Home > Rope > Rope Devices > ISC Fixed Axle Mini Rope Grab



Stock#: IS-RP203A

Model#: RP203A ISC Fixed Axle Mini Rope Grab 公计公式公计 Write a review ጫ Ask a question

\$75.99

THIS ITEM SHIPS FOR FREE! Direct Ship Ships in: 1+ month





8 Add to cart

Description

ISC Fixed Axle Mini Rope Grab

The ISC Fixed Axle Mini Rope Grab has a non-agressive cam-face design which helps prevent rope wear. It has an aluminum body and anodised finish.

QUICK SHIP

Specifications:

- Weight: 6 oz. (177 g)
- Compatible Rope Diameter: 10.5 to 13 mm
- Body Material: Aluminum
- Body Finish: Anodized

Specs

SIMILAR IN STOCK OPTIONS

1011
and sense
-

Rock Exotica RockGrab Rope Grab

In Stock () Get It By Nov 27

\$84.99

🗑 Add to Cart

This item ships FREE

YOU HAVE NO


CAR

#1.

ITEMS IN

UPC/GTIN/EIN: 5060508261551

>



ascender, designed for greater efficiency when pulling and increased resistance to wear and tear. Cam opening lever usable with one hand; patented system for unlocking the cam, with just one downwards movement necessary. Steel cam, manufactured with technology that implements the resistance to wear and tear. Equipped with a set of teeth that protects the wear of the rope, but it is equally effective in blocking and ascending the rope. It also has three slots to prevent the accumulation of mud and reduce the effort needed to slide the device up the rope under any condition (muddy rope, frozen, etc.). Two attachment holes for various possible uses, an anti-inversion cam system, a secondary hole for connecting a quick link for an etrier. The working load increased to 140 kg.

24



Q Search for Gear, Boots, Tools, etc.

Shop > Equipment > Rescue > Rope Rescue > RT 2:1 PICK OFF STRAP YELLOW



RT 2:1 PICK OFF STRAP YELLOW

YOUR PRICE: \$40.99

+ Shipping

1 in stock	
$\left[-4-\right]$,
- + +	ADD TO CART

Overview

Built-in Mechanical Advantage

Used for patient pick-off situations.

Configuration allows for 2:1 and 3:1 mechanical advantages for easier handling of loads. Materials: 1 3/4" Heavy Duty nylon webbing with forged D-ring and adjuster buckles.

Config.

Stronath 7000 lhf WELCOME TO THE NEW BANNERFIRE.COM! ARE YOU A RNING CUSTOMER? YOUR ACCOUNT IS STILL ACTIVE. 25

ACTIVATE YOUR ACCOUNT ON OUR NEW SITE >

Q Search for Gear, Boots, Tools, etc.



Clik-Lok Stretcher Lashing Set

YOUR PRICE: \$198.99

+ Shipping

Shipping speed: 10 business days ()

Overview

We have updated our popular Stokes Lashing set with our rescue grade Clik-Lok Buckles. These buckles click together like a seat belt buckle. But, they are rescue strength and require that both release tabs be depressed before the buckle will open. Set come complete with 5 straps and storage pouch.

• Weight: 4.10 lbs.

Reviews

Let us know what you think ...

Leave a Review

Ask a Question

Post a Video

Post a Photo

How would you rate this product? * (required)

 $\Delta \Delta \Delta \Delta \Delta$

WELCOME TO THE NEW BANNERFIRE.COM! ARE YOU A 26 RNING CUSTOMER? YOUR ACCOUNT IS STILL ACTIVE.

#1.

0 1



C

#1.

Shop > Equipment > Rescue > Rope Rescue > Anchor Sling w/ Wide D, 8 ft. (YE)



Anchor Sling w/ Wide D, 8 ft. (YE)

YOUR PRICE: \$29.99

+ Shipping

Shipping speed: 35 business days ()

Overview

Made with TECHWeb

Manufactured from heavy-duty TECHWeb flat webbing (Tensile Strength: 10,000 lbf.) Each sling has a standard "D" ring (proof load: 5,000 lbf.) and a Wide "D" sewn at the end to provide maximum versatility. Anchor points may be wrapped single, double, triple, and rigged choker-style to suit particular rescue situations. When looped like a basket hitch, anchor slings meet General Use load requirements. Although webbing tensile strength is high, overall tensile strength is limited by the "D" rings.

- Strength, Straight: 8,660 lbf.
- Strength, Basket: 15,760 lbf.
- Strength, Choker: 7,240 lbf.

Part #	Length	Strength	WLL	Weight
75941082	8 ft.	8,660 lbf.	866 lbs.	17.6 oz.

Reviews


I ad the loss and the ad the to be defended

WELCOME TO THE NEW BANNERFIRE.COM! ARE YOU A 27 RNING CUSTOMER? YOUR ACCOUNT IS STILL ACTIVE.

ACTIVATE YOUR ACCOUNT ON OUR NEW SITE >

Q Search for Gear, Boots, Tools, etc.

Shop > Equipment > Rescue > Rope Rescue > Anchor Sling w/ Wide D, 6 ft.



Overview

Made with TECHWeb

Manufactured from heavy-duty TECHWeb flat webbing (Tensile Strength: 10,000 lbf.) Each sling has a standard "D" ring (proof load: 5,000 lbf.) and a Wide "D" sewn at the end to provide maximum versatility. Anchor points may be wrapped single, double, triple, and rigged choker-style to suit particular rescue situations. When looped like a basket hitch, anchor slings meet General Use load requirements. Although webbing tensile strength is high, overall tensile strength is limited by the "D" rings.

- Strength, Straight: 8,660 lbf.
- Strength, Basket: 15,760 lbf.
- Strength, Choker: 7,240 lbf.

Part #	Length	Strength	WLL	Weight
75941062	6 ft.	8,660 lbf.	866 lbs.	15.2 oz.

Reviews

Let us know what you think ...

WELCOME TO THE NEW BANNERFIRE.COM! ARE YOU / 28 RNING CUSTOMER? YOUR ACCOUNT IS STILL ACTIVE. ACTIVATE YOUR ACCOUNT ON OUR NEW SITE >



Search for Gear, Boots, Tools, etc.


Shop > Equipment > Rescue > Rope Rescue > Anchor Sling w/ Wide D-ring, 4 ft. Yellow



Anchor Sling w/ Wide D-ring, 4 ft. Yellow

YOUR PRICE: \$26.99

+ Shipping



Overview

Made with TECHWeb

Manufactured from heavy-duty TECHWeb flat webbing (Tensile Strength: 10,000 lbf.) Each sling has a standard "D" ring (proof load: 5,000 lbf.) and a Wide "D" sewn at the end to provide maximum versatility. Anchor points may be wrapped single, double, triple, and rigged choker-style to suit particular rescue situations. When looped like a basket hitch, anchor slings meet General Use load requirements. Although webbing tensile strength is high, overall tensile strength is limited by the "D" rings.

- Strength, Straight: 8,660 lbf.
- Strength, Basket: 15,760 lbf.
- Strength, Choker: 7,240 lbf.

Part #	Length	Strength	WLL	Weight
75941042	4 ft.	8,660 lbf.	866 lbs.	13.6 oz.

Reviews

Let us know what you think ...

WELCOME TO THE NEW BANNERFIRE.COM! ARE YOU # 29 RNING CUSTOMER? YOUR ACCOUNT IS STILL ACTIVE.

ACTIVATE YOUR ACCOUNT ON OUR NEW SITE >

 \times



Home > Rope > Rope Protection > PMI Supermantle Rope Guard Rope Protector



Model#: RC48018

PMI Supermantle Rope Guard Rope Protector 습습습습 Write a review 💭 Ask a question

\$40.00

FREE SHIPPING OVER \$75!

QUICK SHIP Get it by Nov 27



PMI Supermantle Rope Guard Rope Protector

The PMI Supermantle Rope Guard Rope Protector features a ballistic nylon exterior with a durable interior layer of the heavy canvas that wraps completely around your stationary ropes to provide maximum protection from sharp edges and abrasive surfaces. To protect moving ropes, see edge rollers.

Features:

- Durable nylon
- New easy-open flap
- Reflective strip
- Tie off tab
- Weight: 6.0 oz (162 g) Material: Nylon/Canvas

Avalible Options

- Black: 18", 24" & 36"
- Red: 24" & 36"
- Yellow: 18"

Specs

Reviews

Other top rated products



公司公公公(0)



Crown 7007 Aerosol Zin... රුද්දා රුද්දා රුද්(0)



公立公立公公(0)

Petzl OK Aluminum Oval.



Sqwincher Sqweeze Pop.. ★★★★★(7)



Milwaukee Type 2 Vente.. 公会会会会(0)

3M Prot

U

V

>

☆☆☆☆☆ 0 Reviews

30

Help

YOU HAVE NO

CART

#1.

ITEMS IN



Home > Rope > Rope Protection > PMI Supermantle Rope Guard Rope Protector



Model#: RC48018

PMI Supermantle Rope Guard Rope Protector

습습습습습 Write a review 💻 Ask a question \$29.00

FREE SHIPPING OVER \$75!

QUICK SHIP Get it by Nov 27 0



Description

PMI Supermantle Rope Guard Rope Protector

The PMI Supermantle Rope Guard Rope Protector features a ballistic nylon exterior with a durable interior layer of the heavy canvas that wraps completely around your stationary ropes to provide maximum protection from sharp edges and abrasive surfaces. To protect moving ropes, see edge rollers.

Features:

- Durable nylon
- New easy-open flap
- Reflective strip Tie off tab
- Weight: 6.0 oz (162 g) Material: Nylon/Canvas

Avalible Options

- Black: 18", 24" & 36"
- Red: 24" & 36"
- Yellow: 18"

Specs

Reviews

Other top rated products



经济济济济价(0)



Crown 7007 Aerosol Zin... ☆☆☆☆☆(0)



Petzl OK Aluminum Oval.. ආදාරාදුරු(0)



31







0

3M Prot

>

公公公公公 0 Reviews

ŝ

YOU HAVE NO ITEMS IN

CAR

#1.



Q Search for Gear, Boots, Tools, etc.

Shop > Equipment > Rescue > Rope Rescue > 1" TUBULAR WEBBING RED 300'RL




1" TUBULAR WEBBING RED 300'RL

YOUR PRICE: \$152.99

+ Shipping

Shipping speed: 10 business days ()



Overview

RescueTECH webbing is specially designed for the demands of rescue. The RescueTECH Rescue-Spec tubular webbing exceeds the strength specifications of normal mil-spec webbing. Additionally, it will outwear any comparably sized 1 in. tubular webbing. RescueTECH tubular webbing is produced using a custom-designed locking stitch that outperforms spiral (shuttle) loom webbing. The lock stitch ensures that the webbing will not unravel – even less than spiral loom webbing.

Part #	Color	Length	Strength	Weight
7901RD	Red	300 ft.	4,200 lbf.	xxx oz.

Reviews

Let us know what you think ...

Leave a Review	Ask a Question	Post a Video	Post a Photo	
How would you rate this product?	* (required)			
WELCOME TO THE NEW BANNER	FIRE.COM! ARE YOU A 32 RM	IING CUSTOMER? YOUR AC	COUNT IS STILL ACTIVE.	
ACTIVATE YOUR ACCOUNT ON OUR NEW SITE >				

 \times



C

ρ

Shop > Equipment > Rescue > Rope Rescue > 1" TUBULAR WEBBING 300' ORANGE



1" TUBULAR WEBBING 300' ORANGE

YOUR PRICE: \$152.99

+ Shipping

Shipping speed: 10 business days ()

1 in stock ADD TO CART

Overview

RescueTECH webbing is specially designed for the demands of rescue. The RescueTECH Rescue-Spec tubular webbing exceeds the strength specifications of normal mil-spec webbing. Additionally, it will outwear any comparably sized 1 in. tubular webbing. RescueTECH tubular webbing is produced using a custom-designed locking stitch that outperforms spiral (shuttle) loom webbing. The lock stitch ensures that the webbing will not unravel – even less than spiral loom webbing.

Part #	Color	Length	Strength	Weight
79010R	Hot Orange	300 ft.	4,200 lbf.	xxx oz.

Reviews

Let us know what you think ...

Leave a	Review
---------	--------

Ask a Question


Post a Video

Post a Photo


How would you rate this product? * (required)

WELCOME TO THE NEW BANNERFIRE.COM! ARE YOU A 33 RNING CUSTOMER? YOUR ACCOUNT IS STILL ACTIVE.

ACTIVATE YOUR ACCOUNT ON OUR NEW SITE >








CMC HOT CUTTER FOR ROPE AND WEB

\$165.00





35



INCLUDE THIS ITEM IN YOUR KIT

36

1/3

Help

Ω

Search for Gear, Boots, Tools, etc.



RT LARGE ROPE BAG BLUE

YOUR PRICE: \$55.99

+ Shipping

Shipping speed: 11 business days 🚯

Overview

All New Construction

Constructed of heavy-duty water resistant Cordura nylon sides and nearly-indestructible Ballistic Nylon bottom. Side seams of bags are double stitched so that no fabric edges are exposed for fraying. The bottom seam is double stitched and webbing reinforced for superior strength and resistance to abrasion. Drawstring closure with cord lock. Accommodates rope and or equipment. Has unique inside log book pouch. Handles connected to the interior. The grommet on the bottom allows drainage.

Part #	Description	Capacity-7/16	Capacity-1/2	Capacity-5/8	Dimensions	Weight	Handles	Shoulder Straps	Color
801416	Large	400 ft.	325 ft.	200 ft.	26 × 10	16.8 oz	2	2	Blue

Reviews

Let us know what you think ...

WELCOME TO THE NEW BANNERFIRE.COM! ARE YOU A 37 RNING CUSTOMER? YOUR ACCOUNT IS STILL ACTIVE. ACTIVATE YOUR ACCOUNT ON OUR NEW SITE >



0 -

Shop > Equipment > Rescue > Rope Rescue > RT LARGE ROPE BAG ORANGE



RT LARGE ROPE BAG ORANGE

YOUR PRICE: \$55.99

+ Shipping

Shipping speed: 8 business days



Overview

All New Construction

Constructed of heavy-duty water resistant Cordura nylon sides and nearly-indestructible Ballistic Nylon bottom. Side seams of bags are double stitched so that no fabric edges are exposed for fraying. The bottom seam is double stitched and webbing reinforced for superior strength and resistance to abrasion. Drawstring closure with cord lock. Accommodates rope and or equipment. Has unique inside log book pouch. Handles connected to the interior. The grommet on the bottom allows drainage.

Part #	Description	Capacity-7/16	Capacity-1/2	Capacity-5/8	Dimensions	Weight	Handles	Shoulder Straps	Color
801410	Large	400 ft.	325 ft.	200 ft.	26 × 10	16.8 oz	2	2	Orange

Reviews

Let us know what you think ...

I Pave a Review Ask a Question Post a Video Post a Photo WELCOME TO THE NEW BANNERFIRE.COM! ARE YOU / 38 RNING CUSTOMER? YOUR ACCOUNT IS STILL ACTIVE.

ACTIVATE YOUR ACCOUNT ON OUR NEW SITE >



Search for Gear, Boots, Tools, etc.

0

Shop > Equipment > Rescue > Rope Rescue > RT LARGE ROPE BAG RED




RT LARGE ROPE BAG RED

YOUR PRICE: \$55.99

+ Shipping

Shipping speed: 11 business days



Overview

All New Construction

Constructed of heavy-duty water resistant Cordura nylon sides and nearly-indestructible Ballistic Nylon bottom. Side seams of bags are double stitched so that no fabric edges are exposed for fraying. The bottom seam is double stitched and webbing reinforced for superior strength and resistance to abrasion. Drawstring closure with cord lock. Accommodates rope and or equipment. Has unique inside log book pouch. Handles connected to the interior. The grommet on the bottom allows drainage.

Part #	Description	Capacity-7/16	Capacity-1/2	Capacity-5/8	Dimensions	Weight	Handles	Shoulder Straps	Color
801414	Large	400 ft.	325 ft.	200 ft.	26 × 10	16.8 oz	2	2	Red

Reviews

Let us know what you think ...

 Leave a Review
 Ask a Question
 Post a Video
 Post a Photo

 WELCOME TO THE NEW BANNERFIRE.COM! ARE YOU #
 39
 RNING CUSTOMER? YOUR ACCOUNT IS STILL ACTIVE.

 ACTIVATE YOUR ACCOUNT ON OUR NEW SITE >

Search for Gear, Boots, Tools, etc.

0

Shop > Equipment > Rescue > Rope Rescue > RT LARGE ROPE BAG YELLOW



RT LARGE ROPE BAG YELLOW

YOUR PRICE: \$51.99

+ Shipping

Shipping speed: 28 business days ()

Overview

All New Construction

Constructed of heavy-duty water resistant Cordura nylon sides and nearly-indestructible Ballistic Nylon bottom. Side seams of bags are double stitched so that no fabric edges are exposed for fraying. The bottom seam is double stitched and webbing reinforced for superior strength and resistance to abrasion. Drawstring closure with cord lock. Accommodates rope and or equipment. Has unique inside log book pouch. Handles connected to the interior. The grommet on the bottom allows drainage.

Part #	Description	Capacity-7/16	Capacity-1/2	Capacity-5/8	Dimensions	Weight	Handles	Shoulder Straps	Color
801412	Large	400 ft.	325 ft.	200 ft.	26 × 10	16.8 oz	2	2	Yellow

Reviews

Let us know what you think ...

VELCOME TO THE NEW BANNERFIRE.COM! ARE YOU / 40 RNING CUSTOMER? YOUR ACCOUNT IS STILL ACTIVE. ACTIVATE YOUR ACCOUNT ON OUR NEW SITE >

0 1

#1.

Shop > Equipment > Rescue > Rope Rescue > PACK, RIGTECH, RED, CMC

BANNER





PACK, RIGTECH, RED, CMC YOUR PRICE: \$256.00

+ Shipping Shipping speed: 16 husiness days () - + + ADD TO CART

Overview

Stay light, fast and ultra organized with CMC's RigTech Pack. The innovative pack was designed to fulfill ongoing requests from rescue teams in need of a specialized rigging solution. The full-featured pack delivers uncompromised organization for backcountry and urban rescue teams to rope access technicians alike.

Features include:

- Heavy-duty, water-resistant 1,000-Denier nylon construction provides optimum abrasion protection and wear resistance
- Large side pockets: (2) external side pockets 38 L x 15 W x 7 D CM (15" L x 6" W x 3" D) offer padded protection
- (6) Internal sleeve pockets with hook-and-loop keeper straps, perfect for securing and organizing hardware
- Contoured shoulder straps, sternal strap, and wide, padded waist belt add stability and comfort
 Quick-pull handle offers fast access to full-width main compartment that remains rigid for easy access to contents
- Multiple pockets provide optimal organization options
- Internal full-width sleeve for storing edge protection
- Quick-to-deploy waterproof rip-stop nylon ground cloth: 91 × 152 CM (36" W x 60" L), features quick-connect buckles for easy removal and sewn corner carry handles
- · Quick-slide adjustable sternal strap with integrated whistle
- Waist belt adjusters aid in quick donning and easy adjustment
- One size fits most
- Now available in blue
- Designed by CMC and manufactured in Vietnam

Reviews

41

Let us know what you think ...

Leave a Review	Ask a Question	Post a Video	Post a Photo
How would you rate this produc ☆☆☆☆☆☆	t? * (required)		
Title (entionel)			

Title (optional

What is the title of your review?

Review * (required)


×



CMC Pro Pocket

Save \$20.00 Cashback Rewards \$2.09

CMC SKU: 434103



Add to cart

Buy it now

Share this product

Description

An Original CMC Design, and Still a Favorite!

The Pro Pocket is designed to carry your accessory equipment - runners, prusiks, trauma shears, gloves, etc. - securely attached to your harness instead of in a Stuff Bag hanging from your rescue harness or in pants pockets, where the contents sink below the harness leg straps, which can be difficult to access. Made of the same 1,000-denier CORDURA nylon as our tough Rope Bags, the main compartment is large enough to fit your hand inside and it easily stores cord or bulky items. The front pocket can hold a field guide, note pad, lightstick, exam gloves, phone, or pager. The small side pocket is designed for trauma shears and a multi-tool. Gear loop and MOLLE strip allow you to clip carabiners and runners to the outside of the bag or put a safety tether on tools you might be using. The pocket has multiple mounting options, including a wide strap that wraps around your harness and adjusts with hook and loop as well as a belt tunnel allowing a tight, secure fit on harnesses. Accessory items shown not included.

Mantine At Hainet / Industrial Dama Assess / Technical Dama Damains

View more

Reviews

f 9 9 🗹





Vertical Lift Strap Assembly for LSP 2322711



VESTANK FIRE PUMP VT100

\$125.00 + shipping

\$508.00 + shipping




VICTIM HARNESS CLICK LOCK W/ 708366 3 LA. \$156.99 + shipping



Voyager Full Body Harness, Medium (Blue) 718336

\$584.99 + shipping







Web Lanyard w/ ladder h, 3-6 ft. Adj., Snap & Hook 752348 Whip-End-Dip (Clear)





Image Coming Soon

WR5 Multi-Use Helmet (Daisy Yellow) 481542

Wire Basket Stretcher 620101

\$64.99 + shipping

\$498.99 + shipping

\$264.99 + shipping



Image Coming Soon

WELCOME TO THE NEW BANNERFIRE.COM! ARE YOU A

WR5 Multi-Use Helmet (Red) 481544



Anahar Ctron Dive 10ET

44 NING CUSTOMER? YOUR ACCOUNT IS STILL ACTIVE.

ACTIVATE YOUR ACCOUNT ON OUR NEW SITE >

9 7

#1.

Q Search for Gear, Boots, Tools, etc.

Shop > Equipment > Rescue > Rope Rescue > Rope Marking Labels, 60 cnt.



Rope Marking Labels, 60 cnt.

YOUR PRICE: \$33.00

+ Shipping

Shipping speed: 14 business days 1

ADD TO CART

Overview

Self-laminating marking labels. Write or type information on the 1 X 3/4" label. Suitable for ropes up to 5/8. The label can then be sealed to the rope with clear Whip-End Dip. One book contains 60 labels. Weight: 1.2 oz.

	Reviews		
Let us know what you	ı think		
Leave a Review	Ask a Question	Post a Video	Post a Photo
How would you rate this pro ☆☆☆☆☆☆	oduct? * (required)		
Title (optional)			
What is the title of your re	view?		

WELCOME TO THE NEW BANNERFIRE.COM! ARE YOU A 45 RNING CUSTOMER? YOUR ACCOUNT IS STILL ACTIVE. ACTIVATE YOUR ACCOUNT ON OUR NEW SITE >

1/3



Shop > Equipment > Rescue > Rope Rescue > CORONA KEVLAR BELT W/LADDER






CORONA KEVLAR BELT W/LADDER

YOUR PRICE: \$270.00

+ Shipping

Shipping speed: 7 business days



Overview

Made from Kevlar Brand Fire Resistant Web

Our popular Fire Resistant Corona Escape Belt with integral glove-friendly auto-locking Aluminum Ladder Hook. Manufactured of Kevlar® Brand fibers from Dupont and forged hardware. Retro-reflective striping. Auto-Locking waist snap works well with Structural gloves and gives more security than a non-locking snap. Auto-locking Ladder Hook manufactured from high-strength alloy aluminum. Perfect for use in ladders and platforms. Fire Resistant – The melting point of Kevlar is above 500°C (930°F).

Features

- Retro-reflective striping sewn on for better visibility.
- Materials, Hardware: Forged Steel and Forged Alloy Aluminum
- Materials, Belt: Kevlar
- Materials, Thread: Kevlar
- Webbing Width, Waist: 1.75"
- V-Ring Width: 2.25"
- Adjuster Width: 2.25"
- Locking Snap Dimensions: 2.375"w x 2.25"d x 6.5"l
- Ladder Hook Dimensions: 9.25" x 4.75"

Belt Strength: 6,000 lbs. (26.7 kN)

WELCOME TO THE NEW BANNERFIRE.COM! ARE YOU A 46 RNING CUSTOMER? YOUR ACCOUNT IS STILL ACTIVE.

ACTIVATE YOUR ACCOUNT ON OUR NEW SITE >

X

#1.



ρ

Shop > Equipment > Rescue > Rope Rescue > JUNKIN PLASTIC STRETCHER (JSA-200)




JUNKIN PLASTIC STRETCHER (JSA-200)

YOUR PRICE: \$1,216.99

+ Shipping

Shipping speed: 12 business days



Overview

Includes 5 Lashing Strap Sets

The Plastic Stretcher combines the open top railing desirable on standard wire basket litters with the high density polyethylene shell bottom desired for smooth transport. Made from yellow, high density polyethylene shell, supported by a stainless steel outer rail. Shell is permanently attached to the rail using semi-tubular stainless steel rivets (not pop rivets). Includes molded runners and sealed, closed cell foam pad. Will accept a full size rectangular backboard. The top railing has designated rigging points.

 Config.

 Load capacity:
 1,200 lbs.

 Dimensions:
 84.5 × 24 × 7.5"

 Weight:
 31.6 lbs.

 Shipping Weight:
 31.6 lbs.

 Color:
 Yellow

V

Search for Gear, Boots, Tools, etc.

Shop > Equipment > Rescue > Rope Rescue > LITTER BRIDDLE W/ CARABINERS






LITTER BRIDDLE W/ CARABINERS

YOUR PRICE: \$150.00

+ Shipping

Shipping speed: 9 business days 1



Overview

Vertical, Horizontal, and Low Angle

Ideal for all standard lifting applications. Designed for single rope rigging, the 4 Point Litter Bridle attaches directly to the railing of all types of stretchers. Two 1" heavy duty type 18 slings (Webbing Tensile strength: 6,000 lbf.) are looped through a 3" forged steel lifting ring to allow end-to-end height adjustment. Connects to litters with four forged autolocking snaps (included).

Config.	
WLL:	600 lbs.
Weight:	4.75 lbs.
Color:	Red

Reviews

Let us know what you think ...

WELCOME TO THE NEW BANNERFIRE.COM! ARE YOU A 48 RNING CUSTOMER? YOUR ACCOUNT IS STILL ACTIVE.

ACTIVATE YOUR ACCOUNT ON OUR NEW SITE >