

**PUBLIC NOTICE** - Notice Is Hereby Given That the Tangipahoa Parish Council Will Meet in **Regular Session** on Monday, December 27, 2021 Immediately Following the Public Hearing Held At 5:30 PM At Tangipahoa Parish Government Burgess Building, 206 East Mulberry Street, Amite, Louisiana, contact number (985) 748-3211

**PUBLIC HEARING** - Notice Is Hereby Given That a Public Hearing Will Be Held by The Tangipahoa Parish Council on Monday, December 27, 2021 at 5:30 PM At Tangipahoa Parish Government Burgess Building, 206 East Mulberry Street, Amite, Louisiana, contact number (985)748-3211, on the following:

T.P. Ordinance No. 21-84 - an ordinance amending and enacting Chapter 17 Planning and Development, Article V - Standards for Development of Property - Section 17-5.6 General Commercial Property Development Standards and Section 17-5.7 - General Commercial Property Development Setbacks and Buffer Areas

T.P. Ordinance No. 21-85 - an ordinance amending and enacting Chapter 5 - Alcoholic Beverages, Article II - High Alcoholic Content Licenses, Section 5-47 Event Center Requirements

**Tangipahoa Parish Council  
Tangipahoa Parish Government Burgess Building  
206 East Mulberry Street, Amite, LA 70422  
Regular Meeting Immediately Following Public Hearing  
December 27, 2021**

**CALL TO ORDER**

**CELL PHONES** - *Please Mute or Turn Off*

**INVOCATION**

**PLEDGE OF ALLEGIANCE** (*All Veterans and active military, please render the proper salute*)

**ROLL CALL**

**ADOPTION OF MINUTES** for the regular meeting dated December 13, 2021

**PUBLIC INPUT** - *Anyone Wishing to Address Agenda Items Which Were Not on Public Hearing*

**PARISH PRESIDENT'S REPORT**

1. FINANCIAL REPORT
2. APPROVAL OF YEAR END BIDS
3. APPROVAL OF GRADER BLADE BIDS
4. APPROVAL OF PHASE 2022 ROAD LIST AND APPROVAL TO SEEK BIDS
5. AUTHORIZATION TO ENTER INTO AN INTERGOVERNMENTAL AGREEMENT with the Tangipahoa Parish Sewer District No. 1
6. AUTHORIZATION TO ENTER INTO AN INTERGOVERNMENTAL AGREEMENT with Municipalities for 2022 Overlay of Streets

**REGULAR BUSINESS**

**ADOPTION OF ORDINANCES**

7. ADOPTION of T.P. Ordinance No. 21-84 - an ordinance amending and enacting Chapter 17 - Planning and Development, Article V - Standards for Development of Property, Section 17-5.6 - General Commercial Property Development Standards and Section 17-5.7 - General Commercial Property Development Setbacks and Buffer Areas
8. ADOPTION of T.P. Ordinance No. 21-85 - an ordinance amending and enacting Chapter 5 - Alcoholic Beverages, Article II - High Alcoholic Content Licenses - Section 5-47 - Event Center Requirements

**INTRODUCTION OF ORDINANCES**

9. INTRODUCTION of T. P. Ordinance No. 21-87 - an ordinance to ratify the salary of the clerk of the Tangipahoa Parish Council
10. INTRODUCTION of T.P. Ordinance No. 21-88 - an ordinance amending and enacting Chapter 17 - Planning and Development, Article V - Standards for Development of Property, Section 17-5.6 - General Commercial Property Development Standards
11. INTRODUCTION of T.P. Ordinance No. 21-89 - an ordinance amending and enacting Chapter 20 - Streets, Roads, Sidewalks and Drainage, Article I - In General, Section 20-13 - Installation and Construction of driveways, culverts, etc, and Section 20-20 - Parish roadside ditches

- [12.](#) INTRODUCTION of T.P. Ordinance No. 21-90 - an ordinance to repeal Division 4 - Disposal of Roofing Materials, Section 18-70 through Section 18-74 of Chapter 18 - Solid Waste, Article II - Collection and Disposal
- [13.](#) INTRODUCTION of T.P. Ordinance No. 21-91 - an ordinance amending and enacting Chapter 17 - Planning and Development, Article IX - Developments with Special Provision, Section 17-9.1 - General Standards
- [14.](#) INTRODUCTION of T.P. Ordinance No. 21-92 - an ordinance to create the Tangipahoa Parish Fire Protection District No. 1 Fire Prevention Bureau by adding Section 26-3 - Fire Prevention Bureau to Chapter 26 Fire Prevention and Protection

ADOPTION OF RESOLUTIONS

- [15.](#) ADOPTION of T.P. Resolution No. R21-27 –a design exception request – State Project No. H.013163 Wadesboro Rd over Unnamed Creek – Aggregate Shoulders

**BEER, WINE, AND LIQUOR PERMITS**

**LEGAL MATTERS**

**COUNCILMEN'S PRIVILEGES**

**ADJOURN**

Jill DeSouge  
Clerk of Council

Daily Star  
Please Publish December 21, 2021

Posted @ T.P. Gordon A. Burgess Governmental Building December 21, 2021

In Accordance with the Americans with Disabilities Act, If You Need Special Assistance, please contact Jill DeSouge at 985-748-2290 describing the Assistance that is necessary.

DECEMBER 9, 2021

Economical

Pyramid School Products Amway

Home Depot Interboro

A B C D E

ITEM 1	GLASS CLEANER 12/32 OZ WINDEX OR EQUIVALENT	PER CASE		25.17	68.95	167.43	16.80					
ITEM 2	AIR FRESHENER 12/20 OZ	PER CASE		28.03 12/32	32.98		23.88 12/14					
ITEM 3	SPRAY DISINFECTANT 12/20 OZ LYSOL OR EQUIVALENT	PER CASE		30.61	31.99	107.41	38.88					
ITEM 4	38X58 12 MIC TRASH BAGS PACK 200/CS INTERPLAST OR EQUIVALENT	PER CASE		25.55	61.98		19.06	30.48	26.34			
ITEM 5	FURNITURE POLISH 12/20 OZ PLEDGE OR EQUIVALENT	PER CASE		26.98 12/20	34.98		26.64 12/18					
ITEM 6	QUICK STRIP BASE BOARD STRIPPER 12/20OZ	PER CASE		30.65	32.95		31.32					

ITEM 7	WASP & HORNET KILLER 12/20 OZ	PER CASE		40.57	46.98		29.64				
ITEM 8	IVORY SOAP BAR PK 72/3.1	PER CASE		32.76	38.98	264.00	61.94				
ITEM 9	BLEACH 6/1 GALLON	PER CASE		317.4	26.98		20.28				
ITEM 10	BRAWNY DYNAMAX WIPER 13.24 PK 150 OR EQUIVALENT	PER CASE		30.12	n/a		57.94				
ITEM 11	LYSOL DISINFECTANT CLEANER GALLON	PER GAL		6.62	23.98	45.28	7.48				
ITEM 12	ALL PURPOSE CLEANER 5 GALLON	PER GAL		4.18	n/a	37.00	7.56				
ITEM 13	PINE DISINFECTANT 5 GALLON	PER GAL		6.93	n/a		7.25				
ITEM 14	URINAL BLOCK WITH SCREEN DOZEN	PER DOZ		16.75	13.99		9.44				
ITEM 15	WAREHOUSE BROOMS EACH	EACH		4.56	6.99		5.88				
ITEM 16	CARPET FRESHENERS 6/2 LBS	PER CASE		33.55 6/2LB	n/a		26.52 12/1LB				
ITEM 17	COMET CLEANSER 24/21 OZ	PER CASE		26.69	49.98	330.00	30.72				

ITEM 18	20' 3M CHAMPAGNE PADS PACK 5	PER CASE		13.47	12.15		23.90				
ITEM 19	3M DOODLE BUG STRIP PADS PACK 5	PER CASE		6.54	3.29		21.32				
ITEM 20	19" 3M CHAMPAGNE PADS PACK 5	PER CASE		12.65	10.99		21.95				
ITEM 21	20" 3M RED PADS PACK 5	PER CASE		12.43	12.15		12.85				
ITEM 22	20" 3M GORILLA HAIR PAD PACK 5	PER CASE		13.46	12.15		13.25				
ITEM 23	20" 3M WHITE POLISH PADS PACK 5	PER CASE		12.43	12.15		13.25				
ITEM 24	HOTEL SIZE BRILLO SOAP PADS 12/10 PK	PER CASE		30.73	24.98	142.20	29.86				
ITEM 25	JAMES RIVER BATH TISSUE 2 JPLY 96 ROLLS 500 SHEET OR EQUIVALEN	PER CASE		30.75	n/a		37.25				
ITEM 26	WISCONSIN JUMB18.640 BATH TISSUE 6/R15.22OLL EQUIVALENT14 .63	PER CASE		23.45	n/a		26.35				
ITEM 27	WISCONSIN KITCHEN ROLL TOWELS	PER CASE		18.79	32.75		20.85				

	30/100 ROLL OR EQUIVALENT											
ITEM 28	24X33 MICRON 06 TRASH BAGS PACK 1000/CS INTERPLAST OR EQUIVALENT	PER CASE		24.98	n/a		18.94	19.82	19.82	19.82	19.82	19.82
ITEM 29	30X37 TRASH BAGS MICRON 10 TRASH BAGS PACK 500/CS INTERPLAST OR EQUIVALENT	PER CASE		23.90	n/a		20.62	28.82	24.34	24.34	24.34	24.34
ITEM 30	38X58 MICRON 1.5MIL TRASH BAGS PACK 100/CS INTERPLAST OR EQUIVALENT	PER CASE		27.95	n/a		28.30	39.34	29.84	21.82	18.24	18.24
ITEM 31	40X46 TRASH MICRON EX-HVY TRASH BAGS 100/CS INTERPLAST OR EQUIVALENT	PER CASE		14.90	n/a		22.63	23.34	18.84	16.32	13.82	13.82
ITEM 32	38X58 .4 MIL EX-HVY TRASH BAGS 100/CS INTERPLAST OR EQUIVALENT	PER CASE		42.05	n/a		42.34	73.84	57.98	46.72	33.34	28.84

ITEM 33	FINISH MOP HEAD LARGE BLUE/WHITE WILEN OR EQUIVALENT	PER CASE		44.13	43.08		8.76 each					
ITEM 34	GENERAL MAINTENANCE MOP HEAD BLUEMED. WILEN OR EQUIVALENT	PER CASE		37.77	37.44		38.94					
ITEM3 5	OVEN & GRILL PK 12/20	PER CASE		30.38	35.75		27.12					
ITEM 36	LATEX GLOVE POWDER FREE 15 MIL THICK 10/100 CT, SMALL, MED, LARGE, XLARGE EXAM 100/BK LARGE	PER CASE		59.83	89.90		58.00					
ITEM 37	GENERAL MAINTENACE DUST MOP HEADS 5"X48"	PER CASE		46.17	71.88		248.64					
ITEM 38	GENERAL MAINTENACE DUST MOP HEAD 24'X5"	PER CASE		49.68	46.68		140.64					
ITEM 39	LATEX GLOVE POWDER FREE EXAM 100/BX SMALL, MED., LARGE, XLARGE	PER CASE		53.20	89.90		58.00					21.75

FUEL BID  
DECEMBER 9, 2021

FUEL BID	ROSELAND SHOP	ROSELAND SHOP	E&S Inc Pure Oil	Lavigne Oil		
	EST Quality	BID PRICE				
GAS	2000*		.2500	.311		
On Rd Diesel	2000*		.2500	.311		
Off Rd Diesel	4000*		.0425	.091		

Fuel Bid	Landfill	Landfill	Pure Oil	Lavigne Oil		
	Est Quality	Bid Price				
Gas	2000		.2475	.311		
On Rd Diesel	800		.2475	.311		
Off Rd Diesel	8000		.0425	.091		

Fuel Bid	Pleasant Ridge Shop	Pleasant Ridge shop	Pure Oil	Lavigne Oil		
	Est Quality	Bid Price				
Gas	4000		.2450	.311		
On Rd. Diesel	4000		.2450	.311		
Off Rd Diesel	4000		.0425	.091		

Total 4333.00 6058.80

**TANGIPAHOA PARISH GOVERNMENT  
PEST CONTROL BID  
DECEMBER 9, 2021**

<b>BIDDER NAME</b>	<b>MONTHLY BID</b>	<b>ANNUALLY BID</b>
<b>SOUTHEAST PEST SERVICES, LLC</b>	<b>1200.00</b>	<b>14,000.00</b>

HEAVY RED CLAY BID  
DECEMBER 09, 2021

BIDDER NAME	BID AMOUNT	PIT LOCATION
CIRCLE E MATERIAL	\$2.00	25369 HWY 40, LORANGER
DALEY SAND & GRAVEL	\$1.75	66281 S RIVER ROAD, ROSELAND
WENBERT FARMS CLAY	\$2.25	19193 HWY 38, KENTWOOD

**TANGIPAHOA PARISH GOVERNMENT  
LIMESTONE BID  
DECEMBER 9, 2021  
BID OPENING**

<b>LIMESTONE</b>	<b>BIDDER NAME</b>	
<b>610 (ROAD BASE) 1" DOWN TO FINE POWER</b>	<b>BEAR INDUSTRIES</b>	<b>42.00 TON</b>
<b>#57 1" TO ½" CLEAN ROAC</b>		<b>44.00 TON</b>
<b>#4 2" (RAILROAD BALLAST)</b>		<b>44.00 TON</b>
<b>#1 2" TO 6" ROCK</b>		<b>44.00 TON</b>

**TANGIPAHOA PARISH GOVERNMENT  
BID OPENING COLD MIX  
DECEMBER 9, 2021**

	<b>Barriere Construction</b>		
<b>COLD MIX:</b>	<b>96.50 per ton</b>		

**TANGIPAHOA PARISH GOVERNMENT  
BID OPENING - DECEMBER 9 2021  
HOT MIX**

<b>BIDDER NAME</b>	<b>BARRIERE CONSTRUCTION</b>		
<b>F. O. B. PARISH TRUCKS (Ton)</b>	<b>56.00 PER TON</b>		
<b>PLANT LOCATION</b>	<b>407 C.C. RD FRANKLINTON, LA. 70438</b>		

**TANGIPAOA PARISH GOVERNMENT  
 BID OPENING DECEMBER 9, 2021  
 BRIDGE MATERIAL**

PAGE 1 OF 3

<b>CURBS &amp; BRIDGE RAILS</b>		<b>Bayou Forest Products, Inc</b>		
<b>DIAMETER</b>	<b>LENGTH</b>			
2" x 8"	20'	46.67		
4" x 6"	20'	85.00		
6" x 6"	20'	127.50		
3" x 8"	20'	65.00		
<b>DECK BOARDS</b>				
<b>DIAMETER</b>	<b>LENGTH</b>			
3" x 8"	22'	74.36		
3" x 8"	24'	84.00		
3" x 8"	26'	94.38		

3" x 10"	24'	108.90		
3" x 10"	26'	121.88		
3" x 12"	24'	135.00		
3" x 12"	26'	151.32		
<b>STRINGERS</b>				
<b>DIAMETER</b>	<b>LENGTH</b>			
6" x 12"	20'	210.00		
6" x 12"	22'	239.58		
6" x 12"	24'	270.00		
6" x 14"	20'	254.10		
6" x 14"	22'	288.75		
6" x 14"	24'	325.92		
6" x 14"	26'	364.00		
6" x 14"	28'	404.74		

<b>CAPS</b>				
<b>DIAMETER</b>	<b>LENGTH</b>			
10" x 10"	24'	363.00		
10" x 10"	26'	406.25		
12" x 12"	24'	540.00		
12" x 12"	26'	605.28		
12" x 12"	28'	672.00		

<b>PILING</b>				
<b>DIAMETER</b>	<b>LENGTH</b>			
12" / 3" (Per Linear Foot)	25'	13.21/LF		
12" / 3" (Per Linear Foot)	30'	11.65/LF		
12" / 3" (Per Linear Foot)	35'	10.69/LF		

12" / 3" (Per Linear Foot)	40'	9.91/LF		
12" / 3" (Per Linear Foot)	50'	9.33/LF		

--

**\*\*\*\*\*PRICE ON ALL ITEMS TO REMAIN IN EFFECT FROM JANUARY 1, 2022 THROUGH DECEMBER 31, 2022\*\*\*\*\***

**BID PRICE SHOULD INCLUDE ALL DELIVERY FEES.**

**TREATMENT SHALL BE IN ACCORDANCE WITH LOUISIANA STANDARD SPECIFICATION FOR ROAD AND BRIDGES 2006 EDITION (BLUE BOOK).**

**Section 1014.03 8 Pentachlorophenol-Petroleum Solution.**

**Section 1014.04 (A) & (b) Treatment.**

**Table 1014-2**

CORRUGATED METAL PIPE  
DECEMBER 9, 2021

Corrugated Metal Pipe 2 2/3"x1/2"	Coastal Culvert			Coburns Supply			Contech Engineered Solutions		KEDCO, LLC		
	P	C	A	P	C	A	P	C	P	C	A
12" 16	23.46	27.53	24.84	20.55	24.10	21.75	17.95	19.00	24.16	28.35	25.58
15" 16	28.15	34.25	29.80	24.65	30.00	26.15	21.54	22.80	29.01	35.27	30.69
17"x13" ARCH 16	31.53	37.64	33.39	27.65	33.00	29.27	24.12	25.54	32.47	38.75	34.38
18" 16	35.20	43.32	37.26	30.85	37.95	32.65	26.93	28.50	36.25	44.61	38.36
21"x15" ARCH 16	39.42	47.55	41.74	34.55	41.70	36.60	30.16	31.93	40.59	48.98	42.98
21" 16	39.89	49.04	42.22	34.95	43.00	37.00	30.52	32.30	41.09	50.49	43.48
24" 16	44.59	54.74	47.19	39.10	48.00	41.35	34.11	36.10	45.92	56.38	48.59
28"x20" ARCH 16	49.93	60.09	52.86	43.75	52.67	46.30	38.20	40.44	51.42	61.88	54.38
30" 14	70.40	83.61	74.52	61.70	73.30	65.30	53.86	57.01	72.51	86.10	76.74
35"x24" ARCH 14	78.86	92.07	83.48	69.10	80.70	73.15	60.33	63.86	81.21	94.81	85.98
36" 14	84.48	98.71	89.42	74.05	86.50	78.35	64.63	68.41	87.01	101.65	92.09
42" 14	108.44	124.68	114.78	98.05	112.75	103.80	82.95	87.80	111.69	128.40	118.19
42"x29" ARCH 14	94.62	108.85	100.15	109.80	98.40	90.55	72.39	76.62	97.69	112.10	103.15
48' 14	123.92	144.24	131.16	112.00	130.40	118.60	94.80	100.34	127.69	148.69	135.09
49"x33" ARCH 14	121.44	137.68	128.55	109.80	124.50	116.25	92.90	98.34	125.09	141.79	132.39
57"x38" ARCH 14	187.95	208.26	198.93	169.95	188.30	179.90	143.78	152.18	193.69	214.69	204.69
54" 12	188.46	215.28	199.48	170.40	194.65	180.40	144.17	152.60	194.08	221.69	205.69
60" 12	218.62	246.66	231.41	197.65	223.00	209.25	167.25	177.03	225.19	254.01	238.33



## SIGN POST BIDS

DECEMBER 9, 2021

BIDDER NAME	<b>Xcessories Squared Development &amp; Mfg.</b>		
POST 1 3/4" 14 ga x 10ft	<b>37.17 each</b>	must buy in multiples of 25	
ANCHOR 2" 12GA X 3FT	<b>17.53 each</b>	must buy in multiples of 25	

## HARDWARE

SMALL CORNER BOLT 5/16" ZINC	<b>.45 each</b>		
FLANGED WASHER NUT 5/16" ZINC PLATED	<b>.09 each</b>		
DRIVE RIVET 3/8" ZINC PLATED	<b>.55 each</b>		
NYLON WASHER 3/8"	<b>.09 each</b>		

**TANGIPAHOA PARISH GOVERNMENT  
GRADER BLADES HEAVY DUTY  
DECEMBER 15, 2021**

	<b>BIDDER</b>	<b>QTY 200</b>	<b>AMOUNT</b>
<b>5/8"X8"X6' DELIVER</b>	<b>CRAWLER SUPPLY</b>	<b>72.75 EACH</b>	<b>14,550.00</b>
<b>BOLTS AND NUTS DELIVER</b>	<b>CRAWLER SUPPLY</b>	<b>1.42 EACH</b>	<b>284.00</b>
	<b>VALK Manufacturing Co</b>	<b>117.81 each</b>	<b>23,562.00</b>
	<b>Valk Manufacturing</b>	<b>No Bid</b>	<b>No bid</b>
	<b>Wear Parts &amp; Equipment</b>	<b>80.00 each</b>	<b>16,000.00</b>
	<b>Wear Parts &amp; Equipment</b>	<b>2.50 each</b>	<b>500.00</b>

PHASE 2022 Tangipahoa Parish Overlay Program																													
Quantity Summary																													
T o w n	3 "	O L	Dist rict	ROAD NAME	From	To	Surface Treatment	Length(ft)	Length(mi)	Width(ft)	SQ Yards	SQ Yards	Additional square yards for turnouts, cul de sacs, and or turnarounds	D r i v e s	A p p r o x i m e n t	p S a Q t Y c D h S i n g	ITEM NO	Item No 303	Item No 303	Item No 303	Item No 303	Item No 303	Item No 501-	Item No 501-	Item No	Item No 509	Item No 732-	Item No 732-	
																	203	(02) Soil Cement 6%t	(03) A Soil Cement 8%	(04) A Soil Cement 8%	(05) A Soil Cement 10%	(06) A Soil Cement 10%	01 Asphaltic Concrete	01 (P) Asphaltic	507-01 Asphalt	(01) Cold Planing	02 Plastic Pavement	03 Plastic Pavement	
													(05) Shoulder	Depth 10"	Depth 10"	Depth 12"	Depth 10"	Depth 12"			Concrete	Surface Treatment	Asphaltic	Striping	Striping				
													Material	Cement	Cement	Cement	Cement	Cement			Patching	(3CST)	Concrete 2"	(Solid)	(Broken)				
													Lin. Ft.	SQ Yards	SQ Yards	SQ Yards	SQ Yards	SQ Yards	Tons	SQ Yards	SQ Yards	"+ or • SQ Yard"	Miles	Miles					
<b>Asphalt Roads</b>																													
				1	Joe Dyson Rd.	LA 1057	LA 440	Asphalt	3733.00	0.71	20.00	8295.56	75.85	5	2		X		X					X					X
				* 1	Dummy Line Rd.	LA 16	Mixon Rd.	Asphalt	5500.00	1.04	18.00	11000.00	94.19	7	2	69.4	X					X	X	X		X			X
				1	Juan Woods Ln.	LA 1054	End	Asphalt	1769.00	0.34	15.00	2948.33	42.51	3	1		X		X				X						
				1	Otis Slaven Rd.	Otis Slaven Rd.	End	Asphalt	900.00	0.17	15.00	1500.00	24.17	1	1		X		X				X						
				1	Rhodus Ln.	Potts Ln.	End	Asphalt	2035.00	0.39	17.00	3843.89	97.53	9	1		X		X				X						
				1	S. Dykes Rd.	LA 38	End	Asphalt	2240.00	0.42	15.00	3733.33	60.85	5	1		X						X						
				1	Morris Retreat Rd.	Rodeo Rd.	End	Asphalt	1358.00	0.26	20.00	3017.78	70.02	6	1		X		X				X						X
				1	Hunt Rd.	Greenfarm Rd.	End	Asphalt	2700.00	0.51	15.00	4500.00	51.68	4	1		X		X				X						
				1	Miller Rd.	Forbes Rd.	End	Asphalt	2700.00	0.51	18.00	5400.00	51.68	4	1		X		X				X						X
				1	Forbes Rd.	LA 38	LA 1054	Asphalt	3725.00	0.71	16.00	6622.22	75.85	5	2		X						X						
				1	Thurland Mc Gehee Rd.	LA 1054	End	Asphalt	2196.00	0.42	16.00	3904.00	42.51	3	1		X		X				X						
				1	Verberne Rd.	LA 1061	Verberne Barn Rd.	Asphalt	6500.00	1.23	18.00	13000.00	103.36	8	2		X						X						X
				1	Hilburn Rd.	Asphalt	End	Asphalt	905.00	0.17	17.50	1759.72	27.51	3	0		X		X				X						X









## INTERGOVERNMENTAL AGREEMENT

STATE OF LOUISIANA

PARISH OF TANGIPAHOA

This agreement is made and entered into the \_\_\_\_\_ day of \_\_\_\_\_ 2021 between the Tangipahoa Parish government, represented herein by its President Robby Miller and the Tangipahoa Parish Sewer District No. 1 represented herein by Jason Hood The director duly authorized by the board of directors at the regular meeting on \_\_\_\_\_ to execute this agreement.

### Witnesseth

The parish will overlay the road to the sewer treatment plant in the Wedgewood subdivision. The Tangipahoa Parish Sewer District No. 1 will provide funding for the work to be done through the annual Tangipahoa Parish overlay contract titled Phase 2022. The parish will facilitate the installation of the work through the Phase 2022 contract.

Thus, done and signed on the day, month, and year herein above.

TANGIPAHOA PARISH GOVERNMENT

\_\_\_\_\_  
ROBBY MILLER, PRESIDENT

\_\_\_\_\_  
JASON HOOD, DIRECTOR

**Intergovernmental Agreement**

State of Louisiana  
Parish of Tangipahoa

This agreement is made and entered into the \_\_\_\_ day of \_\_\_\_\_, between Tangipahoa Parish Government, represented herein by its President, Robby Miller, duly authorized to execute this agreement by the Tangipahoa Parish Council at its regular meeting on the \_\_\_\_ day of \_\_\_\_\_ 2021, a certified copy of the minutes being annexed hereto, and the City of \_\_\_\_\_ represented herein by \_\_\_\_\_, its Mayor, duly authorized to execute this agreement by the Town Council as a part of his/her regular duties.

**Witnesseth**

The Tangipahoa Parish Government will provide certain services to the above-named municipality, which service shall be: Overlay the following streets:

These services shall be performed only within the corporate limits of the above-named municipality. The above-named municipality hereby agrees that Tangipahoa Parish Government is performing this service at no cost to the City of \_\_\_\_\_. The City of \_\_\_\_\_ will be responsible for any preparatory work that is required prior to the aforementioned operations occurring.

Thus, done and signed on the day, month, and year herein above written, in duplicate originals at Amite City Louisiana.

Tangipahoa Parish Government

\_\_\_\_\_  
Robby Miller, President

\_\_\_\_\_, Mayor

**T.P. Ordinance No. 21-84**

AN ORDINANCE AMENDING AND ENACTING CHAPTER 17 -  
PLANNING AND DEVELOPMENT, ARTICLE V – STANDARDS FOR  
DEVELOPMENT OF PROPERTY, SECTION 17-5.6 - GENERAL  
COMMERCIAL PROPERTY DEVELOPMENT STANDARDS AND SECTION  
17-5.7 - GENERAL COMMERCIAL PROPERTY DEVELOPMENT  
SETBACKS AND BUFFER AREAS

**BE IT ORDAINED** by the Tangipahoa Parish Council-President Government, State of Louisiana, acting as the Governing Authority thereof revises and amends the Tangipahoa Parish Code of Ordinance, Chapter 17 Planning and Development, Article V Standards for Development of Property, Section 17-5.6 General Commercial Property Development Standards – B. (11) and D. and Section 17-5.7 General Commercial Property Development Setbacks and Buffer Areas – A., C., and D. as follows:

CHAPTER 17 – PLANNING AND DEVELOPMENT

ARTICLE V – STANDARDS FOR DEVELOPMENT OF PROPERTY

Sec. 17-5.6 - General Commercial Property Development Standards-

- B.** Commercial Property Site Plans must include the following details, unless otherwise specified in this chapter:
- (1.) A vicinity map.
  - (2.) Total number of acres.
  - (3.) North point, scale, and date
  - (4.) Must show ingress and egress for driveways
  - (5.) A typical design section for roads and parking to include all asphalt or concrete pavement sections, culvert inverts, and grading
  - (6.) Sewerage facilities, water facilities, fire hydrants, and any other utilities
  - (7.) Wetlands designated areas as applicable
  - (8.) Flood Zone, as per FIRM with Community, Panel and Date, Base Flood Elevation, if applicable.
  - (9.) Privacy fence or natural barrier as necessary to separate incompatible land uses, if required
  - (10.) Legal description including section, township, and range; boundaries of property, boundaries of incorporated areas or other established districts, ditches, water course and any other features or physical conditions of the property.
  - (11.) Place for signature of the following:
    - (a) ~~Community Development Director~~ Planning Director
    - (b) Parish Engineer
    - (c) Planning Commission Chairman, if applicable
- D.** Traffic Study for Parish Roads and/or DOTD Approved Permit – as determined by Parish Engineer. - ~~A minimum of twenty five foot buffer area shall be established and maintained between conflicting uses caused by the location of a new commercial development being constructed or expanded adjacent to property being used for residential purposes unless approved by the parish planning commission. No building or permanent structure shall be located within this buffer area. The buffer area may be used for parking, underground utilities, drainage, green area (landscaping and planting) and access.~~

Sec. 17-5.7-General Commercial Property Development Setbacks and Buffer Areas-

- A.** A minimum of twenty-five-foot (25') buffer area shall be established and maintained between conflicting uses caused by the location of a new commercial development being constructed or expanded adjacent to property

being used for residential purposes ~~unless approved by the Parish Planning Commission~~. No building or permanent structure shall be located within this buffer area. ~~The buffer area may be used for parking, underground utilities, drainage, green area (landscaping and planning), and access. A 10' buffer from property edge shall remain free of any improvements. Any remaining area in the 25' buffer may be used for parking, underground utilities, drainage, green area (landscaping and planting), and access. OR if there is no adjacent conflicting use a ten-foot (10') buffer can be allowed. No building or permanent structure shall be located within this 10' buffer area, and this 10' buffer from property edge shall remain free of any improvements.~~

- B. The buffer area shall be established and maintained by the owner of the property on which the new developments are established.
- C. The buffer area shall also have an eight-foot-high solid fence or other approved barrier between residential areas and these developments. This fence shall be located within one (1) foot of the property line ~~unless approved by the community development director.~~
- ~~D. The twenty five foot buffer area and eight foot fence or other approved barrier requirements shall be waived if all adjacent landowners to the required buffer area submit a notarized letter of no objection.~~
- ~~E.~~ D. Property frontage shall have a minimum setback of 50 foot for any structure from public right-of-way lines. In cases when the right-of-way lines cannot be determined setback line will begin 18 inches behind the backslope of the drainage ditches.

**BE IT FURTHER ORDAINED** that this ordinance shall become effective immediately upon signature of the Parish President and all previous ordinances in conflict with said ordinance are hereby repealed.

This ordinance having been submitted in writing, having been introduced at a public meeting of the Tangipahoa Parish Council, discussed at a public hearing of said council and was submitted to an official vote of the Tangipahoa Parish Council.

On motion by \_\_\_\_\_ and seconded by \_\_\_\_\_, the foregoing ordinance was hereby declared adopted on this 27th day of December, 2021 by the following roll-call vote:

**YEAS:** Forrest, Ingraffia, Joseph, Bruno, Ridgel, Mayeaux, Wells, Vial, Hyde, Coates

**NAYS:**

**ABSENT:**

**NOT VOTING:**

**ATTEST:**

\_\_\_\_\_  
Jill DeSouge  
Clerk of Council  
Tangipahoa Parish Council

\_\_\_\_\_  
Brigitte Hyde  
Chairwoman  
Tangipahoa Parish Council

INTRODUCED: December 13, 2021

PUBLISHED: December 9, 2021 OFFICIAL JOURNAL Hammond Daily Star

ADOPTED BY TPC: December 27, 2021

DELIVERED TO PRESIDENT: \_\_\_\_\_ day of January, 2022 at \_\_\_\_\_

APPROVED BY PRESIDENT: \_\_\_\_\_  
Robby Miller Date

VETOED BY PRESIDENT: \_\_\_\_\_  
Robby Miller Date

RECEIVED FROM PRESIDENT: \_\_\_\_\_ day of January, 2022 at \_\_\_\_\_

**T.P. Ordinance No. 21-85**

**AN ORDINANCE AMENDING AND ENACTING CHAPTER 5 -  
ALCOHOLIC BEVERAGES, ARTICLE II – HIGH ALCOHOLIC CONTENT  
LICENSES, SECTION 5-47 - EVENT CENTER REQUIREMENTS**

**BE IT ORDAINED** by the Tangipahoa Parish Council-President Government, State of Louisiana, acting as the governing authority thereof revises and amends the Tangipahoa Parish Code of Ordinance, Chapter 5 Alcoholic Beverages, Article II High Alcoholic Content Licenses, Section 5-47 Event Center Requirements as follows:

**CHAPTER 5 ALCOHOLIC BEVERAGES**

**ARTICLE II – HIGH ALCOHOLIC CONTENT LICENSES**

**Sec. 5-47 – Event Center Requirements**

Any event center, building, facility, or other immovable property at which alcoholic beverages will be consumed and which requires its guests, patrons, or attendees to pay for admittance into the facility shall first obtain all liquor licenses and permits described above prior to holding any events. Furthermore, said event center, facility, or otherwise shall abide by all the foregoing restrictions and requirements.

**BE IT FURTHER ORDAINED** that this ordinance shall become effective immediately upon signature of the Parish President and all previous ordinances in conflict with said ordinance are hereby repealed.

This ordinance having been submitted in writing, having been introduced at a public meeting of the Tangipahoa Parish Council, discussed at a public hearing of said council and was submitted to an official vote of the Tangipahoa Parish Council.

On motion by \_\_\_\_\_ and seconded by \_\_\_\_\_, the foregoing ordinance was hereby declared adopted on this 27th day of December, 2021 by the following roll-call vote:

**YEAS:** Forrest, Ingraffia, Joseph, Bruno, Ridgel, Mayeaux, Wells, Vial, Hyde, Coates

**NAYS:**

**ABSENT:**

**NOT VOTING:**

**ATTEST:**

\_\_\_\_\_  
Jill DeSouge  
Clerk of Council  
Tangipahoa Parish Council

\_\_\_\_\_  
Brigette Hyde  
Chairwoman  
Tangipahoa Parish Council

**INTRODUCED:** December 13, 2021

**PUBLISHED:** December 9, 2021 **OFFICIAL JOURNAL** Hammond Daily Star

**ADOPTED BY TPC:** December 27, 2021

**DELIVERED TO PRESIDENT:** \_\_\_\_\_ day of January, 2022 at \_\_\_\_\_

**APPROVED BY PRESIDENT:** \_\_\_\_\_  
Robby Miller Date

**VETOED BY PRESIDENT:** \_\_\_\_\_

Robby Miller

Date

RECEIVED FROM PRESIDENT: \_\_\_\_\_ day of January, 2022 at \_\_\_\_\_

**T. P. Ordinance No. 21-87**

**AN ORDINANCE TO RATIFY THE SALARY OF THE CLERK OF  
THE TANGIPAHOA PARISH COUNCIL**

**BE IT ORDAINED** by the Tangipahoa Parish Council-President Government, State of Louisiana, acting as the governing authority of Tangipahoa Parish, hereby sets the salary of the Clerk of the Tangipahoa Parish Council, Jill DeSouge, at \$26.50/hour, effective pay period beginning December 12, 2021.

**BE IT FURTHER ORDAINED** that this Ordinance shall become effective immediately upon signature of the Parish President.

This ordinance having been submitted in writing, having been introduced at a public meeting of the Tangipahoa Parish Council, discussed at a public hearing of said council and was submitted to an official vote of the Tangipahoa Parish Council.

On motion by \_\_\_\_\_ and seconded by \_\_\_\_\_, the foregoing ordinance was hereby declared adopted on this 10th day of January, 2022 by the following roll-call vote:

**YEAS:**

**NAYS:**

**ABSENT:**

**NOT VOTING:**

**ATTEST:**

\_\_\_\_\_  
Jill DeSouge  
Clerk of Council  
Tangipahoa Parish Council

\_\_\_\_\_  
Brigitte Hyde  
Chairwoman  
Tangipahoa Parish Council

INTRODUCED: December 27, 2021

PUBLISHED: December 21, 2021 OFFICIAL JOURNAL Hammond Daily Star

ADOPTED BY TPC: January 10, 2022

DELIVERED TO PRESIDENT: \_\_\_\_\_ day of January, 2022 at \_\_\_\_\_

APPROVED BY PRESIDENT: \_\_\_\_\_  
Robby Miller Date

VETOED BY PRESIDENT: \_\_\_\_\_  
Robby Miller Date

RECEIVED FROM PRESIDENT: \_\_\_\_\_ day of January, 2022 at \_\_\_\_\_

**T.P. Ordinance No. 21-88**

AN ORDINANCE AMENDING CHAPTER 17 PLANNING AND DEVELOPMENT, ARTICLE V – STANDARDS FOR DEVELOPMENT OF PROPERTY – SECTION 17-5.6 GENERAL COMMERCIAL PROPERTY DEVELOPMENT STANDARDS

**BE IT ORDAINED** by the Tangipahoa Parish Council-President Government, State of Louisiana, acting as the Governing Authority thereof amends the Tangipahoa Parish Code of Ordinance, Chapter 17 Planning and Development, Article V Standards for Development of Property, Section 17-5.6 General Commercial Property Development Standards – B. (11) and D, as follows:

CHAPTER 17 – PLANNING AND DEVELOPMENT

ARTICLE V – STANDARDS FOR DEVELOPMENT OF PROPERTY

Sec. 17-5.6 - General Commercial Property Development Standards-

- B.** Commercial Property Site Plans must include the following details, unless otherwise specified in this chapter:
- (1.) A vicinity map.
  - (2.) Total number of acres.
  - (3.) North point, scale, and date
  - (4.) Must show ingress and egress for driveways
  - (5.) A typical design section for roads and parking to include all asphalt or concrete pavement sections, culvert inverts, and grading
  - (6.) Sewerage facilities, water facilities, fire hydrants, and any other utilities
  - (7.) Wetlands designated areas as applicable
  - (8.) Flood Zone, as per FIRM with Community, Panel and Date, Base Flood Elevation, if applicable.
  - (9.) Privacy fence or natural barrier as necessary to separate incompatible land uses, if required
  - (10.) Legal description including section, township, and range; boundaries of property, boundaries of incorporated areas or other established districts, ditches, water course and any other features or physical conditions of the property.
  - (11.) Place for signature of the following:
    - (a) ~~Community Development Director~~ Planning Director
    - (b) Parish Engineer
    - (c) Planning Commission Chairman, if applicable

- D.** Traffic Study for Parish Roads and/or DOTD Approved Permit – as determined by Parish Engineer. - ~~A minimum of twenty five foot buffer area shall be established and maintained between conflicting uses caused by the location of a new commercial development being constructed or expanded adjacent to property being used for residential purposes unless approved by the parish planning commission. No building or permanent structure shall be located within this buffer area. The buffer area may be used for parking, underground utilities, drainage, green area (landscaping and planting) and access.~~

**BE IT FURTHER ORDAINED** that this ordinance shall become effective immediately upon signature of the Parish President and all previous ordinances in conflict with said ordinance are hereby repealed.

This ordinance having been submitted in writing, having been introduced at a public meeting of the Tangipahoa Parish Council, discussed at a public hearing of said council and was submitted to an official vote of the Tangipahoa Parish Council.

On motion by \_\_\_\_\_ and seconded by \_\_\_\_\_, the foregoing ordinance was hereby declared adopted on this 10th day of January, 2022 by the following roll-call vote:

**YEAS:**

**NAYS:**

**ABSENT:**

**NOT VOTING:**

**ATTEST:**

\_\_\_\_\_  
Jill DeSouge  
Clerk of Council  
Tangipahoa Parish Council

\_\_\_\_\_  
Brigette Hyde  
Chairwoman  
Tangipahoa Parish Council

INTRODUCED: December 27, 2021

PUBLISHED: December 21, 2021 OFFICIAL JOURNAL Hammond Daily Star

ADOPTED BY TPC: January 10, 2022

DELIVERED TO PRESIDENT: \_\_\_\_\_ day of January, 2022 at \_\_\_\_\_

APPROVED BY PRESIDENT: \_\_\_\_\_  
Robby Miller Date

VETOED BY PRESIDENT: \_\_\_\_\_  
Robby Miller Date

RECEIVED FROM PRESIDENT: \_\_\_\_\_ day of January, 2022 at \_\_\_\_\_

**T.P. Ordinance No. 21-89**

AN ORDINANCE AMENDING AND ENACTING CHAPTER 20 - STREETS,  
ROADS, SIDEWALKS AND DRAINAGE, ARTICLE I – IN GENERAL,  
SECTION 20-13 - INSTALLATION AND CONSTRUCTION OF  
DRIVEWAYS, CULVERTS, ETC. AND SECTION 20-20 - PARISH  
ROADSIDE DITCHES

**BE IT ORDAINED** by the Tangipahoa Parish Council-President Government, State of Louisiana, acting as the Governing Authority thereof amends the Tangipahoa Parish Code of Ordinance, Chapter 20 Streets, Roads, Sidewalks and Drainage, Article I In General, Section 20-13 Installation and construction of driveways, culverts, etc, (a) and Section 20-20 Parish roadside ditches (d)(1),(4),(9); (e)(1); (f)(2); (g)(2)as follows:

CHAPTER 20 – STREETS, ROADS, SIDEWALKS AND DRAINAGE

ARTICLE I – IN GENERAL

Sec. 20-13 – Installation and construction of driveways, culverts, etc.-

- a. All citizens are hereby required to ~~obtain a permit~~ submit an application through Department of Public Works (DPW) before installing any culverts or building any bridge or filling in any ditch along parish roadways.

Sec. 20-20 - Parish roadside ditches.

- (a) Any modifications to parish roadside ditches and/or the construction of parking areas in the right-of-way are prohibited without approval from the DPW.
- (b) Any culvert, dirt or other alterations that are made without the approval of the DPW shall be removed and/or corrected by the landowner. If not removed and/or corrected within 30 calendar days from written notification, the DPW will remove and/or correct at the expense of the landowner.
- (c) As situations arise, the DPW may require size, materials and/or specifications other than these regulations mandate, due to the scope and nature of the situation at hand.
- (d) The following regulations are required for new driveways and access points from a parish road:
  - (1) ~~A permit~~ An approved application through DPW is required for all culverts placed in parish roadside ditches and;
  - (2) All driveway culverts shall be inspected by the DPW to verify elevations so as to allow for proper drainage.
  - (3) The culvert diameter shall be determined by the DPW. If an approved subdivision plan exists with a culvert schedule, that plan must be followed;
  - (4) Culverts shall meet LA DOTD standards unless more stringent requirements are shown herein.
  - (5) Culverts are to be supplied by the landowner;
  - (6) Any property access point shall be located so that all vehicles will be able to obtain adequate sight distance in both directions in order to maneuver safely and without interference with traffic;
  - (7) The minimum driveway culvert length is 20 feet. Culverts over 30 feet shall follow requirements for subsurface drainage.
  - (8) The DPW may install up to 30 feet of pipe, after which the landowner is responsible for installing any additional pipe.
  - ~~(9) Fees for driveway permits are \$25.00 unless specified otherwise in this section.~~
- (e) The following regulations are required for replacement culverts in parish roadside ditches:
  - (1) ~~A permit~~ An approved application is required for all replacement culverts at no charge and;
  - (2) The culvert diameter shall be determined by the DPW. If an approved subdivision plan exists with a culvert schedule, that plan must be followed;
  - (3) The minimum driveway culvert length is 20 feet. Culverts over 30 feet shall follow requirements for subsurface drainage;
  - (4) Culvert shall meet LA DOTD standards unless more stringent

requirements are shown herein.

- (5) Culverts are to be supplied by the landowner;
  - (6) The DPW may install up to 30 feet of replacement pipe, after which the landowner is responsible for installing any additional pipe. A parish inspector may be on site for further pipe installation;
- (f) The following regulations are required for subsurface drainage or driveway culvert extensions:
- (1) Subsurface drainage includes any covering of ditches beyond the driveway width and;
  - (2) ~~A permit~~ **An application is required must be submitted and approved** for all subsurface drainage ~~for a fee of \$25.00;~~
  - (3) The parish DPW may install the driveway pipe up to 30 feet, any additional subsurface pipe will be the landowner's responsibility. A parish inspector may be on site for further pipe installation;
  - (4) The culvert diameter shall be determined by the DPW. If an approved subdivision plan exists with a culvert schedule, that plan must be followed;
  - (5) Culvert shall meet LA DOTD standards unless more stringent requirements are shown herein.
  - (6) A catch basin or other approved clean out shall be installed every 60 feet or as determined by DPW.
  - (7) The catch basin grate opening shall be equivalent or larger than the diameter of the pipe size that is to be installed, unless otherwise approved by DPW.
  - (8) Culverts and catch basins will be supplied and installed by the landowner.
- (g) All driveway culverts placed in newly approved subdivisions during the period of time that the subdivision is waiting for roads to be accepted into the parish maintenance system shall meet the following requirements:
- (1) The landowner, contractor or developer shall be responsible for installing the driveway culverts and;
  - (2) ~~A permit is required at no charge;~~ **An application is required through Tangipahoa Parish Public Works Department**
  - (3) The culvert shall be set within + 0.2 feet of the elevations shown on approved subdivision plans;
  - (4) Culvert shall meet LA DOTD standards unless more stringent requirements are shown herein.
  - (5) Culverts shall be supplied by the landowner;
  - (6) Landowner, contractor or developer shall request a parish inspector to be on site when installing the culvert.
  - (7) If the landowner, contractor or developer chooses to install subsurface drainage, a parish approved plan shall be followed and inspected and shall meet all requirements for subsurface drainage herein.
  - (8) The developer will be required to take corrective action or make modifications requested by the DPW otherwise the DPW will have the authority to call on the existing bond.
  - (9) Developer shall provide a bond covering all existing roads being affected by the development until all phases of the development are completed.

Note: Upon acceptance into the parish maintenance system, culverts shall be installed by the DPW in accordance with the regulations herein above.

**BE IT FURTHER ORDAINED** that this ordinance shall become effective immediately upon signature of the Parish President and all previous ordinances in conflict with said ordinance are hereby repealed.

This ordinance having been submitted in writing, having been introduced at a public meeting of the Tangipahoa Parish Council, discussed at a public hearing of said council and was submitted to an official vote of the Tangipahoa Parish Council.

On motion by \_\_\_\_\_ and seconded by \_\_\_\_\_, the foregoing ordinance was hereby declared adopted on this 10th day of January, 2022 by the following roll-call vote:

**YEAS:**

**NAYS:**

**ABSENT:**

**NOT VOTING:**

**ATTEST:**

\_\_\_\_\_  
Jill DeSouge  
Clerk of Council  
Tangipahoa Parish Council

\_\_\_\_\_  
Brigette Hyde  
Chairwoman  
Tangipahoa Parish Council

INTRODUCED: December 27, 2021

PUBLISHED: December 21, 2021 OFFICIAL JOURNAL Hammond Daily Star

ADOPTED BY TPC: January 10, 2022

DELIVERED TO PRESIDENT: \_\_\_\_\_ day of January, 2022 at \_\_\_\_\_

APPROVED BY PRESIDENT: \_\_\_\_\_  
Robby Miller Date

VETOED BY PRESIDENT: \_\_\_\_\_  
Robby Miller Date

RECEIVED FROM PRESIDENT: \_\_\_\_\_ day of January, 2022 at \_\_\_\_\_

**T.P. Ordinance No. 21-90**

AN ORDINANCE TO REPEAL DIVISION 4 - DISPOSAL OF ROOFING MATERIALS, SECTION 18-70 THROUGH SECTION 18-74 OF CHAPTER 18 - SOLID WASTE , ARTICLE II COLLECTION AND DISPOSAL

**BE IT ORDAINED** by the Tangipahoa Parish Council-President Government, State of Louisiana, acting as the Governing Authority hereby revokes Division 4 Disposal of Roofing Materials as follows;

CHAPTER 18 SOLID WASTE

Article II - Collection and Disposal

~~Division 4—Disposal of Roofing Materials~~

~~Sec. 18-70. Definition.~~

~~Roofing material~~ is defined as any waste material resulting from the removal or installation of a roof for any building or structure when said building or structure is designed to protect it's occupants from the elements. Roofing material shall consist of, but is not limited to, the following material(s): fiberglass shingles, asphalt shingles, roofing felt, roofing nails, roofing plywood sheeting, roofing tin, drip edge, slate shingles, terra cotta shingles, wood shingles, metal roofing material or any other material(s) associated with a roofing project.

~~Sec 18-71. Roofing Disposal Permit.~~

~~a) For the purpose of monitoring and insuring proper disposal of roofing materials, any individual, contractor, sub-contractor or corporation, partnership or other entity that engages in the removal or installation of a roof within the unincorporated areas of Tangipahoa Parish shall obtain a roofing disposal permit before such activity beings.~~

~~b) Roofing Disposal Permits shall be issued separately from any other building permits that may be required by the Tangipahoa Parish Permit Office. Any for individual, contractor, sub-contractor, company, corporation, partnership or other entity holding himself/herself/themselves and/or itself out for hire and that engages in the removal or installation of a roof within the unincorporated areas of Tangipahoa Parish shall be adequately licensed and bonded in accordance with all state and local laws and shall obtain a Roofing Disposal Permit as required herein.~~

~~c) The above and foregoing notwithstanding, Roofing Disposal Permits do not apply to roofing material associated with new construction.~~

~~d) Roofing disposal permits shall be issued to a qualified applicant at no cost.~~

~~e) One permit shall be issued for each building or structure unit.~~

~~f) Permits will not be issued for multiple units as a whole.~~

~~g) Issued permits are non-transferrable and cannot be re-issued for any additional unit(s).~~

~~h) Permits shall be obtained at the Tangipahoa Parish Permit Office.~~

~~i) The permit(s) required by this division of Article II of Chapter 18 of the Code of Ordinances Of Tangipahoa Parish, Louisiana shall be issued to any person who is responsible for or in charge of the roofing activity and this person, as well as the applicant, shall be responsible for complying with all requirements as established in this division of Article II, Chapter 18 of the Code of Ordinances of Tangipahoa Parish, Louisiana.~~

~~j) Waste debris generated from any roofing or re-roofing activity located within Tangipahoa Parish shall be delivered and disposed at the Tangipahoa Parish Regional Solid Waste Facility.~~

~~k) Debris generated from any roofing or re-roofing activity located within Tangipahoa Parish that is transported on any roads within the unincorporated areas of Tangipahoa Parish, shall be accompanied by an original or a copy of the roofing disposal permit.~~

~~l) Upon arrival at the Tangipahoa Parish Regional Solid Waste Facility the permit or a copy of the permit shall be presented to the scale attendant.~~

~~m) The scale attendant shall verify the issued permit to be valid prior to disposal of said material.~~

~~Sec. 18-72. Disposal Fee and Penalty.~~

~~a) Roofing material, as defined in this chapter, delivered to the Tangipahoa Parish Regional Solid Waste Facility that is accompanied by an approved permit shall be charged a disposal rate not to exceed \$14.00 per ton. This disposal refers to roofing material only not roofing material mixed or commingled with other solid waste.~~

~~b) Roofing material, as defined in this chapter, delivered to the Tangipahoa Parish Solid Waste Facility that is not accompanied by an approved permit may be subject to a civil fine not to exceed \$500.00 and the disposal rate shall be not less than \$28.00 per ton.~~

~~c) Roofing material, as defined in this chapter that is transported within the boundaries of Tangipahoa Parish that is not accompanied by an approved permit may be subject to a civil fine not to exceed \$500.00.~~

~~d) Roofing material, as defined in this chapter that is transported within the boundaries of Tangipahoa Parish must be contained in a manner that does not allow the falling, blowing, sifting or any other means of conveyance for which said material is intentionally or unintentionally discharged.~~

~~e) It shall be unlawful to intentionally or unintentionally dispose of roofing material in an unauthorized area, public or private. Roofing material must be disposed of in a duly permitted and licensed landfill.~~

~~f) It shall be unlawful to allow roofing material to fall, blow, sift or exit the transport vehicle in any way onto any road located within the boundaries of Tangipahoa Parish.~~

~~Sec. 18-73 Disposal Liability.~~

~~a) Any individual, contractor, sub-contractor, corporation, partnership or other entity that engages in installing or removing roofing material within the unincorporated areas of Tangipahoa Parish shall be liable for the illegal and unlawful transporting and disposal of said material.~~

~~b) Any individual contractor, sub-contractor, corporation, partnership or other entity that engages in the installation or removal of roofing material that also engages in unlawful transporting and illegal disposal of roofing material within the unincorporated areas of Tangipahoa Parish shall be subject to criminal fines and penalties as stated in this chapter.~~

~~c) Any individual or business that retains a licensed contractor, sub-contractor, corporation, partnership or other entity for the sole purpose of removing, installing or transporting roofing material within the unincorporated areas of Tangipahoa Parish shall not be liable for lawful transporting and disposal of said material but, the retained licensed contractor, sub-contractor, corporation, partnership or other entity shall be liable for the unlawful transporting and disposal of said roofing material.~~

~~Sec. 18-74. Criminal Penalty.~~

~~a) In addition to any civil penalties provided for herein, the failure to dispose of roofing material as defined herein at the Tangipahoa Parish Landfill or another duly licensed and permitted landfill shall constitute a criminal offense. Each day that the roofing material remains at an unapproved disposal site shall constitute a separate offense.~~

~~b) Any person whether an individual, partnership, corporation, company or other entity who disposes of roofing material at an unapproved disposal site shall be punished as provided by Section 1-13 of Chapter 1 of the Code Of Ordinance Of Tangipahoa Parish, Louisiana.~~

BE IT FURTHER ORDAINED by the Tangipahoa Parish Council that this ordinance and the provisions contained therein shall take effect thirty (30) days after

signature of the Parish President and all previous Ordinances in conflict with said Ordinance are hereby repealed.

This ordinance having been submitted in writing, having been introduced at a public meeting of the Tangipahoa Parish Council, discussed at a public hearing of said council and was submitted to an official vote of the Tangipahoa Parish Council.

On motion by \_\_\_\_\_ and seconded by \_\_\_\_\_, the foregoing ordinance was hereby declared adopted on this 10th day of January, 2022 by the following roll-call vote:

**YEAS:**

**NAYS:**

**ABSENT:**

**NOT VOTING:**

**ATTEST:**

\_\_\_\_\_  
Jill DeSouge  
Clerk of Council  
Tangipahoa Parish Council

\_\_\_\_\_  
Brigette Hyde  
Chairwoman  
Tangipahoa Parish Council

INTRODUCED: December 27, 2021

PUBLISHED: December 21, 2021 OFFICIAL JOURNAL Hammond Daily Star

ADOPTED BY TPC: January 10, 2022

DELIVERED TO PRESIDENT: \_\_\_\_\_ day of January, 2022 at \_\_\_\_\_

APPROVED BY PRESIDENT: \_\_\_\_\_  
Robby Miller Date

VETOED BY PRESIDENT: \_\_\_\_\_  
Robby Miller Date

RECEIVED FROM PRESIDENT: \_\_\_\_\_ day of January, 2022 at \_\_\_\_\_

**T.P. Ordinance No. 21-91**

AN ORDINANCE AMENDING AND ENACTING CHAPTER 17 -  
PLANNING AND DEVELOPMENT, ARTICLE IX - DEVELOPMENTS WITH  
SPECIAL PROVISION, SECTION 17-9.1 - GENERAL STANDARDS

**BE IT ORDAINED** by the Tangipahoa Parish Council-President Government,  
State of Louisiana, acting as the Governing Authority hereby amends as follows;

CHAPTER 17 PLANNING AND DEVELOPMENT

ARTICLE IX - DEVELOPMENTS WITH SPECIAL PROVISIONS

**Sec. 17-9.1 General Standards** – All the following Commercial developments requiring special provisions ~~must follow the submission and review procedures as identified for General Commercial Developments in Chapter 17-5.6 and any standards identified herein this sub-section.~~ are solely governed by the following procedures. Any commercial development listed below shall be exempt from the standard commercial development procedures not found in this section.

**A. In General**

~~Commercial developments as not defined in any other section must follow the special provisions per this section.~~ These developments are generally considered a nuisance to the public. In order to protect public health and reduce hazards to safety, these developments must follow the provisions of this subsection.

If these commercial developments contract, lease, sublease or sell any interest in the project or property they must notify Tangipahoa permit office no later than 90 days prior to the execution of any agreement to transfer said interest.

~~B.~~ Types of Commercial Developments that require a Commercial Site Approval include the following:

- Firing or Shooting Ranges
- Mining operation such as but not limited to dirt, sand, and gravel pits
- Temporary housing shelters
- Transitional facilities for housing ex-inmates or criminals with severe mental illness
- Jails or prisons
- Businesses where bars or lounges are the primary use
- Adult uses or adult entertainment as defined herein
- Junk yards for vehicles, salvage yards, scrap yards, or for any business in any phase of reclamation
- Renewable Energy Plants such as Solar, Wind, Hydro, Geothermal, Biomass
- Towers, including, but not limited to cellular and radio towers
- Landfills, incinerators, or waste disposal dumps / sites

~~C.~~ **B. Approval Process**

1. These developments will get site plan approval by TRC.
2. Tangipahoa Parish Council will hold a public hearing and a resolution must be passed in order to proceed to the permitting process.
3. Before issuance of any permit the TRC (technical review committee) must give final approval.

**BE IT FURTHER ORDAINED** that this ordinance shall become effective immediately upon signature of the Parish President and all previous ordinances in conflict with said ordinance are hereby repealed.

This ordinance having been submitted in writing, having been introduced at a public meeting of the Tangipahoa Parish Council, discussed at a public hearing of said council and was submitted to an official vote of the Tangipahoa Parish Council.

On motion by \_\_\_\_\_ and seconded by \_\_\_\_\_, the foregoing ordinance was hereby declared adopted on this 10th day of January, 2022 by the following roll-call vote:

**YEAS:**

**NAYS:**

**ABSENT:**

**NOT VOTING:**

**ATTEST:**

\_\_\_\_\_  
Jill DeSouge  
Clerk of Council  
Tangipahoa Parish Council

\_\_\_\_\_  
Brigitte Hyde  
Chairwoman  
Tangipahoa Parish Council

INTRODUCED: December 27, 2021

PUBLISHED: December 21, 2021 OFFICIAL JOURNAL Hammond Daily Star

ADOPTED BY TPC: January 10, 2022

DELIVERED TO PRESIDENT: \_\_\_\_\_ day of January, 2022 at \_\_\_\_\_

APPROVED BY PRESIDENT: \_\_\_\_\_  
Robby Miller Date

VETOED BY PRESIDENT: \_\_\_\_\_  
Robby Miller Date

RECEIVED FROM PRESIDENT: \_\_\_\_\_ day of January, 2022 at \_\_\_\_\_

**T.P. Ordinance No. 21-92**

**AN ORDINANCE TO CREATE THE TANGIPAHOA PARISH FIRE PROTECTION DISTRICT NO. 1 FIRE PREVENTION BUREAU BY ADDING SECTION 26-3 FIRE PREVENTION BUREAU TO CHAPTER 26 FIRE PREVENTION AND PROTECTION**

WHEREAS, on December 9, 2021 Tangipahoa Parish Fire Protection District 1 Board of Commissioners adopted Resolution No. 05-21: For the release of the State Fire Marshal and any other State Entity from responsibility or liability for those inspections performed by the Fire Prevention Bureau, or the consequence thereof, within the jurisdiction of the governing authority;

WHEREAS, Tangipahoa Parish Fire Protection District No. 1 created the Tangipahoa Parish Fire Protection District No. 1 Fire Prevention Bureau to conduct fire safety inspections within Tangipahoa Parish in which the bureau is authorized to conduct inspections; and

WHEREAS, the Tangipahoa Parish Fire Protection District No. 1 Fire Prevention Bureau was created in pursuit of Louisiana R.S. 40:1563;

WHEREAS, the Tangipahoa Parish Council-President Government agrees upon and supports the adoption of the creation and establishment of the Tangipahoa Parish Fire Protection District No. 1 Fire Prevention Bureau and adoption of all necessary codes thereof as required by state law;

WHEREAS, the Tangipahoa Parish Fire Protection District No. 1 agrees that pursuant to this ordinance, they will obtain all necessary certifications, and hold harmless and indemnify the Tangipahoa Parish Council-President Government from any liability associated with inspections and enforcement authorized;

THEREFORE, BE IT OBTAINED by the Tangipahoa Parish Council-President Government, governing authority of the Parish of Tangipahoa, State of Louisiana;

SECTION 26-3 Fire Prevention Bureau is hereby added to CHAPTER 26 of the Code of Ordinances as follows:

**Section 26-3 Fire Prevention Bureau**

**Definition:**

The Tangipahoa Parish Fire Protection District No. 1 Fire Prevention Bureau is created for the purpose and establishment of reasonable levels of fire safety and property protection created from the hazards created by fire and explosion located within the boundaries of Tangipahoa Parish Fire Protection District No. 1

**Intent of the Bureau:**

It is the intent of the Bureau to prescribe regulations consistent with the provisions provided in Louisiana R. S. 40:1563 as well as regulations consistent with nationally recognized good practice for the safeguarding to a reasonable degree of life and property from the hazards of fire and explosion arising from the storage, handling and use of hazardous substances, materials, and devices, and from conditions hazardous to life or property in the use of occupancy of building or premises. The most current State of Louisiana adopted version of the fire life safety code will be the minimum code which will be utilized by the bureau.

**The Code:**

The term "The Code" in General Provisions make reference to those technical codes adopted by Tangipahoa Parish Fire Protection District No. 1 to establish a reasonable level of fire safety and property protection from the hazards created by fire

and explosion, including, but not limited to, the most recent State of Louisiana adopted version of the National Fire Protection Agency Life Safety Code (NFPA 101) and, as a maintenance code, the State of Louisiana Uniform Fire Prevention Code as defined in R.S. 40:1578.7.

The Bureau:

The Fire Prevention Bureau will be headed by the Chief of the Fire Department, or a person designated by the Chief of the Fire Department. Bureau will be staffed by qualified individuals whose credentials have been reviewed and accepted by the State Fire Marshall.

The Bureau will conduct maintenance inspections on behalf of the Fire Marshall. The Fire Marshall shall have the authority to monitor the performance of the Fire Prevention Bureau in the performance of those functions which would otherwise be performed by the Fire Marshall.

**BE IT FURTHER ORDAINED** that this ordinance shall become effective immediately upon signature of the Parish President and all previous ordinances in conflict with said ordinance are hereby repealed.

This ordinance having been submitted in writing, having been introduced at a public meeting of the Tangipahoa Parish Council, discussed at a public hearing of said council and was submitted to an official vote of the Tangipahoa Parish Council.

On motion by \_\_\_\_\_ and seconded by \_\_\_\_\_, the foregoing ordinance was hereby declared adopted on this 10th day of January, 2022 by the following roll-call vote:

**YEAS:**

**NAYS:**

**ABSENT:**

**NOT VOTING:**

**ATTEST:**

\_\_\_\_\_  
Jill DeSouge  
Clerk of Council  
Tangipahoa Parish Council

\_\_\_\_\_  
Brigette Hyde  
Chairwoman  
Tangipahoa Parish Council

INTRODUCED: December 27, 2021

PUBLISHED: December 21, 2021 OFFICIAL JOURNAL Hammond Daily Star

ADOPTED BY TPC: January 10, 2022

DELIVERED TO PRESIDENT: \_\_\_\_\_ day of January, 2022 at \_\_\_\_\_

APPROVED BY PRESIDENT: \_\_\_\_\_  
Robby Miller Date

VETOED BY PRESIDENT: \_\_\_\_\_  
Robby Miller Date

RECEIVED FROM PRESIDENT: \_\_\_\_\_ day of January, 2022 at \_\_\_\_\_

# Tangipahoa Parish Fire Protection District Number One

210 N.E. Central Avenue • Amite, Louisiana 70422  
P. O. Box 279 • Amite, Louisiana 70422  
(O): 985-748-5161 • (F): 985-748-5187

James D. Stevens  
*Fire Chief*

Jason M. King  
*Deputy Fire Chief*

Carl J. Pardue  
*Chief of Fire Prevention*

Agnes Prevost  
*Secretary/Treasurer*

## **RESOLUTION NO. 05-21 OF THE BOARD OF COMMISSIONERS OF TANGIPAHOA PARISH FIRE PROTECTION DISTRICT NO. 1**

**For release of State Fire Marshal and any other State Entity from responsibility or liability for those inspections performed by the Fire Prevention Bureau, or the consequences thereof, within the jurisdiction of the governing authority**

At a meeting of **Tangipahoa Parish Fire Protection District No. 1** of Tangipahoa Parish, held at 210 N.E. Central Avenue, Amite, Louisiana on December 9, 2021.

**Resolution assuming responsibility and liability for inspections conducted by Tangipahoa Parish Fire Protection District No. 1 Fire Prevention Bureau.**

**WHEREAS**, Tangipahoa Parish Fire Protection District No. 1 does hereby find as follows:

**WHEREAS**, Tangipahoa Parish Fire Protection District No. 1 created the Tangipahoa Parish Fire Protection District No. 1 Fire Prevention Bureau to conduct fire safety inspections within Tangipahoa Parish in which the bureau is authorized to conduct inspections; and

**WHEREAS**, the Tangipahoa Parish Fire Protection District No. 1 Fire Prevention Bureau was created in pursuit to Louisiana RS 40:1563;

**NOW, THEREFORE, BE IT HERBY RESOLVED** that Tangipahoa Parish Fire Protection District No. 1 assumes all responsibility and liability for and releases the fire marshal and any other State entity from responsibility or liability for those inspections performed by Tangipahoa Parish Fire Protection District No.1 Fire Prevention Bureau or the consequences thereof, within Tangipahoa Parish Fire Protection District No. 1.

*“This institution is an equal opportunity provider and employer”*

# Tangipahoa Parish Fire Protection District Number One

210 N.E. Central Avenue • Amite, Louisiana 70422  
P. O. Box 279 • Amite, Louisiana 70422  
(O): 985-748-5161 • (F): 985-748-5187

James D. Stevens  
*Fire Chief*

Jason M. King  
*Deputy Fire Chief*

Carl J. Pardue  
*Chief of Fire Prevention*

Agnes Prevost  
*Secretary/Treasurer*

## **Intent of the Bureau:**

It is the intent of the Bureau to prescribe regulations consistent with the provisions provided in Louisiana R. S. 40:1563 as well as regulations consistent with nationally recognized good practice for the safeguarding to a reasonable degree of life and property from the hazards of fire and explosion arising from the storage, handling and use of hazardous substances, materials, and devices, and from conditions hazardous to life or property in the use of occupancy of building or premises. The most current State of Louisiana adopted version of the fire life safety code will be the minimum code which will be utilized by the bureau.

## **The Code:**

The term "The Code" in General Provisions make reference to those technical codes adopted by Tangipahoa Parish Fire Protection District No. 1 to establish a reasonable level of fire safety and property protection from the hazards created by fire and explosion, including, but not limited to, the most recent State of Louisiana adopted version of the National Fire Protection Agency Life Safety Code (NFPA 101) and, as a maintenance code, **the State of Louisiana Uniform Fire Prevention Code as defined in R.S. 40:1578.7.**

## **The Bureau:**

The Fire Prevention Bureau will be headed by the Chief of the Fire Department, or a person designated by the Chief of the Fire Department. Bureau will be staffed by qualified individuals whose credentials have been reviewed and accepted by the State Fire Marshall.

The Bureau will conduct maintenance inspections on behalf of the Fire Marshall. The Fire Marshall shall have the authority to monitor the performance of the Fire Prevention Bureau in the performance of those functions which would otherwise be performed by the Fire Marshall.

*"This institution is an equal opportunity provider and employer"*

**T.P. RESOLUTION NO. R21-27**

**DESIGN EXCEPTION REQUEST – STATE PROJECT NO. H.013163 WADESBORO RD OVER UNNAMED CREEK – AGGREGATE SHOULDERS**

BE IT RESOLVED by the Tangipahoa Parish Council-President Government, governing authority of Tangipahoa Parish, State of Louisiana, that a request is hereby made by the LA-DOTD for a design exception on State Project No. H.013163– F.A.P. No. H.013163 – Wadesboro Rd. over Unnamed Creek Federal Aid Off-System Bridge Program, Tangipahoa Parish, State of Louisiana for the following conditions:

WHEREAS, design exception per the 2017 minimum design guidelines the preferred and acceptable is paved for the classification of Urban Collector Roadway. The shoulder type for this project is designed as aggregate due to the constraints of the existing right of way;

THEREFORE, BE IT RESOLVED; that the Tangipahoa Parish Council hereby notify the Louisiana Department of Transportation and Development (LADOTD), that they are requesting the aforementioned design requirements and request the LADOTD and the design consultant to make said changes so that the existing timber bridge may be replaced as soon as possible.

On motion by \_\_\_\_\_ and seconded by \_\_\_\_\_ the foregoing resolution was hereby declared adopted on this, the 27<sup>th</sup> day of December 2021 by the following roll call vote:

YEAS:

NAYS:

ABSENT:

NOT VOTING:

ATTEST:


\_\_\_\_\_  
Jill DeSouge, Clerk  
Tangipahoa Parish Council

\_\_\_\_\_  
Brigette Hyde, Chairwoman  
Tangipahoa Parish Council

\_\_\_\_\_  
Robby Miller, President  
Tangipahoa Parish

**Project Description**

**Project No.:** H.013163  
**Route:** Wadesboro Road  
**Project Name:** Wadesboro Rd./Unnamed Creek  
**Control Section:** 000-53  
**Parish:** Tangipahoa



**Description of Work:** The Off-System Bridge (OSB) project includes the spot replacement of a structurally deficient timber bridge on Wadesboro Road in Tangipahoa Parish. The existing 19.2' wide x 29.7' long bridge will be replaced with a 24' wide x 40' long cast in place concrete slab span bridge with 10' long concrete approach slabs at each end. Minimal roadway will be included in the project to transition from the existing 18' wide asphalt road without shoulder to the 24' clear width bridge. Minimal drainage excavation within the existing right-of-way will be necessary and 30 lb. riprap will be used on bridge abutments. All construction shall take place within the existing right-of-way.

**General Information**

**Route and Design Classification:**

- |  |   |
|--|---|
| <input type="checkbox"/> Freeway                       | <input checked="" type="checkbox"/> Urban |
| <input checked="" type="checkbox"/> Arterial/Collector | <input type="checkbox"/> Rural            |
| <input type="checkbox"/> Local                         |   |
| <input type="checkbox"/> Ramp                          |   |

**Traffic:**

**Posted Speed:** 50 mph  
**Design Speed:** 50 mph

**Current ADT:** 1,350  
**Design ADT:** 2,000

**D:** 55 %  
**K:** 10 %  
**T:** 10 %

**T DDHV:** TDDHV veh/hr

**Work Classification**

<u>Work Type</u>	<u>System</u>	<u>FHWA Involvement</u>
<input type="checkbox"/> New/Reconstruction	<input type="checkbox"/> NHS	<input type="checkbox"/> PoDI
<input type="checkbox"/> Major Rehabilitation	<input checked="" type="checkbox"/> Non-NHS	<input type="checkbox"/> Assumed
<input type="checkbox"/> Structural Improvement		<input type="checkbox"/> None
<input checked="" type="checkbox"/> Spot Replacement		
<input type="checkbox"/> Minor Rehabilitation		
<input type="checkbox"/> Preventative Maintenance		

**Applicable Design Guideline:** Choose an item.

Provide supporting documentation/exhibits for the request. Exhibits should include title sheet and other plan sheets affected by the design exception (i.e., typical sections, geometric details, plan/profile sheets). Additional documentation should include correspondence from other sections, agencies, etc., as well as site photos.

**1. Design Exception for the following criteria. Mark all requested.**

Minimum Design Guideline Criteria

- |  |  |
|--|--|
| <input type="checkbox"/> Design Speed*                 | <input type="checkbox"/> Superelevation*           |
| <input type="checkbox"/> Lane Width*                   | <input type="checkbox"/> Cross Slope*              |
| <input type="checkbox"/> Shoulder Width*               | <input type="checkbox"/> Grade*                    |
| <input checked="" type="checkbox"/> Shoulder Type      | <input type="checkbox"/> Slopes                    |
| <input type="checkbox"/> Bridge Width                  | <input type="checkbox"/> Median Width              |
| <input type="checkbox"/> Structural Capacity*          | <input type="checkbox"/> Stopping Sight Distance*  |
| <input type="checkbox"/> Vertical Clearance*           | <input type="checkbox"/> Complete Streets          |
| <input type="checkbox"/> Lateral Offset to Obstruction | <input type="checkbox"/> Horizontal Curve Radius*° |
| <input type="checkbox"/> Clear Zone                    |  |

\* Controlling criteria for NHS Routes (<https://www.fhwa.dot.gov/design/standards/160505.cfm>)  
 ° For PoDI only

**2. Provide a synopsis of the scope of the project, the situation you are encountering and the problem you are attempting to mitigate.**

Wadesboro Road is an Urban Collector class road with a structurally deficient bridge. The replacement of the existing bridge is being treated as a spot replacement with minimal roadway transition length. The situation is such that the proposed roadway must tie into an asphalt road that does not have shoulders. The proposed design attempts to lessen an abrupt widening at the beginning and end of the project.

**3. Describe the proposed design exception. Provide the proposed and standard values of the design exception criteria.**

Per the LDOTD minimum design guidelines a paved shoulder is the preferred and acceptable type of shoulder for the classification of urban collector roadway. A design exception is requested for the use of aggregate material for the 2 ft. wide shoulder.

4. ***Discuss the project's proposed roadway characteristics in comparison to the existing and the adjacent roadway sections.***

The design values of this 2-lane roadway in the area transitioning from the existing asphalt roadway to the 24 ft. clear concrete approach slabs at the bridge ends are consistent with the existing roadway. Both proposed and existing roadways are asphalt concrete. The proposed roadway will include 2 ft. of aggregate shoulders. The existing roadway does not have shoulder material.

5. ***Discuss alternatives to the exception that were considered.***

The alternative to the aggregate shoulder is a paved shoulder, which would result in an abrupt transition at beginning and end of project.

6. ***Provide a safety review of the project comparing the existing conditions to the conditions proposed in this design exception. All design exceptions must have a safety review and crash review.***

A five-year crash history was obtained for this site using the LADOTD Highway Crash List. No crashes were reported from January 1, 2013 through December 31, 2018 within 500 feet of the bridge site. (See attached Crash Report).

The proposed design will an improvement to the existing condition of the roadway approaching the new bridge. The roadway will widen from the existing 18 ft. roadway to a 24 ft. clear width at the bridge approach slab with 2 ft. wide aggregate shoulders where none exist now. The new bridge structure is approximately 5 ft. wider than the existing bridge which includes 2'-8" high concrete barrier railings the length of the bridge.

7. ***Discuss the cost of the project and the cost differential between proposed design and a design that would meet guidelines.***

The cost of the proposed aggregate shoulders (10 cy) is approximately the same cost as a paved shoulder which would meet the guidelines if included with the roadway asphalt and paid per ton.

8. ***Discuss impacts, other than costs, of bringing the features up to guidelines (such as operational performance, impacts to other design features, right-of-way, community, environmental, historical features, usability by all modes of transportation, construction issues, etc.)***

The only impact will be to the driver, who will travel onto a familiar roadway condition, with a widened aggregate shoulder.

9. ***Discuss proposed mitigation to address design exception feature.*** Some possible countermeasures may include advisory signs, lighting, guardrail, signing, rumble strips, future work to address design exception, incremental improvement, etc.  
See link: [FHWA - Mitigation Strategies for Design Exceptions](#)

In the event of future upgrades to Wadesboro Road, the parish might consider adding paved shoulders, as this project only addresses a spot replacement of a structurally deficient bridge.

Design Exception Request



Project No.: H.013063  
Design exception for: Shoulder Type

**Required Signatures**

Prepared by: <small>Please Print</small> William C. Monroe, PE		Title: CHIEF EXECUTIVE OFFICER
Signature: 	Date: 5.11.21	

**For District or Permit Projects:**

Recommended by: ADA of Engineering <small>Please Print</small>	
Signature:	Date:

**For LPA Projects:**

Recommended by: Responsible Charge <small>Please Print</small>	
Signature:	Date:

Approved by: Chief Executive Authority <small>Please Print</small>	
Signature:	Date:

**For All Projects:**

Recommended by: DOTD Project Manager <small>Please Print</small>	
Signature:	Date:

Recommended by: Road Design Engineer Administrator <small>(for roadway criteria)</small> <small>Please Print</small>	
Signature:	Date:

Recommended by: Bridge Design Engineer Administrator <small>(for bridge criteria)</small> <small>Please Print</small>	
Signature:	Date:

Approved by Chief Engineer: <small>Please Print</small>	
Signature:	Date:

Approved by: FHWA; Title <small>Only required at FHWA request</small> <small>- See Stewardship Agreement</small>	
Signature:	Date:

**WADESBORO ROAD BRIDGE**  
**PHOTOS**



Photograph 1 - Looking Upstream from Bridge



Photograph 2 - Looking Downstream from Bridge



Photograph 3 - Looking Down Station from Bridge



Photograph 4 - Looking Up Station from Bridge



Photograph 5 – Looking Up Station from Road



Photograph 6 – Looking Downstream at Bridge



Photograph 7 - Looking Down Station from Road



Photograph 8 - Looking Upstream at Bridge

STATE PROJECT #H.013163

**CRASH REPORT**

**LADOTD Crash List**



**H.013163  
 WADESBORO ROAD OVER UNNAMED CREEK  
 Recall 108118**

**Within 500 feet of latitude 30.431667,  
 longitude -90.466667  
 2013-01-01 to 2018-12-31**

Csect	Log Mile	Route	Mile Point	tot acc	pdo acc	fat acc	inj acc	num fat	num inj	crash date	most harm evt	manner coll	crash type	surf cond	crash num	par ish	hour	int	iv agy	dir trav	move prior	Dist ft
Total	0			0	0	0	0	0	0													
Grand Total				0	0	0	0	0	0													

**CONFIDENTIAL INFORMATION** - This document and the information contained herein is prepared solely for the purpose of identifying, evaluating and planning safety improvements on public roads which may be implemented utilizing federal aid highway funds; and is therefore exempt from discovery or admission into evidence pursuant to 23 U.S.C. 409. Contact the Traffic Safety Office at (225)379-1871 before releasing any information.

report generated by ryan.rodney@la.gov on 3/15/2021 1:29:26 PM



**Warning! The map may not display correctly in compatibility mode.**  
Map Crashes


Add a point:  
latitude,longitude:

Measure  
Distance:

Current Position:  
  
Last Clicked Position:

Use Ctrl-Click to get the LRS ID and logmile of a point.

Crashes Within 500 feet of latitude  
30.431667, longitude  
-90.466667  
2013-01-01 to 2018-12-31



Lat/Long Formats:  dd . dddd  dd : mm . mmm  dd : mm : ss . s  ddmms

STATE PROJECT #H.013163

CONSTRUCTION PLAN SHEETS

**INDEX TO SHEETS**

SHEET No.	DESCRIPTION
1	TITLE SHEET AND LAYOUT MAP
2, 2a	TYPICAL SECTIONS AND DETAILS
3, 3a	SUMMARY SHEETS
4	PLAN AND PROFILE SHEET
5	TBMs AND REFERENCE POINTS
6	EROSION CONTROL SHEET
7	DRAINAGE MAP
8	SUMMARY OF DRAINAGE STRUCTURES
9-10	MINIMUM CONSTRUCTION SIGNING
101-102	GENERAL BRIDGE PLAN & TABLES
103-113	SLAB SPAN BRIDGE DETAILS
114	SOIL BORING LOG (Not Included)
SPECIAL DETAILS	
201	BD.2.5.1.0.01 (CS-216)
202	BD.2.6.1.14.04 (BR-05, 1 of 2)
203	BD.2.6.1.14.05 (BR-05, 2 of 2)
204	BD.2.10.1.0.07 (ASD-SS)
205	BD.2.11.3.2.01 (FR-01)
206	BD.2.11.10.0.01-CONC. SURFACE FIN.
207	BD.2.11.10.0.02-CONC. SURFACE FIN.
208	YP-01
STANDARD PLANS	
301-302	EC-01 (2 Shts.) 10-01-08
303	HS-03 04-07-14
304	SWBS-100 03-06-13
305-308	TTC-00 (A,B,C,D) 07-02-18

401-405 CROSS SECTIONS

TOTAL NUMBER OF SHEETS.....47

DATE	REVISION	DATE	RECOMMENDED	DATE	APPROVED

SCHEDULE OF REVISIONS

**TRAFFIC DATA**

A.D.T. (2019) = 1,350  
 A.D.T. (2039) = 2,000  
 D = 55%  
 K = 10%  
 T = 10%

DESIGN SPEED = 50 MPH

POSTED SPEED = 50 MPH

DESIGN CLASSIFICATION = URBAN COLLECTOR

**TYPE OF CONSTRUCTION**

ASPHALT CONCRETE SURFACING (LEVEL 1)  
 CLASS II BASE COURSE  
 CONCRETE SLAB SPAN BRIDGE

**SURVEY**

DATUM USED: NAVD (VERTICAL CONTROL)  
 NAD-83 (HORIZONTAL CONTROL)

MAGNETIC VAR.: N/A  
 BEARINGS ARE  
 TRANSIT BOOK: NONE  
 LEVEL BOOK: 400-447

**SCALES**


PLAN: 1 inch = 50 feet  
 PROFILE HORIZ: 1 inch = 50 feet  
 PROFILE VERT: 1 inch = 5 feet

**PRELIMINARY EARTHWORK**

EXCAVATION: 124 CY, DRAINAGE EXC.:130 CY  
 EMBANKMENT: 82 CY

STA. 99+10.00  
 BEGIN S.P. H.013163  
 BRIDGE SITE: 40 LF  
 STA. 99+94.00 to STA. 100+34.00  
 2 @ 20' CONCRETE SPANS @ 75'  
 STA. 101+20.00  
 END S.P. H.013130

STATE OF LOUISIANA  
 DEPARTMENT OF TRANSPORTATION AND DEVELOPMENT  
 FEDERAL AID OFF-SYSTEM HIGHWAY BRIDGE PROGRAM  
 FAP NO. H013163  
 STATE PROJECT NO. H.013163  
**WADESBORO ROAD  
 UNNAMED CREEK**  
 STRUCTURE NO. 625300000000145  
 RECALL NO. 000145  
**TANGIPAHOA PARISH**




**LAYOUT MAP**

SCALE: 1 INCH = 1 MILE



**STANDARD SPECIFICATIONS**

THE 2016 EDITION OF THE LOUISIANA DOTD STANDARD SPECIFICATIONS FOR ROADS AND BRIDGES, AS AMENDED BY THE PROJECT SPECIFICATIONS, SHALL GOVERN.



VICINITY MAP

TANGIPAHOA PARISH GOVERNMENT PASSED A RESOLUTION FOR THE FOLLOWING ON \_\_\_\_\_:  
 PER THE 2017 MINIMUM DESIGN GUIDELINES THE PREFERRED AND ACCEPTABLE SHOULDER TYPE IS PAVED FOR THE CLASSIFICATION OF URBAN COLLECTOR ROADWAY. THE SHOULDER TYPE FOR THIS PROJECT IS DESIGNED AS AGGREGATE.

*ACP*

<b>PRELIMINARY</b>	<b>Monroe &amp; Corie, Inc.</b> Consulting Engineers
<b>FOR REVIEW ONLY</b>	ENGINEER: WILLIAM C. MONROE LICENSE #: 13691 DATE: 3/12/2021

APPROVED

DOTD CHIEF ENGINEER

DATE \_\_\_\_\_

**LENGTH OF PROJECT**

RECALL	STATION		ALGEBRAIC SUM OF ALL EQUATIONS	GROSS LENGTH	EXCEPTION	BRIDGE LENGTH		ROADWAY LENGTH	
	BEGIN	END				FEET	MILES	FEET	MILES
000145	99+10.00	101+20.00		210.00		40.00	0.007	170.00	0.032
TOTAL LENGTH OF BRIDGES						40.00	0.007		
TOTAL LENGTH OF ROADWAY								170.00	0.032
TOTAL MILES								0.039	

ACP

3/1/2021

© ACP\_1205 TAN-TTL & LAY.dwg

SHEET NUMBER	1	TANGIPAHOA	H.013163
DESIGNED	WCM	CONTROL SECTION	STATE PROJECT
CHECKED	SAV	CHECKED	WCM
DATE	NO.	REVISION OR CHANGE ORDER DESCRIPTION	BY
<b>TITLE SHEET AND LAYOUT MAP</b> FEDERAL AID OFF-SYSTEM HIGHWAY BRIDGE PROGRAM			
MONROE & CORIE, INC. Baton Rouge, LA (225) 293-1905			

**GENERAL NOTES:**

THE GRADING SECTION TO BE USED @ ANY PARTICULAR LOCATION SHALL BE AS SHOWN ON CROSS-SECTIONS UNLESS OTHERWISE DIRECTED BY THE PROJECT ENGINEER.

ALL DIMENSIONS SHOWN ON TYPICAL SECTIONS ARE COMPACTED DIMENSIONS.


TEMPORARY EROSION CONTROL WILL INCLUDE SILT FENCE AND SEDIMENT CHECK DAMS.

WHEN STONE OR RPCC BASE IS USED, GEOTEXTILE FABRIC IS REQUIRED AND IS INCLUDED IN THE BASE COURSE ITEM.

STATION	STATION	WIDTH "A" (FEET)	WIDTH "B" (FEET)	WIDTH "C" (FEET)	SLOPE		ASPHALT THICKNESS	
					FORE	BACK	WEARING COURSE (INCHES)	BINDER COURSE (INCHES)
99+10.00	99+25.00	9.0-9.6	0-2	0-1.67	4:1	3:1	1.5"	2.0"
99+25.00	99+84.00	9.6-12.0	2	1.67	4:1	3:1	1.5"	2.0"
SKEWED BRIDGE & APPROACH SLABS								
100+44.00	101+05.00	12.0-9.6	2	1.67	4:1	3:1	1.5"	2.0"
101+05.00	101+20.00	9.6-9.0	2-0	1.67-0	4:1	3:1	1.5"	2.0"


**TRAFFIC DATA**

FUNCTIONAL CLASS	DESIGN SPEED	ADT (2039)
URBAN COLLECTOR	50 mph	2,000



**TYPICAL SECTION  
(CLASS II BASE)**

- ① 4" Aggregate Surface Course (Shoulders)  
3 1/2" At Locations Where Base Course is Extended to Foreslope (See Detail)
- ② Asphalt Concrete Wearing Course (Level 1)
- ③ Asphalt Concrete Binder Course (Level 1)
- ④ 8 1/2" Class II Base Course (Crushed Stone Only)
- ⑤ Shoulder Wedge (See Sheet 2a-Asphalt Shoulder Wedge Detail)




Notes: Fabric To Extend To Limits of Base Course.  
Excavation For Extension Included in Item 203-05-00100.

**EXTENSION OF CLASS II BASE COURSE  
(STONE OR RPCC) AND FABRIC  
(AT BEGINNING AND END OF PROJECT, OR  
LOW POINTS AS DIRECTED BY THE PROJECT ENGINEER.)**

ACP

<b>PRELIMINARY</b>	<b>Monroe &amp; Corie, Inc.</b> Consulting Engineers
<b>FOR REVIEW ONLY</b>	ENGINEER: WILLIAM C. MONROE LICENSE #: 13691 DATE: 2/26/2021



**REQUIRED STRUCTURE:**  
 CONCRETE SLAB SPAN BRIDGE  
**CAST-IN-PLACE ONLY**  
 2-20' SPANS @ 75° CROSSING  
 24' CLEAR ROADWAY

Str. No. 62530000000145  
 Recall No. 000145

**GENERAL NOTES:**

YEAR PLATE REQUIRED AT EACH END OF BRIDGE. SEE STANDARD DETAIL YP-01.

ALL EXCAVATION AND EMBANKMENT TO BE IN PLACE BEFORE DRIVING PILES AFFECTED.

EXISTING TIMBER PILES TO BE CUT OFF 1 FOOT BELOW SOLID CHANNEL BOTTOM. CONTRACTOR TO REMOVE ANY EXISTING PILES THAT INTERFERE WITH THE PLACEMENT OF NEW PILES. (ITEM No. 202-02-04501)

ALL AREAS OF DISTURBED EMBANKMENT SLOPES NOT HAVING REVENTMENT ARE TO RECEIVE SEEDING AND FERTILIZING.


CONTRACTOR SHALL BE RESPONSIBLE FOR MAINTAINING STREAM FLOW DURING CONSTRUCTION AS DIRECTED BY THE PROJECT ENGINEER.

**PLAN LEGEND**

- EXISTING ROADWAY PAVEMENT TO REMAIN IN PLACE
- REMOVE EXISTING ROADWAY PAVEMENT AND STABILIZED BASE COURSE
- ASPHALT CONCRETE

**UTILITY LEGEND**

- OH-ETC Overhead Elec. & Telephone
- G Gas Line



**HYDRAULIC DATA TABLE**  
 English Units

Drainage Area: 0.43 Sq. Mi.	Basin Slope: 7.77 Ft./Mi.		
	EXISTING	PROPOSED	
Flood Frequency	Year	25	100
	Condition		
Discharge (ft <sup>3</sup> /s)	303	303	419
Structure	Existing 29.7 ft. Timber Bridge	PROPOSED 40' CONC. SLAB BRIDGE	
	Design Water Surface Elev. (NAVD 88)	12.81	12.73
Average Velocity (ft./s)	3.19	2.63	2.75
Area Of Opening (ft <sup>2</sup> )	95	169.28	169.28
Backwater (ft)	0.05	0	0
Bridge Scour Elev. (NAVD 88)	2.40		

Remarks: Proposed structure and road are overtopped at the 500 YR Flow (510 cfs)

**PRELIMINARY**  
 FOR REVIEW ONLY

**ACP**  
 Monroe & Corie, Inc.  
 Consulting Engineers

ENGINEER: WILLIAM C. MONROE  
 LICENSE #: 13691  
 DATE: 3/12/2021

SEE SHEET No. 102  
 FOR BENT AND PILE  
 DATA TABLES

NOTE: ELEVATIONS ARE BASED ON NAVD 88

SHEET NUMBER	101
TANGIPAHOA	H.013163
PARISH	CONTROL SECTION
DESIGNED	WCM
CHECKED	CHC
DATE	BY
REVISION OR CHANGE ORDER DESCRIPTION	


GENERAL BRIDGE PLAN  
 WADESBORO ROAD  
 UNNAMED CREEK

FEDERAL AID OFF-SYSTEM HIGHWAY BRIDGE PROGRAM

MONROE & CORIE, INC.  
 Baton Rouge, LA  
 (225) 293-1905

Project Description

Project No.: H.013163  
Control Sec.: 000-53  
Project Name: Wadesboro Road  
Unnamed Creek  
Route: Wadesboro Road  
Parish: Tangipahoa



*wcm*

Description of Work: This Off-System Bridge (OSB) site is located in Section 38, T-7-S, R-7-E at Latitude 30°25'49.9" N, Longitude 90°28'06.3" W in Tangipahoa Parish. The project is a spot replacement of a structurally deficient timber bridge on Wadesboro Road over Unnamed Creek in Tangipahoa Parish. The existing 19.2' wide x 29.7' long bridge will be replaced with a 24' wide x 40' long cast in place concrete slab span bridge with 10' long concrete approach slabs at each end. The existing bridge has wooden railing but no guard rails extending beyond the bridge. Minimal roadway will be included in the project to transition from the existing 18' wide asphalt road without shoulder to the 24' clear width bridge. Minimal drainage excavation within the existing right-of-way will be necessary and 30 lb. riprap will be used on bridge abutments. All construction shall take place within the existing right-of-way.

Provide supporting documentation/exhibits for the request. Exhibits should include title sheet and other plan sheets affected by the design waiver (i.e., typical sections, geometric details, plan/profile sheets). Additional documentation should include correspondence from other sections, agencies, etc., as well as site photos.

General Information

1. Reason for waiver

- EDSM
- MANUAL
- OTHER (GR-MASH OFF-SYSTEM GUARD RAIL STANDARD PLAN)

2. Provide a synopsis of the scope of the project, the situation you are encountering and the problem you are attempting to mitigate.

Originally, the design drainage structure for this site was a 3-barrel 8 ft. x 5 ft. Reinforced Concrete Box Culvert. The right of way required for the box culvert could not be obtained from the property owners so the project was redesigned using a 24 foot wide x 40 foot long concrete bridge with approach slabs. Required side drains will be in approximately the same location as the existing side drains. The GR-MASH Off System Bridge Guard rail standard cannot be constructed because of the conflict with the required side drains that must remain within the existing right of way of 50 feet.

3. *Describe the proposed design waiver. Provide the proposed and standard values of the design waiver criteria.*

A design waiver is being requested for the use of the concrete barrier railing and transition at the approach slab as shown in Special Detail BD.2.6.1.14.04 (BR-05). This detail will be used instead of the 75' long TL-3 guard rail as required by the GR\_MASH Off-System Guard Rail Standard Plan on all corners of the design bridge structure.

**Required Signatures**

Recommended by: DESIGNER Please Print	Date:
Signature:	

**For LPA Projects:**

Recommended by: <b>Responsible Charge</b> Please Print Please Print	Date:
Signature:	
Approved by: <b>Chief Executive Authority</b> Please Print	Date:
Signature:	

**For All Projects:**

Recommended by: Position Please Print	Date:
Signature:	
Recommended by: DOTD Project Manager Please Print	Date:
Signature:	
Approved by: Applicable DOTD Section Head Please Print	Date:
Signature:	

- Describe the proposed design waiver. Provide the proposed and standard values of the design waiver criteria.

A design waiver is being requested for the use of the concrete barrier railing and transition at the approach slab as shown in Special Detail BD.2.6.1.14.04 (BR-05). This detail will be used instead of the 75' long TL-3 guard rail as required by the GR\_MASH Off-System Guard Rail Standard Plan on all corners of the design bridge structure.

Required Signatures

Recommended by: DESIGNER <b>W.C. MONROE</b>	Date: <b>5.11.21</b>
Signature: 	

**For LPA Projects:**

Recommended by: <b>Responsible Charge</b> <small>Please Print</small>	Date:
Signature:	
Approved by: <b>Chief Executive Authority</b> <small>Please Print</small>	Date:
Signature:	

**For All Projects:**

Recommended by:	Date:
Signature:	
Recommended by:	Date:
Signature:	
Approved by:	Date:
Signature:	

POST OFFICE BOX 215  
AMITE, LOUISIANA 70422



OFFICE (985) 748-3211  
FAX (985) 748-7576

**ROBBY MILLER**  
PARISH PRESIDENT

October 1, 2020

Barbara Ostuno, P.E.

Off-System Bridge Program Manager

Louisiana Department of Transportation & Development

Rm. 602-N

Dear Ms. Ostuno,

Tangipahoa Parish, would like the proposed bridge replacement project (H.013163) to be changed from 3 – 8' x 5' x 54 linear foot reinforced concrete box culverts to a 2-span 24' wide cast-in-place concrete bridge with tapered barrier rails. The proposed bridge with tapered barrier rails will remain within the project limits and within the apparent right-of-way. The substitution of the bridge would accommodate no change in existing drainage and adhere to the existing right-of-way limits.

Sincerely,

Ben Tassin P.E.

Parish Engineer

Tangipahoa Parish

---

COUNCIL


TRENT FORREST  
DISTRICT 1  
EMILE "JOEY" MAYEAUX  
DISTRICT 6

JOHN INGRAFFIA  
DISTRICT 2  
LIONELL WELLS  
DISTRICT 7


LOUIS "NICK" JOSEPH  
DISTRICT 3  
DAVID P. VIAL  
DISTRICT 8

CARLO S. BRUNO  
DISTRICT 4  
BRIGETTE HYDE  
DISTRICT 9

H. G. "BUDDY" RIDGEL  
DISTRICT 5  
KIM LANDRY COATES  
DISTRICT 10



Bridge Site Located at Latitude 30°25'49.91"N, Longitude 90°28'6.32"W  
 ( Lat. 30.430528, Long. 90.468422) T-7-S R-7-E Section 38



# SITE LOCATION MAP

Wadesboro Road Bridge over Un-Named Creek  
 TANGIPAHOA PARISH  
 S. P. H.013163



SHEET NO.  
 1

# WADESBORO ROAD BRIDGE PHOTOS



Photograph 1 - Looking Upstream from Bridge



Photograph 2 - Looking Downstream from Bridge



Photograph 3 - Looking Down Station from Bridge



Photograph 4 - Looking Up Station from Bridge



Photograph 5 – Looking Up Station from Road



Photograph 6 – Looking Downstream at Bridge



Photograph 7 - Looking Down Station from Road



Photograph 8 - Looking Upstream at Bridge

STATE PROJECT #H.013163  
CRASH REPORT

### LADOTD Crash List



**H.013163**  
**WADESBORO ROAD OVER UNNAMED CREEK**  
**Recall 108118**

**Within 500 feet of latitude 30.431667,**  
**longitude -90.466667**  
**2013-01-01 to 2018-12-31**

Csect	Log Mile	Route	Mile Point	tot acc	pdo acc	fat acc	inj acc	num fat	num inj	crash date	most harm evt	manner coll	crash type	surf cond	crash num	par ish	hour	int	iv agy	dir trav	move prior	Dist ft
Total	0			0	0	0	0	0	0													
Grand Total				0	0	0	0	0	0													

**CONFIDENTIAL INFORMATION** - This document and the information contained herein is prepared solely for the purpose of identifying, evaluating and planning safety improvements on public roads which may be implemented utilizing federal aid highway funds; and is therefore exempt from discovery or admission into evidence pursuant to 23 U.S.C. 409. Contact the Traffic Safety Office at (225)379-1871 before releasing any information.

report generated by ryan.rodney@la.gov on 3/15/2021 1:29:26 PM



**Warning! The map may not display correctly in compatibility mode.**  
Map Crashes


Add a point:  
latitude,longitude:

Measure  
Distance:

Current Position:  
  
Last Clicked Position:

Use Ctrl-Click to get the LRS ID and logmile of a point.

Crashes Within 500 feet of latitude  
30.431667, longitude  
-90.466667  
2013-01-01 to 2018-12-31



Lat/Long Formats:  dd . dddd  dd : mm . mmm  dd : mm : ss . s  ddmms

STATE PROJECT #H.013163

CONSTRUCTION PLAN SHEETS


**INDEX TO SHEETS**

SHEET No.	DESCRIPTION
1	TITLE SHEET AND LAYOUT MAP
2, 2a	TYPICAL SECTIONS AND DETAILS
3, 3a	SUMMARY SHEETS
4	PLAN AND PROFILE SHEET
5	TBMs AND REFERENCE POINTS
6	EROSION CONTROL SHEET
7	DRAINAGE MAP
8	SUMMARY OF DRAINAGE STRUCTURES
9-10	MINIMUM CONSTRUCTION SIGNING
101-102	GENERAL BRIDGE PLAN & TABLES
103-113	SLAB SPAN BRIDGE DETAILS
114	SOIL BORING LOG (Not Included)
SPECIAL DETAILS	
201	BD.2.5.1.0.01 (CS-216)
202	BD.2.6.1.14.04 (BR-05, 1 of 2)
203	BD.2.6.1.14.05 (BR-05, 2 of 2)
204	BD.2.10.1.0.07 (ASD-SS)
205	BD.2.11.3.2.01 (FR-01)
206	BD.2.11.10.0.01-CONC. SURFACE FIN.
207	BD.2.11.10.0.02-CONC. SURFACE FIN.
208	YP-01
STANDARD PLANS	
301-302	EC-01 (2 Shts.) 10-01-08
303	HS-03 04-07-14
304	SWBS-100 03-06-13
305-308	TTC-00 (A,B,C,D) 07-02-18

401-405 CROSS SECTIONS


TOTAL NUMBER OF SHEETS.....47

STATE OF LOUISIANA  
DEPARTMENT OF TRANSPORTATION AND DEVELOPMENT  
FEDERAL AID OFF-SYSTEM HIGHWAY BRIDGE PROGRAM  
FAP NO. H013163  
STATE PROJECT NO. H.013163  
**WADESBORO ROAD  
UNNAMED CREEK**  
STRUCTURE NO. 625300000000145  
RECALL NO. 000145  
TANGIPAHOA PARISH



VICINITY MAP

TANGIPAHOA PARISH GOVERNMENT PASSED A RESOLUTION FOR THE FOLLOWING ON \_\_\_\_\_:  
PER THE 2017 MINIMUM DESIGN GUIDELINES THE PREFERRED AND ACCEPTABLE SHOULDER TYPE IS PAVED FOR THE CLASSIFICATION OF URBAN COLLECTOR ROADWAY. THE SHOULDER TYPE FOR THIS PROJECT IS DESIGNED AS AGGREGATE.



**LAYOUT MAP**

SCALE: 1 INCH = 1 MILE



STA. 99+10.00  
BEGIN S.P. H.013163  
BRIDGE SITE: 40 LF  
STA. 99+94.00 to STA. 100+34.00  
2 @ 20' CONCRETE SPANS @ 75'  
STA. 101+20.00  
END S.P. H.013130

DATE	REVISION	DATE	RECOMMENDED	DATE	APPROVED

SCHEDULE OF REVISIONS

**TRAFFIC DATA**

A.D.T. (2019) = 1,350  
A.D.T. (2039) = 2,000  
D = 55%  
K = 10%  
T = 10%

DESIGN SPEED = 50 MPH

POSTED SPEED = 50 MPH

DESIGN CLASSIFICATION = URBAN COLLECTOR

**TYPE OF CONSTRUCTION**

ASPHALT CONCRETE SURFACING (LEVEL 1)  
CLASS II BASE COURSE  
CONCRETE SLAB SPAN BRIDGE

**SURVEY**

DATUM USED: NAVD (VERTICAL CONTROL)  
NAD-83 (HORIZONTAL CONTROL)

MAGNETIC VAR.: N/A  
BEARINGS ARE  
TRANSIT BOOK: NONE  
LEVEL BOOK: 400-447

**SCALES**

PLAN: 1 inch = 50 feet  
PROFILE HORIZ: 1 inch = 50 feet  
PROFILE VERT: 1 inch = 5 feet

**PRELIMINARY EARTHWORK**

EXCAVATION: 124 CY, DRAINAGE EXC.:130 CY  
EMBANKMENT: 82 CY

**STANDARD SPECIFICATIONS**

THE 2016 EDITION OF THE LOUISIANA DOTD STANDARD SPECIFICATIONS FOR ROADS AND BRIDGES, AS AMENDED BY THE PROJECT SPECIFICATIONS, SHALL GOVERN.

*ACP*

<b>PRELIMINARY</b>	<b>Monroe &amp; Corie, Inc.</b> <i>Consulting Engineers</i>
<b>FOR REVIEW ONLY</b>	ENGINEER: WILLIAM C. MONROE LICENSE #: 13691 DATE: 3/12/2021

APPROVED

DOTD CHIEF ENGINEER

DATE \_\_\_\_\_

**LENGTH OF PROJECT**

RECALL	STATION		ALGEBRAIC SUM OF ALL EQUATIONS	GROSS LENGTH	EXCEPTION	BRIDGE LENGTH		ROADWAY LENGTH	
	BEGIN	END				FEET	MILES	FEET	MILES
000145	99+10.00	101+20.00		210.00		40.00	0.007	170.00	0.032
TOTAL LENGTH OF BRIDGES						40.00	0.007		
TOTAL LENGTH OF ROADWAY								170.00	0.032
TOTAL MILES								0.039	

ACP


3/1/2021

© ACP\_1205 TAN-TL & LAY.dwg

SHEET NUMBER	1	TANGIPAHOA	PARISH	CONTROL SECTION	STATE PROJECT
DESIGNED	WCM	CHECKED	SAV	DETAILED	SAV
CHECKED	WCM	CHECKED	WCM	CHECKED	WCM
SERIES NUMBER					
NO.		DATE		BY	
REVISION OR CHANGE ORDER DESCRIPTION					
<b>TITLE SHEET AND LAYOUT MAP</b> FEDERAL AID OFF-SYSTEM HIGHWAY BRIDGE PROGRAM					
MONROE & CORIE, INC. Baton Rouge, LA (225) 293-1905					

FINAL PLANS

4/26/21  
 FIN\_1205 TAN-Wade-GP.dwg



REQUIRED STRUCTURE:  
 CONCRETE SLAB SPAN BRIDGE  
**CAST-IN-PLACE ONLY**  
 2-20' SPANS @ 75' CROSSING  
 24' CLEAR ROADWAY

Str. No. 62530000000145  
 Recall No. 000145

GENERAL NOTES:

YEAR PLATE REQUIRED AT EACH END OF BRIDGE. SEE STANDARD DETAIL YP-01.

ALL EXCAVATION AND EMBANKMENT TO BE IN PLACE BEFORE DRIVING PILES AFFECTED.

EXISTING TIMBER PILES TO BE CUT OFF 1 FOOT BELOW SOLID CHANNEL BOTTOM. CONTRACTOR TO REMOVE ANY EXISTING PILES THAT INTERFERE WITH THE PLACEMENT OF NEW PILES. (ITEM No. 202-02-04501)

ALL AREAS OF DISTURBED EMBANKMENT SLOPES NOT HAVING REVENMENT ARE TO RECEIVE SEEDING AND FERTILIZING.


CONTRACTOR SHALL BE RESPONSIBLE FOR MAINTAINING STREAM FLOW DURING CONSTRUCTION AS DIRECTED BY THE PROJECT ENGINEER.

PLAN LEGEND

- EXISTING ROADWAY PAVEMENT TO REMAIN IN PLACE
- REMOVE EXISTING ROADWAY PAVEMENT AND STABILIZED BASE COURSE
- ASPHALT CONCRETE

UTILITY LEGEND

- OVERHEAD ELECTRIC & TELEPHONE
- GAS LINE



HYDRAULIC DATA TABLE			
English Units			
Drainage Area: 0.43 Sq. Mi.	EXISTING	PROPOSED	
Basin Slope: 7.77 Ft./Mi.	Year	25	100
Flood Frequency	Condition		
Discharge (ft <sup>3</sup> /s)		303	419
Structure	Existing 29.7 ft. Timber Bridge	PROPOSED 40' CONC. SLAB BRIDGE	
Design Water Surface Elev. (NAVD 88)		14.23	13.39
Average Velocity (ft./s)		2.77	2.75
Area Of Opening (ft <sup>2</sup> )		109.33	152.20
Backwater (ft)		0.07	0
Bridge Scour Elev. (NAVD 88)		2.40	
Remarks: Proposed structure and road are overtopped at the 500 YR Flow (510 cfs)			

NOTE: ELEVATIONS ARE BASED ON NAVD 88

SEE SHEET No. 102 FOR BENT AND PILE DATA TABLES

WILLIAM C. MONROE  
 REG. No. 13691  
 REGISTERED PROFESSIONAL ENGINEER

CRAIG H. CORIE  
 REG. No. 27447  
 REGISTERED PROFESSIONAL ENGINEER

SHEET NUMBER 101

TANGIPAHOA

PARISH CONTROL SECTION STATE PROJECT

DESIGNED CHECKED WCM CHC

DATE

NO.

REVISION OR CHANGE ORDER DESCRIPTION

BY

GENERAL BRIDGE PLAN  
 WADESBORO ROAD  
 UNNAMED CREEK

FEDERAL AID OFF-SYSTEM HIGHWAY BRIDGE PROGRAM

MONROE & CORIE, INC.  
 Baton Rouge, LA  
 (225) 293-1905

